
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



62.97

PRICE LIST 1931



HARTLAND, WIS.

Twenty-three Miles West of Milwaukee
On Federal Highway 16
Tel. Hartland 211



White Elm Nursery Co.

PRICE LIST

उक्त उक्त

TERMS AND CONDITIONS OF SALE

Packing

These prices include free packing.

Delivery

These prices include free delivery to such places as can be reached without unreasonable expense.

Guarantee

We guarantee to replace, free of charge, all plants which fail to grow, providing they have been given proper care, payment has been made when due, and notification of such failures is made before September 1 following delivery. Planting of such replacements will be additional.

Planting

These prices do not include planting but arrangement for planting can be made at a reasonable cost.

Terms

A discount of 2% will be made if paid within ten days from date of invoice; thirty days net.

Prices

Five of a kind at tens rate, fifty at hundreds rate. Tens rate will be allowed on orders over \$100.00. Hundreds rate will be allowed on orders over \$400.00.

We try to furnish the maximum in service and quality. Some nurseries do not include free delivery, guarantee, etc., and may quote lower prices for this reason. We will be pleased to quote discounts without such special service. In comparing prices, both nurseries should be asked to quote on the same terms. On the same conditions of service and quality, we welcome comparison of prices.

Landscape Service

We specialize in landscape work and are prepared to furnish plans and specifications alone, or will prepare plans, furnish material, and carry out the work in full, as desired.

Location

Located on Federal Highway 16, ¼ mile east of State Highway 83, 23 miles west of Milwaukee at the west limits of Hartland. Can also be reached by Milwaukee-Oconomowoc bus line and the C., M., St. P. & P. Railroad.

TREES

The diameter (or caliper) "c" of all trees is measured six inches above the ground.

| | | | _ | | | | Each Rate | Tens I Rate | Hundreds Rate |
|--------------|------------------|-----------------------|-------|------|---------|---------|-----------------|-----------------|------------------|
| ACER—M | anle | | | | | | Itale | Italo | Italo |
| | • | | ж | W | 1. | | | | |
| dasycarp | | | | - | | | A 10F | A 1 10 | A 1 00 |
| 6 | to | | | | | | \$ 1.25 2.20 | \$ 1.10 2.00 | \$ 1.00 |
| 8 | to Late | | in. | | | | 3.75 | 3.50 | 1.90 3.25 |
| 2 | 72 to | | in. | | | | 5.75 | 5.50 | 5.25 |
| 21 | | | in. | | | | 8.00 | 7.50 | 7.00 |
| 3 | to | | in. | | | | 12.00 | 11.50 | 11.00 |
| 31 | | | in. | | | | 16.00 | 15.00 | 14.00 |
| 4 | to | | in. | | | | | 19.00 | 18.00 |
| 5 | to | | in. | | | | | 24.00 | 23.00 |
| negundo | . B | oxelde | r | | | | | | |
| 6 | to | 8 | ft. | | | | 1.25 | 1.10 | 1.00 |
| 8 | to | 10 | | | | | 2.20 | 2.00 | 1.90 |
| 11 | 1/2 to | 2 | in. | c. | | | 3.25 | 3.10 | 2.90 |
| 2 | to | 21/2 | in. | c. | | | 5.50 | 5.25 | 5.00 |
| 21 | $\frac{1}{2}$ to | | in. | | | | 8.00 | 7.50 | 7.00 |
| 3 | to | | in. | | | | 12.00 | 11.00 | 10.00 |
| | ½ to | | in. | | | | 15.00 | 14.00 | 13.00 |
| 4 | to | | in. | | | • • • • | 19.00 | 18.00 | 17.00 |
| 5 | to | 6 | in. | c. | • • • • | • • • • | 24.00 | 23.00 | 22.00 |
| platanoi | des. | Norn | ay I | Maj | ble | | | | |
| 8 | | 10 | ft. | | | | 4.00 | 3.75 | 3.50 |
| | 1/2 to | | | | | | 7.50 | 7.25 | 7.00 |
| 2 | to | 2½ | in. | c. | | | 11.00 | 10.50 | 10.00 |
| rubrum. | Re | d Maj | ole d | or S | wam | p M | aple | | |
| 8 | | 10 | | | | | 7.50 | 7.25 | 7.00 |
| saccharu | m. | Sugar | Ma | ble | | | | | |
| 8 | | 10 | ft. | - | | | 5.00 | 4.75 | 4.50 |
| 11 | 1/2 to | 2 | in. | c. | | | 7.50 | 7.25 | 7.00 |
| 2 | | | in. | c. | | | 11.00 | 10.50 | 10.00 |
| 21 | ½ to | | in. | | | | 15.00 | 14.00 | 13.00 |
| 3 | to | $3\frac{1}{2}$ | in. | c. | | | 20.00 | 19.00 | 18.00 |
| schwedle | r. | Redlea | f M | apl | e | | | | |
| | | ¾ in (| | | | | | 6.75 | 6.50 |
| 1 | | | | | | | | 10.50 | 10.00 |
| 13 | 1/2 to | 2 | in. | c. | • • • • | • • • • | 16.00 | 15.50 | 15.00 |
| tataricun | a. (| See S | hrub | (5) | | | | | |
| | | f Wee | | | aple | | | | |
| 8 | | 10 | | | | | 3.25 | 3.00 | 2.75 |
| AESCULU | is h | innoca | ctan | ıım | н | 04600 | hostnes | | |
| AESCULC 6 | | 1 ppoca 1 8 | | | | | 5.50 | 5.25 | 5.00 |
| 0 | L | , , | TU. | | | | 0.00 | 0.20 | 0.00 |

| | Each Rate | Tens Hu Rate | indreds Rate |
|---|---------------------|---------------------|---------------------|
| AILANTHUS glandulosa. Tree of I | Teaven | | |
| 4 to 6 ft | 1.50 | 1.40 | 1.30 |
| 6 to 8 ft | 2.50 | 2.25 | 2.00 |
| ALNUS—Alder | | | |
| incana. Speckled Alder | 3.50 | 2.40 | 0.00 |
| 4 to 6 ft | $\frac{5.50}{4.50}$ | $\frac{3.40}{4.40}$ | $\frac{3.30}{4.30}$ |
| | 1.00 | 1.10 | 1.00 |
| Aralia. (See Shrubs) Aronia. (See Shrubs) | | | |
| · | | | |
| Ash. (See Fraxinus) | | | |
| Basswood. (See Tilia) | | | |
| Bechtel Crab. (See Malus) | | | |
| BETULA—Birch alba. European White Birch | | | |
| 6 to 8 ft | 3.25 | 3.00 | 2.75 |
| 8 to 10 ft | 4.00 | 3.75 | 3.50 |
| alba pendula. Cutleaf Weeping Bi | rch | | |
| 6 to 8 ft | 4.00 | 3.75 | 3.50 |
| 8 to 10 ft | 6.00 | 5.75 | 5.50 |
| | | | |
| lenta. Sweet Birch | 450 | 4.05 | 4.00 |
| 6 to 8 ft | 4.50 6.50 | $\frac{4.25}{6.25}$ | 4.00 6.00 |
| | 0.00 | 0.20 | 0.00 |
| papyrifera. Canoe or Paper Birch | 0.07 | 0.00 | 0 == |
| 6 to 8 ft | $\frac{3.25}{4.00}$ | $\frac{3.00}{3.75}$ | $\frac{2.75}{3.50}$ |
| 8 to 10 ft | 5.50 | 5.25 | 5.00 |
| ·- | 0.00 | 0.20 | 0.00 |
| Boxelder. (See Acer) Butternut. (See Juglans) | | | |
| Catalpa speciosa. Western Catalpa | | | |
| 6 to 8 ft | 1.50 | 1.40 | 1.30 |
| 8 to 10 ft | 2.00 | 1.80 | 1.60 |
| 1½ to 2 in. c | 3.00 | 2.75 | 2.50 |
| 2 to 2½ in. c | 5.00 | 4.50 | 4.00 |
| Umbrella Catalpa | | | |
| (Not reliably hardy) | | | |
| 2 year heads | 4.00 | 3.75 | 3.50 |
| Cerasus. (See Prunus) Cherry, wild. (See Prunus) | | | |
| Crab, flowering. (See Malus) | | | |
| CRATAEGUS—Hawthorn | | | |
| coccinea. Thicket Thorn | 0.00 | 0.00 | 0.00 |
| 3 to 4 ft | 3.00 | 2.90 | $\frac{2.80}{3.80}$ |
| 4 to 5 ft | $\frac{4.00}{5.25}$ | 3.90 5.15 | 5.00 |
| 6 to 8 ft | 7.50 | 7.25 | 7.00 |
| | | | |

| | | | | | Each Rate | Tens Rate | Hundreds Rate |
|---|--|---|--|---|--|---|---|
| cordata. | Wa | shingi | on | Hawthorn | | | |
| 4 | to | 5 | ft. | • | 4.00 | 3.90 | 3.80 |
| crusgalli. | Co | ckstu | r T | horn | | | |
| 3 | | 4 | ft. | | 3.00 | 2.90 | 2.80 |
| - | | | | 1 | 0.00 | | |
| Paul Dou | | | | | 2.05 | 2.00 | 0.75 |
| 4 5 | to | 5 | ft. | | | 3.00 3.75 | |
| • | | _ | | | 4.00 | 0.10 | 3.30 |
| Eleagnus. | | | ibs) | | | | |
| Elm. (See | Ulm | ius) | | | | | |
| FRAXINUS | | 1sh | | | | | |
| americana | | | Asl | 1 | | | |
| 6 | to | - | ft. | | 1.30 | 1.20 | |
| 8 | to | | ft. | • • • • • • • • • • | 2.20 | 2.00 | |
| | to | 2 | in. | | 4.00 | 3.75 | 3.50 |
| 2 214 | to | $\frac{21/_{2}}{3}$ | in. | | 6.50 9.00 | 6.25 8.75 | 6.00 8.50 |
| 3 | to | 31/2 | | | 14.00 | 13.00 | |
| | to | 4 | in. | | 20.00 | 19.00 | |
| lanceolata | 0 | 2 | 4.1 | | | | |
| fanceorata 6 | to. | | ft. | • | 1.50 | 1.30 | 1.20 |
| 8 | | 10 | ft. | | 2.25 | 2.15 | |
| | to | 2 | in. | | 4.50 | 4.25 | |
| - | | | | | | | |
| Gladitain inc | | $\sim T$ | have | alore Honoul | acust | | |
| Gleditsia ine | | | | iless Honeyl | | 2 25 | 2.00 |
| 6 | to | 8 | ft. | | 2.50 | 2.25 3.25 | |
| 6 8 | to | 8 10 | | | 2.50 | 2.25 3.25 5.75 | 2.00 3.00 5.50 |
| $\begin{array}{c} 6 \\ 8 \\ 1\frac{1}{2} \\ 2 \end{array}$ | to to to | 8 10 2 2½ | ft. ft. in. | c | 2.50 3.50 | 3.25 5.75 8.50 | 3.00 5.50 8.00 |
| $\begin{array}{c} 6 \\ 8 \\ 1\frac{1}{2} \\ 2 \end{array}$ | to to to | 8 10 2 2½ | ft. ft. in. | c | 2.50 3.50 6.00 9.00 | 3.25 5.75 | 3.00 5.50 8.00 |
| 6 8 1½ 2 2½ 1½ Hawthorn. | to to to to to | 8 10 2 2½ 3 se Cra | ft. ft. in. in. in. | c | 2.50 3.50 6.00 9.00 | 3.25 5.75 8.50 | 3.00 5.50 8.00 |
| $\begin{array}{c} 6 \\ 8 \\ 1\frac{1}{2} \\ 2 \\ 2\frac{1}{2} \end{array}$ | to to to to to | 8 10 2 2½ 3 se Cra | ft. ft. in. in. in. | c | 2.50 3.50 6.00 9.00 | 3.25 5.75 8.50 | 3.00 5.50 8.00 |
| 6 8 1½ 2 2½ 1½ Hawthorn. | to to to to (See. | 8 10 2 2½ 3 ee Cra | ft. ft. in. in. in. | c | 2.50 3.50 6.00 9.00 | 3.25 5.75 8.50 | 3.00 5.50 8.00 |
| 6 8 1½ 2 2½ Hawthorn. Honeylocust | to to to to (Sec. (Jut. | 8 10 2 2½ 3 se Cra See G (See | ft. ft. in. in. in. | c | 2.50 3.50 6.00 9.00 | 3.25 5.75 8.50 | 3.00 5.50 8.00 |
| 6 8 1½ 2 2½ Hawthorn. Honeylocust Horsechestn | to to to to (See. (JutW. | 8 10 2 21½ 3 ee Cra See G (See | ft. ft. in. in. in. | c | 2.50 3.50 6.00 9.00 | 3.25 5.75 8.50 | 3.00 5.50 8.00 |
| 6 8 1½ 2 2½ Hawthorn. Honeylocust Horsechestn JUGLANS- | to to to to (Sec. (Sutt. | 8 10 2 21½ 3 ee Cra See G (See | ft. ft. in. in. in. | c | 2.50 3.50 6.00 9.00 | 3.25 5.75 8.50 | 3.00 5.50 8.00 11.00 |
| 6 8 1½ 2 21½ Hawthorn. Honeylocust Horsechestn JUGLANS- cinera. <i>E</i> | to to to to (Sec. (Sutt. | 8 10 2 2½ 3 see Cra See G (See alnut ernut 10 2 | ft. ft. in. in. itaeg ledi Ae ft. in. | c | 2.50 3.50 6.00 9.00 12.00 | 3.25 5.75 8.50 11.50 | 3.00 5.50 8.00 11.00 |
| 6 8 1½ 2 2½ Hawthorn. Honeylocust Horsechestn JUGLANS— cinera. E 8 1½ 2 | to to to to (See . () | 8 10 2 2½ 3 se Cra See G (See alnut ernut 10 2 2½ | ft. ft. in. in. staes ledding Ae | c | 2.50 3.50 6.00 9.00 12.00 3.50 5.00 7.00 | 3.25 5.75 8.50 11.50 3.25 4.75 6.50 | 3.00 5.50 8.00 11.00 3.00 4.50 6.00 |
| 6 8 1½ 2 2½ Hawthorn. Honeylocust Horsechestn JUGLANS— cinera. 8 1½ | to to to to (See . () | 8 10 2 2½ 3 see Cra See G (See alnut ernut 10 2 | ft. ft. in. in. itaeg ledi Ae ft. in. | c | 2.50 3.50 6.00 9.00 12.00 | 3.25 5.75 8.50 11.50 | 3.00 5.50 8.00 11.00 3.00 4.50 6.00 |
| 6 8 1½ 2 2½ Hawthorn. Honeylocust Horsechestn JUGLANS- cinera. <i>I</i> 8 1½ 2 2 2½ | to t | 8 10 2 2½ 3 se Cra See G (See alnut ernut 10 2 2½ | ft. ft. in. in. stages dedicate ft. in. in. in. | c | 2.50 3.50 6.00 9.00 12.00 3.50 5.00 7.00 | 3.25 5.75 8.50 11.50 3.25 4.75 6.50 | 3.00 5.50 8.00 11.00 3.00 4.50 6.00 |
| 6 8 1½ 2 2½ Hawthorn. Honeylocust Horsechestn JUGLANS— cinera. E 1½ 2 2½ 21½ nigra. Bl | to to to to to (See to | 8 10 2 21½ 3 see Cra See G (See alnut ernut 10 2 21½ 3 Waln 10 | ft. ft. in. in. staes ledi Ae ft. in. in. in. in. ft. in. in. in. in. | c | 2.50 3.50 6.00 9.00 12.00 3.50 5.00 7.00 10.00 | 3.25 5.75 8.50 11.50 3.25 4.75 6.50 9.00 | 3.00 5.50 8.00 11.00 3.00 4.50 6.00 8.00 |
| 6 8 1½ 2 2½ Hawthorn. Honeylocust Horsechestn JUGLANS— cinera. E 1½ 2 2½ 21½ nigra. Bl | to to to to to (See to | 8 10 2 21½ 3 re Cra See G (See alnut rernut 10 2 21½ 3 Waln | ft. ft. in. in. staes ledi Ae ft. in. in. in. | c | 2.50 3.50 6.00 9.00 12.00 3.50 5.00 7.00 10.00 | 3.25 5.75 8.50 11.50 3.25 4.75 6.50 9.00 | 3.00 5.50 8.00 11.00 3.00 4.50 6.00 8.00 |
| 6 8 1½ 2 2½ Hawthorn. Honeylocust Horsechestn JUGLANS— cinera. E 1½ 2 2½ 21½ nigra. Bl | to t | 8 10 2 21½ 3 see Cra See G (See alnut ernut 10 2 21½ 3 Waln 10 2 | ft. ft. in. in. stage ledi Ae ft. in. in. in. in. in. in. in. in. in. in | c | 2.50 3.50 6.00 9.00 12.00 3.50 5.00 7.00 10.00 | 3.25 5.75 8.50 11.50 3.25 4.75 6.50 9.00 | 3.00 5.50 8.00 11.00 3.00 4.50 6.00 8.00 |
| 6 8 1½ 2 2½ Hawthorn. Honeylocust Horsechestn JUGLANS— cinera. E 1½ 2 2½ 1½ nigra. Bl 8 1½ sieboldian | to t | 8 10 2 21/2 3 2e Cra See G (See alnut ernut 10 2 21/2 3 Waln 10 2 Japan 10 | ft. ft. in. in. stage ledi Ae ft. in. in. in. in. in. in. in. in. in. in | c | 2.50 3.50 6.00 9.00 12.00 3.50 5.00 7.00 10.00 3.50 5.50 | 3.25 5.75 8.50 11.50 3.25 4.75 6.50 9.00 3.25 5.25 | 3.00 5.50 8.00 11.00 3.00 4.50 6.00 8.00 5.00 |
| 6 8 1½ 2 2½ Hawthorn. Honeylocust Horsechestn JUGLANS— cinera. E 1½ 2 2½ 1½ sieboldian 8 1½ | to t | 8 10 2 21½ 3 3ee Cras See G (See alnut 10 2 2½ 3 Waln 10 2 Japan 10 2 | ft. ft. in. itaegeledi Ae ft. in. in. in. in. in. in. in. in. | c | 2.50 3.50 6.00 9.00 12.00 3.50 5.00 7.00 10.00 3.50 5.50 | 3.25 5.75 8.50 11.50 3.25 4.75 6.50 9.00 3.25 5.25 4.75 | 3.00 5.50 8.00 11.00 3.00 4.50 6.00 8.00 3.00 4.50 |
| 6 8 1½ 2 21½ Hawthorn. Honeylocust Horsechestn JUGLANS— cinera. E 8 1½ 2 2½ 2½ nigra. Bl 8 1½ sieboldian 8 1½ | to to to to (Settle to | 8 10 2 2½ 3 re Cra See G (See alnut 10 2 10 2 14 Japan 10 2 2½ 2½ 2½ 2½ 2½ 2½ 2½ 2½ 2½ 2½ 2½ 2½ 2 | ft. ft. in. itaegeledi Ae ft. in. in. in. in. in. in. in. in. | c | 3.50 5.00 7.00 3.50 5.00 7.00 3.50 5.50 3.50 7.00 7.00 | 3.25 5.75 8.50 11.50 3.25 4.75 6.50 9.00 3.25 5.25 | 3.00 5.50 8.00 11.00 3.00 4.50 6.00 8.00 3.00 4.50 6.00 |
| 6 8 1½ 2 2½ Hawthorn. Honeylocust Horsechestn JUGLANS— cinera. E 1½ 2 2½ 1½ sieboldian 8 1½ | to to to to (Settle to | 8 10 2 21½ 3 3ee Cras See G (See alnut 10 2 2½ 3 Waln 10 2 Japan 10 2 | ft. ft. in. in. stage ft. in. in. in. in. in. in. in. in. in. in | c | 2.50 3.50 6.00 9.00 12.00 3.50 5.00 7.00 10.00 3.50 5.50 | 3.25 5.75 8.50 11.50 3.25 4.75 6.50 9.00 3.25 5.25 4.75 | 3.00 5.50 8.00 11.00 3.00 4.50 6.00 8.00 3.00 4.50 |

| | | | | Each | Tens H | ındreds |
|----------------------|----------|------------|-----------------------------|---------------------|---------------------|---------------------|
| | | | | Rate | Rate | Rate |
| LARIX—Lar europaeus. | | 3. | | | | |
| 6 | to 8 | ft. | | 13.00 | 12.00 | 11.00 |
| 8 | to 10 | ft. | | 18.00 | 17.00 | 16.00 |
| 10 | to 12 | ft. | • • • • • • • • • • | 25.00 | 24.00 | 23.00 |
| | | | arch B. & B. | | | |
| $\frac{2}{3}$ | to 3 | ft. ft. | | $\frac{2.50}{4.00}$ | $\frac{2.25}{3.75}$ | $\frac{2.00}{3.50}$ |
| 4 | to 5 | ft. | | 6.00 | 5.50 | 5.00 |
| 5 | to 6 | ft. | | 9.00 | 8.50 | 8.00 |
| 6 | to 8 | ft. | • • • • • • • • • • | 15.00 | 14.00 | 13.00 |
| • | e Tilia) | | | | | |
| Locust, black. | | | | | | |
| Locust, honey | . (See | Glea | litsia) | | | |
| Maple. (See | Acer) | | | | | |
| MALUS—Cr | ab | | | | | |
| | iberian | | | | | |
| | | | all yellow fru | | 0.00 | 0.00 |
| 4 5 | to 5 | ft. ft. | | $\frac{2.50}{3.50}$ | $\frac{2.30}{3.30}$ | $\frac{2.20}{3.20}$ |
| 6 | to 8 | ft. | | 5.00 | $\frac{3.30}{4.75}$ | 4.50 |
| Bechtel | | | | | | |
| | e double | pink | flowers) | | | |
| 3 | to 4 | ft. | | 2.00 | 1.80 | 1.60 |
| 4 5 | to 5 | ft. | • • • • • • • • • • | 3.00 | 2.75 | 2.50 |
| | to 6 | ft. | | 4.00 | 3.75 | 3.50 |
| | Atrosans | | | | | |
| 3 | to 4 | ft. | red flowers) | 2.00 | 1.75 | 1.50 |
| 4 | to 5 | ft. | | 2.50 | $\frac{1.75}{2.25}$ | 2.00 |
| 5 | to 6 | ft. | | 3.00 | 2.75 | 2.50 |
| coronaria. | Wild S | weet | Crab | | | |
| (Nativ | e wild | crab, | fragrant, pi | ak flowe | ers) | |
| 3 | to 4 | ft. | | 2.00 | 1.75 | 1.50 |
| 4 5 | to 5 | ft. ft. | | $\frac{2.50}{3.00}$ | $2.25 \\ 2.75$ | $\frac{2.00}{2.50}$ |
| • | | | | | 2.70 | 2.00 |
| | | | Flowering Cr tiny yellow | | t) | |
| 4 | to 5 | ft. | ····· | 2.50 | 2.25 | 2.00 |
| 5 | to 6 | ft. | | 3.00 | 2.75 | 2.50 |
| Parkman | | | | | | |
| | colored | flowe | ers, tiny bro | wn frui | t) | |
| 3 | to 4 | ft. | | 2.00 | 1.75 | 1.50 |
| 4 | to 5 | ft. | | 2.50 | 2.25 | 2.00 |

| | | | Each | Tens Hur | dreds |
|-----------------|----------------|--------------------|---------------------|---------------------|---------------------|
| niedzwetzk | vana R | Redvein Crab | Rate | Rate F | Late |
| | , | wers, purplish red | fruit a | nd leaves |) |
| 4 | to 5 | ft | 2.50 | 2.25 | 2.00 |
| 5 | to 6 | ft | 3.00 | 2.75 | 2.50 |
| | | idecker Crab | | | |
| | le pink | | 0.70 | 2.07 | 2.00 |
| 4 5 | to 5 to 6 | ft | $\frac{2.50}{3.00}$ | $2.25 \\ 2.75$ | $\frac{2.00}{2.50}$ |
| MORUS-M | lulberry | | | | |
| tatarica. I | | Mulberry | | | |
| Bush f | | ĺ | | | |
| 4 | to 5 | ft | .50 | .45 | .40 |
| 5 6 | to 6 | ft | $\frac{.80}{1.25}$ | .75 1.15 | .70 1.00 |
| Ť | | | 1.40 | 1.15 | 1.00 |
| Weeping N | | | 6.00 | 5.50 | F 00 |
| • | ar heads | | 6.00 | 5.50 | 5.00 |
| Mountain As | | | | | |
| Mulberry. (| | • | | | |
| Oak. (See | Quercus) | | | | |
| Plum, ornam | ental. (| (See Prunus) | | | |
| Plum, fruiting | g. (See | Fruit Section) | | | |
| Poplar. (Se | e Populi | ıs) | | | |
| POPULUS- | -Poplar | | | | |
| | Bolleana | • | | | |
| 6 | to 8 | ft | 2.00 | $\frac{1.90}{2.75}$ | $\frac{1.80}{2.50}$ |
| 8 10 | to 10 | ft | $\frac{3.00}{4.00}$ | 2.75 3.75 | 3.50 |
| $\frac{10}{12}$ | to 15 | ft | 5.00 | 4.75 | 4.50 |
| Carolina P | oplar | | | | |
| 6 | to 8 | ft | .75 | .60 | .50 |
| 8 | to 10 | ft | 1.00 | .85 | .75 |
| 10 | to 12 | ft | 1.40 | 1.20 | 1.00 |
| $1\frac{1}{2}$ | | in. c | 2.50 | 2.40 | 2.30 |
| 2 | to 2½ | | 3.50 | 3.40 | 3.30 |
| 21/2 | | in. c | 5.50 | 5.25 | 5.00 |
| 3 | to 3½ | in. c | 8.00 | 7.50 | 7.00 |
| Lombardy | | 1 . 1 . 0 | | | |
| | | hed from ground | | | |
| 6 | to 8 | ft | 1.25 | 1.15 | 1.00 |
| 8 10 | to 10 to 12 | ft | 2.00 | $\frac{1.75}{2.75}$ | $\frac{1.50}{2.50}$ |
| 10 12 | to 12 | ft | 4.00 | 3.75 | $\frac{2.50}{3.50}$ |
| 10 | 00 10 | 20, | 2.00 | 0.10 | 0.00 |

| | | | | | | | | Each Rate | Tens I Rate | Iundreds Rate |
|-----------|------|-----|----------------|-------|-----|-----------|---------|---------------------|---------------------|------------------|
| Silver P | opla | ar | | | | | | | | |
| 6 | | to | 8 | ft. | | | | 1.25 | 1.15 | 1.00 |
| 8 | | to | 10 | ft. | | | | 2.00 | 1.75 | 1.50 |
| 1 | 1/2 | to | 2 | in. | c. | | | 3.00 | 2.75 | 2.50 |
| 2 | | to | 21/2 | | | | | 4.50 | 4.25 | 4.00 |
| | 1/2 | | 3 1 | in. | | | | 6.50 | 6.25 | 6.00 |
| 3 | | to | | in. | | | | 10.00 | 9.00 | 8.00 |
| | 1/2 | | 4 | in. | | | | 15.00 | 14.00 | 13.00 |
| 4 | | to | 5 | in. | | | | 20.00 | 19.00 | 18.00 |
| PRUNUS | | | - | | | | • • • • | 20.00 | 10.00 | 10.00 |
| america | na. | A | l meri | can . | Pl | um | | | | |
| 4 | | | 6 | | | | | 1.40 | 1.20 | 1.00 |
| - | | - | - | | | | | 1.10 | 1.20 | 1.00 |
| newport | | Pui | | | ed | Plum | ! | | | |
| 3 | | to | 4 | ft. | | | | 1.50 | 1.40 | 1.30 |
| 4 | | to | 5 | ft. | | | | 2.00 | 1.90 | 1.80 |
| 5 | | to | 6 | ft. | | | | 3.00 | 2.90 | 2.80 |
| pennsylv | | : | D: | ·C | | *** | | | | |
| | | | | | ier | ry | | | | |
| (vv | | | dche | | | | | | | |
| 8 | | to | 10 | ft. | | | | 2.50 | 2.25 | 2.00 |
| 1 | 1/2 | to | 2 | in. | c. | | | 4.50 | 4.25 | 4.00 |
| 2 | | to | $2\frac{1}{2}$ | in. | c. | | | 7.00 | 6.50 | 6.00 |
| 2 | 1/2 | to | 3 | in. | | | | 10.00 | 9.50 | 9.00 |
| 3 | | to | 31/2 | in. | c. | | | 15.00 | 14.00 | 13.00 |
| 3 | 1/2 | to | 4 | in. | | | | 20.00 | 19.00 | 18.00 |
| QUERCU | C | 0 | -4 | | | | | | | |
| palustris | | | | | | | | | | |
| | | | | | | | | 10.00 | 11.00 | 70.00 |
| | 1/2 | | | in. | | | • • • • | | 11.00 | 10.00 |
| 2 | | to | 2 1/2 | in. | c. | | • • • • | 16.00 | 15.00 | 14.00 |
| ROBINIA | -1 | Loc | ust | | | | | | | |
| pseudoa | caci | ia. | Bla | ck L | oc | ust | | | | |
| 1 | | to | 2 | | | | | .10 | .07 | .05 |
| 6 | | to | 8 | ft. | | uig | | 1.50 | 1.25 | 1.00 |
| 8 | | | 10 | ft. | | | | $\frac{1.30}{2.25}$ | $\frac{1.25}{2.00}$ | 1.75 |
| _ | | | 2 | | | • • • • • | | 4.00 | 3.75 | 3.50 |
| 1 | 1/2 | to | 4 | in. | c. | | • • • • | 4.00 | 5.75 | 5.50 |
| Umbrell | la | | | | | | | | | |
| | rm: | | | se g | lol | be hea | ad wi | ith deep | green | foliage. |
| | | | / | 6 64 | | | | 6.00 | 5.75 | 5.50 |
| | | | | | | | | 0.00 | 5.75 | 0.00 |
| Russian O | live | | (See | Shri | ub: | s) | | | | |
| SALIX-I | Will | lon | ν | | | | | | | |
| alba. I | Whi | te | Wille | ow | | | | | | |
| 2 | | to | 4 | ft. | | | | .30 | .25 | .20 |
| 4 | | to | 6 | ft. | • | | | .75 | .70 | .60 |
| _ | | | - | | | | | .10 | | .00 |
| Bronze | Gol | de | n Wi | llow | | | | | | |
| 4 | | to | 6 | ft. | | | | .70 | .60 | .50 |
| 6 | | to | 8 | ft. | | | | 1.00 | .90 | .80 |
| | | | | | | | | | | |

| | | | | | Each Rate | Tens H | ındreds Rate |
|---------------------|-----|--------------------------|------|---------------------|---------------------|--------------|-----------------|
| • | | Will | | | | | |
| 3 | to | 4 | ft. | | .60 | .55 | .50 |
| 4 | to | 5 | ft. | | .80 | .70 | .60 |
| 5 | to | 6 | ft. | | 1.25 | 1.10 | 1.00 |
| | | mary | | llow | | | |
| 2 | to | 3 | ft. | • • • • • • • • • • | .60 | .55 | .50 |
| 3 | to | 4 | ft. | | .80 | .75 | .70 |
| 4 | to | 5 | ft. | | 1.00 | .90 | .80 |
| niobe. W | - | | | w | | | |
| 4 | to | 6 | ft. | | .80 | .75 | .70 |
| 6 | to | 8 | ft. | • • • • • • • • • • | 1.50 | 1.4 0 | 1.30 |
| pentandra. | | aurel | | llow | | | |
| 2 | to | 4 | ft. | | .25 | .20 | .15 |
| 4 | to | 6 | ft. | | .70 | .60 | .50 |
| 6 | to | 8 | ft. | | 1.50 | 1.35 | 1.20 |
| Russian G | old | en. (| Gold | len twigged W | ⁷ illow | | |
| 2 | to | 4 | ft. | | .25 | .20 | .15 |
| 4 | to | 6 | ft. | | .70 | .60 | .50 |
| 6 | to | 8 | ft. | | 1.25 | 1.00 | .90 |
| Wisconsin | W | eepin | g W | Villow | | | |
| 5 | to | 6 | ft. | | 1.50 | 1.40 | 1.30 |
| 6 | to | 8 | ft. | | 2.00 | 1.90 | 1.80 |
| SORBUS—A | Iou | ntain | As | h | | | |
| aucuparia. | E | urope | an | Mountain Asl | 'n | | |
| 6 | to | 8 | ft. | | 1.75 | 1.60 | 1.50 |
| 8 | to | 10 | ft. | • • • • • • • • • | 2.50 | 2.25 | 2.00 |
| 1½ | to | 2 | in. | c | 4.50 | 4.25 | 4.00 |
| 2 | to | $2\frac{1}{2}$ | in. | c | 7.00 | 6.50 | 6.00 |
| 21/2 | | 3 | in. | c | 10.00 | 9.00 | 8.00 |
| Tamarack. | (Se | e Lar | ix) | | | | |
| TILIA-Line | | | | | | | |
| americana. | A | meri | can | Linden, Bassn | vood | | |
| 6 | to | 8 | ft. | | 2.50 | 2.40 | 2.30 |
| 8 | | 10 | ft. | | 4.00 | 3.75 | 3.50 |
| 1½ | | 2 | in. | | 6.00 | 5.75 | 5.50 |
| 2 | to | $2\frac{1}{2}$ | | | 10.00 | 9.50 | 9.00 |
| Tree of Hear | ven | . (S | ee A | lilanthus) | | | |
| ULMUS—E American | | ite F | lm | | | | |
| 6 | to | 8 | ft. | | 1.50 | 1.30 | 1.20 |
| 8 | | 10 | ft. | | $\frac{1.50}{2.50}$ | 2.40 | 2.30 |
| 11/2 | | 2 | in. | c | 4.50 | 4.25 | 4.00 |
| 2 | to | $\frac{2}{2}\frac{1}{2}$ | | | 7.00 | 6.50 | 6.00 |
| 21/2 | | 3 | in. | c | 10.00 | 9.50 | 9.00 |
| 3 12 | to | 31/2 | in. | | 15.00 | 14.00 | 13.00 |
| 31/2 | to | 4 | in. | | 20.00 | 19.00 | 18.00 |
| 4 | to | 5 | in. | c | 25.00 | 24.00 | 23.00 |

| | | | | Each Rate | Tens H Rate | undreds Rate |
|-------------|-------|-------|----|--------------|----------------|-----------------|
| Moline Elr | n | | | | | |
| 8 | to 10 | ft. | | 2.75 | 2.50 | 2.25 |
| 1½ | to 2 | in. | c | 5.75 | 5.50 | 5.25 |
| 2 | to 21 | 6 in. | c | 11.00 | 10.50 | 10.00 |
| parvifolia. | Chine | ese E | lm | | | |
| 6 | to 8 | ft. | | 3.00 | 2.75 | 2.50 |
| 8 | to 10 | ft. | | 5.00 | 4.75 | 4.50 |
| 11/4 | to 11 | 6 in. | c | 6.50 | 6.25 | 6.00 |
| Vase Elm | | | | | | |
| 8 | to 10 | ft. | | 2.75 | 2.50 | 2.25 |
| 11/2 | to 2 | in. | c | 5.75 | 5.50 | 5.25 |
| 2 2 | | | c | | 10.50 | 10.00 |

EVERGREENS

These prices include digging and delivering evergreens with ball of earth. This adds greatly to the expense, both in digging and delivery, but is well worth the added cost. Sizes are given as height in feet, unless otherwise noted.

| | | | Each Rate | Tens Hundreds Rate Rate |
|----------------|-------------------|------------|----------------|---|
| ABIES-Fir | | | 24400 | 20000 20000 |
| balsamea. | Balsam | Fir | | |
| 11/2 | to 2 | ft. | \$ 2.50 | \$ 2.40 \$ 2.30 |
| 2 | to 21/2 | ft. | 4.00 | 3.80 3.70 |
| $2\frac{1}{2}$ | to 3 | ft. | 6.00 | 5.90 5.80 |
| 3 | to $3\frac{1}{2}$ | ft. | 9.00 | 8.75 8.50 |
| concolor. | White I | ir | | |
| 11/2 | to 2 | ft. | 8.00 | 7.50 7.00 |
| 2 | to 2½ | ft. | 10.00 | 9.50 9.00 |
| 21/2 | to 3 | ft. | 13.00 | 12.50 12.00 |
| 3 | to 3½ | ft. | 18.00 | 17.00 16.00 |
| 3½ 4 | to 4 | ft. ft. | 25.00 | 24.00 23.00 31.00 30.00 |
| 5 | to 6 | ft. | 32.00 | 39.00 38.00 |
| | | - • · | | 33.00 30.00 |
| douglasi. | (See Ps | | suga) | |
| Arborvitae. | (See Th | | | |
| Cedar. (See | Juniper | us) , | | |
| Douglas Fir. | (See P | seud | otsuga) | |
| Fir. (See A | | \ | | |
| Hemlock. (| see 1 sug | (a) | | |
| JUNIPERUS | | | | |
| chinensis. | Chinese | Jun | per | |
| 2 | to 2½ | | 6.00 | 5.75 5.50 |
| 21/2 | to 3 | ft. | 7.00 | 6.75 6.50 |
| 3 | to 31/2 | | 8.00 | 7.50 7.00 |
| 31/2 | to 4 | ft. ft. | 11.00 | $ \begin{array}{ccc} 10.50 & 10.00 \\ 13.00 & 12.00 \end{array} $ |
| 4 5 | to 5 | ft. | 10.00 | 17.00 16.00 |
| - | - | | | 17.00 10.00 |
| chinensis p | | | fitzer Juniper | |
| $1\frac{1}{2}$ | | ft. | 6.00 | 5.75 5.50 |
| 2 | to 21/2 | | 9.00 | 8.50 8.00 |
| 21/2 | to 3 | ft. | 11.50 | 11.00 10.50 |
| 3 | to 31/2 | | 14.00 | 13.50 13.00 |
| 3½ 4 | to 4 | ft. | 16.00 | 15.50 15.00 19.00 18.00 |
| _ | - | | 20.00 | 19.00 16.00 |
| chinensis p | | | | |
| | ght form | • | | |
| 21/2 | | ft. | 11.50 | 11.00 10.50 |
| 3 | to 3½ | | 14.00 | 13.50 13.00 |
| 31/2 | to 4 | ft. | 16.00 | 15.50 15.00 |
| chinensis p | vramida | lis bl | 110 | |
| 5 | / | | | |

| chinensis pyramidalis green 4 to 5 ft. 20.00 19.00 18.00 communis depressa. Prostrate or Canadensis: 1 to 1½ ft. 4.00 3.75 3.50 1½ to 2 ft. 7.00 6.75 6.50 2½ to 3 ft. 10.00 9.00 8.00 3½ to 4 ft. 15.00 14.00 13.00 communis depressa plumosa. Andorra Juniper 1½ to 2 ft. 8.00 7.50 7.00 communis suecica. Swedish Juniper 2½ to 3 ft. 10.00 10.50 10.00 3½ to 4 ft. 15.00 14.00 13.00 communis suecica. Swedish Juniper 2½ to 3 ft. 7.00 6.50 6.00 3 to 3½ ft. 11.00 10.50 10.00 3½ to 4 ft. 15.00 14.00 13.00 excelsa stricta. Spiny Greek Juniper 2 to 2½ ft. 8.00 7.50 7.00 excelsa stricta. Spiny Greek Juniper (Blue Creeping Juniper) 1 to 1½ ft. 10.00 9.50 9.00 3 to 3½ ft. 10 | | | | | | Each Rate | Tens H Rate | undreds Rate |
|--|-------------|-------|----------------|------------------|---|--------------|----------------|-----------------|
| Communis depressa. Prostrate or Canadensis 1 | | | | | | | | |
| 1 to 1½ ft. 5.00 4.75 4.50 2 to 2½ ft. 5.00 4.75 6.50 2½ to 3 ft. 10.00 9.00 8.00 3 to 3½ ft. 13.00 12.00 11.00 3½ to 4 ft. 15.00 14.00 13.00 communis depressa plumosa. Andorra Juniper 1½ to 2 ft. 8.00 7.50 7.00 communis suecica. Swedish Juniper 2½ to 3 ft. 7.00 6.50 6.00 3 to 3½ ft. 11.00 10.50 10.00 3½ to 4 ft. 15.00 14.00 13.00 communis suecica. Swedish Juniper 2½ to 3 ft. 7.00 6.50 6.00 3 to 3½ ft. 11.00 10.50 10.00 3½ to 4 ft. 15.00 14.00 13.00 excelsa stricta. Spiny Greek Juniper 2 to 2½ ft. 8.00 7.50 7.00 2½ to 3 ft. 10.00 9.50 9.00 3 to 3½ ft. 13.00 12.50 12.00 horizontalis. Waukegan Juniper (Blue Creeping Juniper) 1 to 1½ ft. 5.00 4.75 4.50 1½ to 2 ft. 5.50 5.25 5.00 2 to 2½ ft. 7.00 6.75 6.50 sabina. Savin Juniper 1 to 1½ ft. 4.50 4.25 4.00 1½ to 2 ft. 5.50 5.25 5.00 2 to 2½ ft. 7.50 7.25 7.00 2½ to 3 ft. 10.00 9.50 9.00 3 to 3½ ft. 14.00 13.50 13.00 sabina horizontalis. Bar Harbor Juniper (formerly Juniper procumbens) 1 to 1½ ft. 4.50 4.25 4.00 1½ to 2 ft. 8.00 7.50 7.50 2½ to 3 ft. 10.00 9.50 9.00 3 to 3½ ft. 12.00 13.50 13.00 sabina horizontalis. Bar Harbor Juniper (formerly Juniper procumbens) 1 to 1½ ft. 8.00 7.50 7.00 2½ to 3 ft. 10.00 9.00 8.00 3 to 3½ ft. 12.00 1.00 10.00 sabina tamariscifolia. Tamarix Savin Juniper 1½ to 2 ft. 8.00 7.50 7.00 virginiana. Redcedar 1 to 1½ ft. 2.00 1.75 1.50 1½ to 2 ft. 8.00 7.50 7.00 virginiana. Redcedar 1 to 1½ ft. 8.00 7.50 7.00 virginiana. Redcedar 1 to 1½ ft. 8.00 7.50 7.00 virginiana. Redcedar 1 to 1½ ft. 8.00 7.50 7.50 2½ to 3 ft. 8.00 7.50 7.50 3 to 3½ ft. 10.00 9.50 3 to 3½ ft. 10.00 9.50 3 to 3½ ft. 8.00 7.50 7.00 | 4 | to | 5 | ft. | | 20.00 | 19.00 | 18.00 |
| 1½ to 2½ ft. 5.00 4.75 4.50 2 to 2½ ft. 7.00 6.75 6.50 2½ to 3 ft. 10.00 9.00 8.00 3 to 3½ ft. 13.00 12.00 11.00 3½ to 4 ft. 15.00 14.00 13.00 | communis | dep | ressa. | \boldsymbol{P} | rostrate or C | anaden | sis | |
| 2 to 2½ ft. 7.00 6.75 6.50 2½ to 3 ft. 10.00 9.00 8.00 3 to 3½ ft. 15.00 12.00 11.00 3½ to 4 ft. 15.00 12.00 13.00 communis depressa plumosa. Andorra Juniper 1½ to 2 ft. 8.00 7.50 7.00 communis suecica. Swedish Juniper 2½ to 3 ft. 7.00 6.50 6.00 3 to 3½ ft. 11.00 10.50 10.00 3½ to 4 ft. 15.00 14.00 13.00 excelsa stricta. Spiny Greek Juniper 2 to 2½ ft. 8.00 7.50 7.00 excelsa stricta. Spiny Greek Juniper 2 to 2½ ft. 10.00 9.50 9.00 3 to 3½ ft. 10.00 9.50 9.00 3 to 3½ ft. 13.00 12.50 12.00 horizontalis. Waukegan Juniper (Blue Creeping Juniper) 1 to 1½ ft. 5.00 4.75 4.50 1½ to 2 ft. 7.00 6.75 6.50 sabina. Savin Juniper 1 to 1½ ft. 4.50 4.25 4.00 1½ to 2 ft. 7.50 7.25 7.00 2½ to 3 ft. 10.00 9.50 9.00 3 to 3½ ft. 11.00 9.50 9.00 3 to 3½ ft. 15.50 5.25 5.00 2 to 2½ ft. 7.50 7.25 7.00 2½ to 3 ft. 10.00 9.50 9.00 3 to 3½ ft. 14.00 13.50 13.00 sabina horizontalis. Bar Harbor Juniper (formerly Juniper procumbens) 1 to 1½ ft. 4.50 4.25 4.00 1½ to 2 ft. 6.00 5.75 5.50 2 to 2½ ft. 8.00 7.50 7.00 2½ to 3 ft. 10.00 9.00 8.00 3 to 3½ ft. 12.00 11.00 10.00 sabina horizontalis. Bar Harbor Juniper (formerly Juniper procumbens) 1 to 1½ ft. 8.00 7.50 7.00 2½ to 3 ft. 10.00 9.00 8.00 3 to 3½ ft. 12.00 11.00 10.00 sabina tamariscifolia. Tamarix Savin Juniper 1½ to 2 ft. 8.00 7.50 7.00 virginiana. Redcedar 1 to 1½ ft. 2.00 1.75 1.50 2 to 2½ ft. 8.00 7.50 7.00 virginiana. Redcedar 1 to 1½ ft. 9.00 1.75 1.50 2 to 2½ ft. 8.00 7.50 7.00 2½ to 3 ft. 8.00 7.50 7.00 virginiana. Redcedar 1 to 1½ ft. 8.00 7.50 7.00 2½ to 3 ft. 8.00 7.50 7.00 2½ to 3 ft. 8.00 7.50 7.00 virginiana. Redcedar 1 to 1½ ft. 8.00 7.50 7.00 virginiana. Redcedar 1 to 1½ ft. 8.00 7.50 7.00 2½ to 3 ft. 8.00 7.50 7.00 3½ to 4 ft. 10.05 10.00 9.50 4 to 5 ft. 14.00 13.00 12.00 5 to 6 ft. 18.00 17.00 16.00 | 1 | to | 11/2 | ft. | | 4.00 | 3.75 | 3.50 |
| 2½ to 3 ft. 10.00 9.00 8.00 3 to 3½ ft. 13.00 12.00 11.00 3½ to 4 ft. 15.00 14.00 13.00 communis depressa plumosa. Andorra Juniper 1½ to 2 ft. 8.00 7.50 7.00 communis suecica. Swedish Juniper 2½ to 3 ft. 7.00 6.50 6.00 3 to 3½ ft. 11.00 10.50 10.00 3½ to 4 ft. 15.00 14.00 13.00 excelsa stricta. Spiny Greek Juniper 2 to 2½ ft. 8.00 7.50 7.00 2½ to 3 ft. 10.00 9.50 9.00 3 to 3½ ft. 13.00 12.50 12.00 horizontalis. Waukegan Juniper (Blue Creeping Juniper) 1 to 1½ ft. 5.00 4.75 4.50 1½ to 2 ft. 7.00 6.75 6.50 sabina. Savin Juniper 1 to 1½ ft. 4.50 4.25 4.00 1½ to 2 ft. 7.50 7.25 7.00 2½ to 3 ft. 10.00 9.50 9.00 3 to 3½ ft. 10.00 9.50 9.00 sabina horizontalis. Bar Harbor Juniper (formerly Juniper procumbens) 1 to 1½ ft. 4.50 4.25 4.00 1½ to 2 ft. 14.00 13.50 13.00 sabina horizontalis. Bar Harbor Juniper (formerly Juniper procumbens) 1 to 1½ ft. 4.50 4.25 4.00 1½ to 2 ft. 6.00 5.75 5.50 2 to 2½ ft. 10.00 9.50 9.00 3 to 3½ ft. 12.00 11.00 10.00 sabina tamariscifolia. Tamarix Savin Juniper 1½ to 2 ft. 8.00 7.50 7.00 virginiana. Redcedar 1 to 1½ ft. 2.00 1.75 1.50 2 to 2½ ft. 8.00 7.50 7.00 virginiana. Redcedar 1 to 1½ ft. 2.00 1.75 5.50 2 to 2½ ft. 8.00 7.50 7.00 virginiana. Redcedar 1 to 1½ ft. 2.00 1.75 5.50 2 to 2½ ft. 8.00 7.50 7.50 2 to 2½ ft. 8.00 7.50 7.50 2 to 2½ ft. 8.00 7.50 7.50 2 to 5½ ft. 8.00 7.50 7.50 3 to 5½ ft. 8.00 7.50 7.00 5½ to 6 ft. 10.00 9.50 | 1½ | to | 2 | ft. | | 5.00 | 4.75 | 4.50 |
| 3½ to 3½ ft. 13.00 12.00 11.00 3½ to 4 ft. 15.00 14.00 13.00 communis depressa plumosa. Andorra Juniper 1½ to 2 ft. 8.00 7.50 7.00 communis suecica. Swedish Juniper 2½ to 3 ft. 7.00 6.50 6.00 3 to 3½ ft. 11.00 10.50 10.00 3½ to 4 ft. 15.00 14.00 13.00 excelsa stricta. Spiny Greek Juniper 2 to 2½ ft. 8.00 7.50 7.00 2½ to 3 ft. 10.00 9.50 9.00 3 to 3½ ft. 13.00 12.50 12.00 horizontalis. Waukegan Juniper (Blue Creeping Juniper) 1 to 1½ ft. 5.00 4.75 4.50 1½ to 2 ft. 7.00 6.75 6.50 sabina. Savin Juniper 1 to 1½ ft. 4.50 4.25 4.00 1½ to 3 ft. 10.00 9.50 9.00 3 to 3½ ft. 10.00 9.50 9.00 sabina horizontalis. Bar Harbor Juniper (formerly Juniper procumbens) 1 to 1½ ft. 4.50 4.25 4.00 1½ to 2 ft. 7.50 7.25 7.00 2½ to 3 ft. 10.00 9.50 9.00 3 to 3½ ft. 14.00 13.50 13.00 sabina horizontalis. Bar Harbor Juniper (formerly Juniper procumbens) 1 to 1½ ft. 4.50 4.25 4.00 1½ to 2 ft. 8.00 7.50 7.00 2½ to 3 ft. 10.00 9.50 9.00 3 to 3½ ft. 10.00 9.00 8.00 3 to 3½ ft. 10.00 9.00 8.00 3 to 3½ ft. 12.00 11.00 10.00 sabina tamariscifolia. Tamarix Savin Juniper 1½ to 2 ft. 8.00 7.50 7.00 virginiana. Redcedar 1 to 1½ ft. 2.00 1.75 1.50 2 to 2½ ft. 8.00 7.50 7.00 virginiana. Redcedar 1 to 1½ ft. 2.00 1.75 5.50 2 to 2½ ft. 8.00 7.50 7.00 virginiana. Redcedar 1 to 1½ ft. 4.50 4.25 4.00 2½ to 3 ft. 6.00 5.75 5.50 3 to 3½ ft. 8.00 7.50 7.00 virginiana. Redcedar 1 to 1½ ft. 4.50 4.25 4.00 2½ to 3 ft. 6.00 5.75 5.50 3 to 3½ ft. 8.00 7.50 7.00 2½ to 5 ft. 8.00 7.50 7.00 9.50 4 to 5 ft. 14.00 13.00 19.00 9.50 4 to 5 ft. 14.00 13.00 19.00 9.50 4 to 5 ft. 14.00 13.00 19.00 | 2 | to | 21/2 | ft. | | 7.00 | 6.75 | 6.50 |
| 3½ to 3½ ft. 13.00 12.00 11.00 3½ to 4 ft. 15.00 14.00 13.00 communis depressa plumosa. Andorra Juniper 1½ to 2 ft. 8.00 7.50 7.00 communis suecica. Swedish Juniper 2½ to 3 ft. 7.00 6.50 6.00 3 to 3½ ft. 11.00 10.50 10.00 3½ to 4 ft. 15.00 14.00 13.00 excelsa stricta. Spiny Greek Juniper 2 to 2½ ft. 8.00 7.50 7.00 2½ to 3 ft. 10.00 9.50 9.00 3 to 3½ ft. 13.00 12.50 12.00 horizontalis. Waukegan Juniper (Blue Creeping Juniper) 1 to 1½ ft. 5.00 4.75 4.50 1½ to 2 ft. 7.00 6.75 6.50 sabina. Savin Juniper 1 to 1½ ft. 4.50 4.25 4.00 1½ to 3 ft. 10.00 9.50 9.00 3 to 3½ ft. 10.00 9.50 9.00 sabina horizontalis. Bar Harbor Juniper (formerly Juniper procumbens) 1 to 1½ ft. 4.50 4.25 4.00 1½ to 2 ft. 7.50 7.25 7.00 2½ to 3 ft. 10.00 9.50 9.00 3 to 3½ ft. 14.00 13.50 13.00 sabina horizontalis. Bar Harbor Juniper (formerly Juniper procumbens) 1 to 1½ ft. 4.50 4.25 4.00 1½ to 2 ft. 8.00 7.50 7.00 2½ to 3 ft. 10.00 9.50 9.00 3 to 3½ ft. 10.00 9.00 8.00 3 to 3½ ft. 10.00 9.00 8.00 3 to 3½ ft. 12.00 11.00 10.00 sabina tamariscifolia. Tamarix Savin Juniper 1½ to 2 ft. 8.00 7.50 7.00 virginiana. Redcedar 1 to 1½ ft. 2.00 1.75 1.50 2 to 2½ ft. 8.00 7.50 7.00 virginiana. Redcedar 1 to 1½ ft. 2.00 1.75 5.50 2 to 2½ ft. 8.00 7.50 7.00 virginiana. Redcedar 1 to 1½ ft. 4.50 4.25 4.00 2½ to 3 ft. 6.00 5.75 5.50 3 to 3½ ft. 8.00 7.50 7.00 virginiana. Redcedar 1 to 1½ ft. 4.50 4.25 4.00 2½ to 3 ft. 6.00 5.75 5.50 3 to 3½ ft. 8.00 7.50 7.00 2½ to 5 ft. 8.00 7.50 7.00 9.50 4 to 5 ft. 14.00 13.00 19.00 9.50 4 to 5 ft. 14.00 13.00 19.00 9.50 4 to 5 ft. 14.00 13.00 19.00 | 21/2 | to | 3 | ft. | | 10.00 | 9.00 | 8.00 |
| 3½ to 4 ft | | | 31/2 | ft. | | 13.00 | 12.00 | 11.00 |
| 1½ to 2 ft. 8.00 7.50 7.00 communis suecica. Swedish Juniper 2½ to 3 ft. 7.00 6.50 6.00 3 to 3½ ft. 11.00 10.50 10.00 3½ to 4 ft. 15.00 14.00 13.00 excelsa stricta. Spiny Greek Juniper 2 to 2½ ft. 8.00 7.50 7.00 2½ to 3 ft. 10.00 9.50 9.00 3 to 3½ ft. 13.00 12.50 12.00 horizontalis. Waukegan Juniper (Blue Creeping Juniper) 1 to 1½ ft. 5.00 4.75 4.50 1½ to 2 ft. 7.00 6.75 6.50 sabina. Savin Juniper 1 to 1½ ft. 4.50 4.25 4.00 1½ to 2 ft. 5.50 5.25 5.00 2 to 2½ ft. 7.50 7.25 7.00 2½ to 3 ft. 10.00 9.50 9.00 3 to 3½ ft. 10.00 9.50 9.00 3 to 1½ ft. 4.50 4.25 4.00 1½ to 2 ft. 5.50 5.25 5.00 2 to 2½ ft. 7.50 7.25 7.00 2½ to 3 ft. 10.00 9.50 9.00 3 to 3½ ft. 14.00 13.50 13.00 sabina horizontalis. Bar Harbor Juniper (formerly Juniper procumbens) 1 to 1½ ft. 4.50 4.25 4.00 1½ to 2 ft. 6.00 5.75 5.50 2 to 2½ ft. 8.00 7.50 7.00 2½ to 3 ft. 10.00 9.00 8.00 3 to 3½ ft. 8.00 7.50 7.00 virginiana. Redcedar 1 to 1½ ft. 2.00 1.75 1.50 2 to 2½ to 3 ft. 8.00 7.50 7.00 virginiana. Redcedar 1 to 1½ ft. 8.00 7.50 7.00 virginiana. Redcedar 1 to 1½ ft. 8.00 7.50 7.00 2½ to 3 ft. 8.00 7.50 7.00 virginiana. Redcedar 1 to 1½ ft. 8.00 7.50 7.00 2½ to 3 ft. 8.00 7.50 7.00 virginiana. Redcedar 1 to 1½ ft. 8.00 7.50 7.00 2½ to 3 ft. 8.00 7.50 7.00 2½ to 3 ft. 8.00 7.50 7.00 2½ to 5 ft. 8.00 7.50 7.00 | 31/2 | to | | | | 15.00 | 14.00 | 13.00 |
| 1½ to 2 ft. 8.00 7.50 7.00 communis suecica. Swedish Juniper 2½ to 3 ft. 7.00 6.50 6.00 3 to 3½ ft. 11.00 10.50 10.00 3½ to 4 ft. 15.00 14.00 13.00 excelsa stricta. Spiny Greek Juniper 2 to 2½ ft. 8.00 7.50 7.00 2½ to 3 ft. 10.00 9.50 9.00 3 to 3½ ft. 13.00 12.50 12.00 horizontalis. Waukegan Juniper (Blue Creeping Juniper) 1 to 1½ ft. 5.00 4.75 4.50 1½ to 2 ft. 7.00 6.75 6.50 sabina. Savin Juniper 1 to 1½ ft. 4.50 4.25 4.00 1½ to 2 ft. 5.50 5.25 5.00 2 to 2½ ft. 7.50 7.25 7.00 2½ to 3 ft. 10.00 9.50 9.00 3 to 3½ ft. 10.00 9.50 9.00 3 to 1½ ft. 4.50 4.25 4.00 1½ to 2 ft. 5.50 5.25 5.00 2 to 2½ ft. 7.50 7.25 7.00 2½ to 3 ft. 10.00 9.50 9.00 3 to 3½ ft. 14.00 13.50 13.00 sabina horizontalis. Bar Harbor Juniper (formerly Juniper procumbens) 1 to 1½ ft. 4.50 4.25 4.00 1½ to 2 ft. 6.00 5.75 5.50 2 to 2½ ft. 8.00 7.50 7.00 2½ to 3 ft. 10.00 9.00 8.00 3 to 3½ ft. 8.00 7.50 7.00 virginiana. Redcedar 1 to 1½ ft. 2.00 1.75 1.50 2 to 2½ to 3 ft. 8.00 7.50 7.00 virginiana. Redcedar 1 to 1½ ft. 8.00 7.50 7.00 virginiana. Redcedar 1 to 1½ ft. 8.00 7.50 7.00 2½ to 3 ft. 8.00 7.50 7.00 virginiana. Redcedar 1 to 1½ ft. 8.00 7.50 7.00 2½ to 3 ft. 8.00 7.50 7.00 virginiana. Redcedar 1 to 1½ ft. 8.00 7.50 7.00 2½ to 3 ft. 8.00 7.50 7.00 2½ to 3 ft. 8.00 7.50 7.00 2½ to 5 ft. 8.00 7.50 7.00 | communis | den | ressa | plu | mosa. Ando | rra Iu | niper | |
| Communis suecica. Swedish Juniper 2½ to 3 ft. 7.00 6.50 6.00 3 to 3½ ft. 11.00 10.50 10.00 3½ to 4 ft. 15.00 14.00 13.00 | | _ | | | | | | 7.00 |
| 2½ to 3 ft. 7.00 6.50 6.00 3 to 3½ ft. 11.00 10.50 10.00 3½ to 4 ft. 15.00 14.00 13.00 excelsa stricta. Spiny Greek Juniper 2 to 2½ ft. 8.00 7.50 7.00 2½ to 3 ft. 10.00 9.50 9.00 3 to 3½ ft. 13.00 12.50 12.00 horizontalis. Waukegan Juniper (Blue Creeping Juniper) 1 to 1½ ft. 5.00 4.75 4.50 1½ to 2 ft. 7.00 6.75 6.50 sabina. Savin Juniper 1 to 1½ ft. 4.50 4.25 4.00 1½ to 2 ft. 7.50 7.25 7.00 2½ to 3 ft. 10.00 9.50 9.00 3 to 3½ ft. 13.00 12.50 12.00 sabina horizontalis. Bar Harbor Juniper (formerly Juniper procumbens) 1 to 1½ ft. 4.50 4.25 4.00 1½ to 2 ft. 6.00 5.75 5.50 2 to 2½ ft. 7.50 7.25 7.00 3 to 3½ ft. 10.00 9.50 9.00 sabina horizontalis. Bar Harbor Juniper (formerly Juniper procumbens) 1 to 1½ ft. 4.50 4.25 4.00 1½ to 2 ft. 6.00 5.75 5.50 2 to 2½ ft. 8.00 7.50 7.00 2½ to 3 ft. 10.00 9.00 8.00 3 to 3½ ft. 12.00 11.00 10.00 sabina tamariscifolia. Tamarix Savin Juniper 1½ to 2 ft. 8.00 7.50 7.00 virginiana. Redcedar 1 to 1½ ft. 2.00 1.75 1.50 1½ to 2 ft. 3.00 2.75 2.50 2 to 2½ ft. 4.50 4.25 4.00 2½ to 3 ft. 6.00 5.75 5.50 3 to 3½ ft. 8.00 7.50 7.00 virginiana. Redcedar 1 to 1½ ft. 2.00 1.75 1.50 2 to 2½ ft. 4.50 4.25 4.00 2½ to 3 ft. 6.00 5.75 5.50 2 to 2½ ft. 8.00 7.50 7.00 virginiana. Redcedar 1 to 1½ ft. 1.00 1.00 9.50 4 to 5 ft. 14.00 13.00 12.00 5 to 6 ft. 18.00 17.00 16.00 | . – | | | | | | 1.00 | 1.00 |
| 3 to 3½ ft. 11.00 10.50 10.00 3½ to 4 ft. 15.00 14.00 13.00 excelsa stricta. Spiny Greek Juniper 2 to 2½ ft. 8.00 7.50 7.00 2½ to 3 ft. 10.00 9.50 9.00 3 to 3½ ft. 13.00 12.50 12.00 horizontalis. Waukegan Juniper (Blue Creeping Juniper) 1 to 1½ ft. 5.00 4.75 4.50 1½ to 2 ft. 7.00 6.75 6.50 5.25 5.00 2 to 2½ ft. 7.50 7.25 7.00 2½ to 3 ft. 10.00 9.50 9.00 3 to 3½ ft. 10.00 9.50 9.00 6.75 6.50 sabina. Savin Juniper 1 to 1½ ft. 4.50 4.25 4.00 1½ to 2 ft. 7.50 7.25 7.00 2½ to 3 ft. 10.00 9.50 9.00 3 to 3½ ft. 14.00 13.50 13.00 sabina horizontalis. Bar Harbor Juniper (formerly Juniper procumbens) 1 to 1½ ft. 4.50 4.25 4.00 13.50 13.00 sabina horizontalis. Bar Harbor Juniper (formerly Juniper procumbens) 1 to 1½ ft. 4.50 4.25 4.00 1½ to 3 ft. 10.00 9.00 8.00 3½ to 3½ ft. 12.00 11.00 10.00 sabina tamariscifolia. Tamarix Savin Juniper 1½ to 2 ft. 8.00 7.50 7.00 2½ to 3 ft. 10.00 9.00 8.00 3 to 3½ ft. 8.00 7.50 7.00 2½ to 2 ft. 8.00 7.50 7.00 2½ to 3 ft. 30.00 9.00 8.00 3 to 3½ ft. 10.00 9.00 8.00 3 to 3½ ft. 8.00 7.50 7.00 virginiana. Redecdar 1 to 1½ ft. 2.00 1.75 1.50 2 to 2½ ft. 4.50 4.25 4.00 2½ to 3 ft. 6.00 5.75 5.50 3 to 3½ ft. 8.00 7.50 7.00 3½ to 2 ft. 8.00 7.50 7.00 3½ to 4 ft. 8.00 7.50 7.00 3½ to 4 ft. 8.00 7.50 7.00 3½ to 5 ft. 14.00 13.00 12.00 5 to 6 ft. 18.00 17.00 16.00 | | | | | | | 2.70 | |
| 3½ to 4 ft. 15.00 14.00 13.00 excelsa stricta. Spiny Greek Juniper 2 to 2½ ft. 8.00 7.50 7.00 2½ to 3 ft. 10.00 9.50 9.00 3 to 3½ ft. 13.00 12.50 12.00 horizontalis. Waukegan Juniper (Blue Creeping Juniper) 1 to 1½ ft. 5.00 4.75 4.50 1½ to 2 ft. 7.00 6.75 6.50 sabina. Savin Juniper 1 to 1½ ft. 4.50 4.25 4.00 1½ to 2 ft. 5.50 5.25 5.00 2 to 2½ ft. 7.50 7.25 7.00 2½ to 3 ft. 10.00 9.50 9.00 3 to 3½ ft. 14.00 13.50 13.00 sabina horizontalis. Bar Harbor Juniper (formerly Juniper procumbens) 1 to 1½ ft. 4.50 4.25 4.00 1½ to 2 ft. 6.00 5.75 5.50 2 to 2½ ft. 8.00 7.50 7.00 2½ to 3 ft. 10.00 9.00 8.00 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> | | | | | | | | |
| excelsa stricta. Spiny Greek Juniper 2 to 2½ ft. 8.00 7.50 7.00 2½ to 3 ft. 10.00 9.50 9.00 3 to 3½ ft. 13.00 12.50 12.00 horizontalis. Waukegan Juniper (Blue Creeping Juniper) 1 to 1½ ft. 5.00 4.75 4.50 1½ to 2 ft. 7.00 6.75 6.50 2 to 2½ ft. 7.00 6.75 6.50 2 to 2½ ft. 7.50 7.25 7.00 2½ to 3 ft. 10.00 9.50 9.00 3 to 3½ ft. 10.00 9.50 9.00 3 to 3½ ft. 14.00 13.50 13.00 sabina horizontalis. Bar Harbor Juniper (formerly Juniper procumbens) 1 to 1½ ft. 4.50 4.25 4.00 1½ to 2 ft. 5.50 5.25 5.00 2 to 2½ ft. 7.50 7.25 7.00 2½ to 3 ft. 10.00 9.50 9.00 3 to 3½ ft. 14.00 13.50 13.00 sabina horizontalis. Bar Harbor Juniper (formerly Juniper procumbens) 1 to 1½ ft. 4.50 4.25 4.00 1½ to 2 ft. 6.00 5.75 5.50 2 to 2½ ft. 8.00 7.50 7.00 2½ to 3 ft. 10.00 9.00 8.00 3 to 3½ ft. 12.00 11.00 10.00 sabina tamariscifolia. Tamarix Savin Juniper 1½ to 2 ft. 8.00 7.50 7.00 virginiana. Redcedar 1 to 1½ ft. 2.00 1.75 1.50 1½ to 2 ft. 3.00 2.75 2.50 2 to 2½ ft. 4.50 4.25 4.00 2½ to 3 ft. 6.00 5.75 5.50 3 to 3½ ft. 8.00 7.50 7.00 virginiana. Redcedar 1 to 1½ ft. 8.00 7.50 7.00 2½ to 3 ft. 6.00 5.75 5.50 3 to 3½ ft. 8.00 7.50 7.00 3½ to 4 ft. 8.00 7.50 7.00 3½ to 4 ft. 10.50 10.00 9.50 4 to 5 ft. 14.00 13.00 12.00 5 to 6 ft. 18.00 17.00 16.00 | | | | | | | | |
| 2 to 2½ ft. 8.00 7.50 7.00 2½ to 3 ft. 10.00 9.50 9.00 3 to 3½ ft. 13.00 12.50 12.00 horizontalis. Waukegan Juniper (Blue Creeping Juniper) 1 to 1½ ft. 5.00 4.75 4.50 1½ to 2 ft. 7.00 6.75 6.50 sabina. Savin Juniper 1 to 1½ ft. 4.50 4.25 4.00 1½ to 2 ft. 7.50 7.25 7.00 2 to 2½ ft. 7.50 9.50 9.00 3 to 3½ ft. 10.00 9.50 9.00 3 to 3½ ft. 10.00 9.50 9.00 1½ to 2 ft. 4.50 4.25 4.00 1½ to 2 ft. 7.50 7.25 7.00 2½ to 3 ft. 10.00 9.50 9.00 3 to 3½ ft. 10.00 9.50 9.00 3 to 3½ ft. 10.00 9.50 9.00 1½ to 2 ft. 6.00 5.75 5.50 2 to 2½ ft. 8.00 7.50 7.00 2½ to 3 ft. 10.00 9.00 8.00 1½ to 2 ft. 8.00 7.50 7.00 2½ to 3 ft. 10.00 9.00 8.00 3 to 3½ ft. 8.00 7.50 7.00 virginiana. Redcedar 1 to 1½ ft. 2.00 1.75 1.50 1½ to 2 ft. 3.00 2.75 2.50 2 to 2½ ft. 4.50 4.25 4.00 2½ to 3 ft. 6.00 5.75 5.50 3 to 3½ ft. 8.00 7.50 7.00 3½ to 4 ft. 4.50 4.25 4.00 2½ to 3 ft. 6.00 5.75 5.50 3 to 3½ ft. 8.00 7.50 7.00 3½ to 4 ft. 10.50 10.00 9.50 4 to 5 ft. 14.00 13.00 12.00 5 to 6 ft. 18.00 17.00 16.00 | . – | | | | | | 14.00 | 13.00 |
| 2½ to 3 ft. 10.00 9.50 9.00 3 to 3½ ft. 13.00 12.50 12.00 horizontalis. Waukegan Juniper (Blue Creeping Juniper) 1 to 1½ ft. 5.00 4.75 4.50 1½ to 2 ft. 7.00 6.75 6.50 2 to 2½ ft. 7.50 7.25 7.00 2½ to 3 ft. 10.00 9.50 9.00 3 to 3½ ft. 10.00 9.50 9.00 3 to 3½ ft. 14.00 13.50 13.00 sabina horizontalis. Bar Harbor Juniper (formerly Juniper procumbens) 1 to 1½ ft. 4.50 4.25 4.00 1½ to 2 ft. 7.50 7.25 7.00 2½ to 3 ft. 10.00 9.50 9.00 3 to 3½ ft. 14.00 13.50 13.00 sabina horizontalis. Bar Harbor Juniper (formerly Juniper procumbens) 1 to 1½ ft. 4.50 4.25 4.00 1½ to 2 ft. 6.00 5.75 5.50 2 to 2½ ft. 8.00 7.50 7.00 2½ to 3 ft. 10.00 9.00 8.00 3 to 3½ ft. 12.00 11.00 10.00 sabina tamariscifolia. Tamarix Savin Juniper 1½ to 2 ft. 8.00 7.50 7.00 virginiana. Redcedar 1 to 1½ ft. 2.00 1.75 1.50 1½ to 2 ft. 3.00 2.75 2.50 2 to 2½ ft. 4.50 4.25 4.00 2½ to 3 ft. 6.00 5.75 5.50 3 to 3½ ft. 10.00 9.00 8.00 3 1½ to 4 ft. 4.50 4.25 4.00 2½ to 3 ft. 8.00 7.50 7.00 virginiana. Redcedar 1 to 1½ ft. 8.00 7.50 7.00 virginiana. Redcedar 1 to 1½ ft. 8.00 7.50 7.00 2½ to 3 ft. 6.00 5.75 5.50 3 to 3½ ft. 8.00 7.50 7.00 3½ to 4 ft. 10.50 10.00 9.50 4 to 5 ft. 14.00 13.00 12.00 5 to 6 ft. 18.00 17.00 16.00 | excelsa str | icta. | Spi | iny | Greek Junipe | r | | |
| 2½ to 3 ft. 10.00 9.50 9.00 3 to 3½ ft. 13.00 12.50 12.00 horizontalis. Waukegan Juniper (Blue Creeping Juniper) 1 to 1½ ft. 5.00 4.75 4.50 1½ to 2 ft. 7.00 6.75 6.50 2 to 2½ ft. 7.50 7.25 7.00 2½ to 3 ft. 10.00 9.50 9.00 3 to 3½ ft. 10.00 9.50 9.00 3 to 3½ ft. 14.00 13.50 13.00 sabina horizontalis. Bar Harbor Juniper (formerly Juniper procumbens) 1 to 1½ ft. 4.50 4.25 4.00 1½ to 2 ft. 7.50 7.25 7.00 2½ to 3 ft. 10.00 9.50 9.00 3 to 3½ ft. 14.00 13.50 13.00 sabina horizontalis. Bar Harbor Juniper (formerly Juniper procumbens) 1 to 1½ ft. 4.50 4.25 4.00 1½ to 2 ft. 6.00 5.75 5.50 2 to 2½ ft. 8.00 7.50 7.00 2½ to 3 ft. 10.00 9.00 8.00 3 to 3½ ft. 12.00 11.00 10.00 sabina tamariscifolia. Tamarix Savin Juniper 1½ to 2 ft. 8.00 7.50 7.00 virginiana. Redcedar 1 to 1½ ft. 2.00 1.75 1.50 1½ to 2 ft. 3.00 2.75 2.50 2 to 2½ ft. 4.50 4.25 4.00 2½ to 3 ft. 6.00 5.75 5.50 3 to 3½ ft. 10.00 9.00 8.00 3 1½ to 4 ft. 4.50 4.25 4.00 2½ to 3 ft. 8.00 7.50 7.00 virginiana. Redcedar 1 to 1½ ft. 8.00 7.50 7.00 virginiana. Redcedar 1 to 1½ ft. 8.00 7.50 7.00 2½ to 3 ft. 6.00 5.75 5.50 3 to 3½ ft. 8.00 7.50 7.00 3½ to 4 ft. 10.50 10.00 9.50 4 to 5 ft. 14.00 13.00 12.00 5 to 6 ft. 18.00 17.00 16.00 | 2 | to | 21/2 | ft. | | 8.00 | 7.50 | 7.00 |
| Columbia | 21/2 | to | | | | 10.00 | 9.50 | 9.00 |
| (Blue Creeping Juniper) 1 to 1½ ft. 5.00 4.75 4.50 1½ to 2 ft. 7.00 6.75 6.50 sabina. Savin Juniper 1 to 1½ ft. 4.50 4.25 4.00 1½ to 2 ft. 5.50 5.25 5.00 2 to 2½ ft. 7.50 7.25 7.00 2½ to 3 ft. 10.00 9.50 9.00 3 to 3½ ft. 14.00 13.50 13.00 sabina horizontalis. Bar Harbor Juniper (formerly Juniper procumbens) 1 to 1½ ft. 4.50 4.25 4.00 1½ to 2 ft. 6.00 5.75 5.50 2 to 2½ ft. 8.00 7.50 7.00 2½ to 3 ft. 10.00 9.00 3 to 1½ ft. 10.00 9.00 sabina horizontalis. Bar Harbor Juniper (formerly Juniper procumbens) 1 to 1½ ft. 4.50 4.25 4.00 1½ to 2 ft. 8.00 7.50 7.00 2½ to 3 ft. 10.00 9.00 8.00 3 to 3½ ft. 12.00 11.00 10.00 sabina tamariscifolia. Tamarix Savin Juniper 1½ to 2 ft. 8.00 7.50 7.00 virginiana. Redcedar 1 to 1½ ft. 2.00 1.75 1.50 1½ to 2 ft. 3.00 2.75 2.50 2 to 2½ ft. 4.50 4.25 4.00 2½ to 3 ft. 6.00 5.75 5.50 3 to 3½ ft. 8.00 7.50 7.00 3½ to 4 ft. 10.50 10.00 9.50 4 to 5 ft. 14.00 13.00 12.00 5 to 6 ft. 18.00 17.00 16.00 | 3 | to | 31/2 | ft. | | 13.00 | 12.50 | 12.00 |
| (Blue Creeping Juniper) 1 to 1½ ft. 5.00 4.75 4.50 1½ to 2 ft. 7.00 6.75 6.50 sabina. Savin Juniper 1 to 1½ ft. 4.50 4.25 4.00 1½ to 2 ft. 5.50 5.25 5.00 2 to 2½ ft. 7.50 7.25 7.00 2½ to 3 ft. 10.00 9.50 9.00 3 to 3½ ft. 14.00 13.50 13.00 sabina horizontalis. Bar Harbor Juniper (formerly Juniper procumbens) 1 to 1½ ft. 4.50 4.25 4.00 1½ to 2 ft. 6.00 5.75 5.50 2 to 2½ ft. 8.00 7.50 7.00 2½ to 3 ft. 10.00 9.00 3 to 1½ ft. 10.00 9.00 sabina horizontalis. Bar Harbor Juniper (formerly Juniper procumbens) 1 to 1½ ft. 4.50 4.25 4.00 1½ to 2 ft. 8.00 7.50 7.00 2½ to 3 ft. 10.00 9.00 8.00 3 to 3½ ft. 12.00 11.00 10.00 sabina tamariscifolia. Tamarix Savin Juniper 1½ to 2 ft. 8.00 7.50 7.00 virginiana. Redcedar 1 to 1½ ft. 2.00 1.75 1.50 1½ to 2 ft. 3.00 2.75 2.50 2 to 2½ ft. 4.50 4.25 4.00 2½ to 3 ft. 6.00 5.75 5.50 3 to 3½ ft. 8.00 7.50 7.00 3½ to 4 ft. 10.50 10.00 9.50 4 to 5 ft. 14.00 13.00 12.00 5 to 6 ft. 18.00 17.00 16.00 | horizontali | is. | Wau | kega | n Iuniter | | | |
| 1 to 1½ ft. 5.00 4.75 4.50 1½ to 2 ft. 7.00 6.75 6.50 sabina. Savin Juniper 1 to 1½ ft. 4.50 4.25 4.00 1½ to 2 ft. 5.50 5.25 5.00 2 to 2½ ft. 7.50 7.25 7.00 2½ to 3 ft. 10.00 9.50 9.00 3 to 3½ ft. 14.00 13.50 13.00 sabina horizontalis. Bar Harbor Juniper (formerly Juniper procumbens) 1 to 1½ ft. 4.50 4.25 4.00 1½ to 2 ft. 6.00 5.75 5.50 2 to 2½ ft. 8.00 7.50 7.00 2½ to 3 ft. 10.00 9.00 3 to 1½ ft. 10.00 9.00 sabina horizontalis. Bar Harbor Juniper (formerly Juniper procumbens) 1 to 1½ ft. 4.50 4.25 4.00 1½ to 2 ft. 8.00 7.50 7.00 2½ to 3 ft. 10.00 9.00 8.00 3 to 3½ ft. 12.00 11.00 10.00 sabina tamariscifolia. Tamarix Savin Juniper 1½ to 2 ft. 8.00 7.50 7.00 virginiana. Redcedar 1 to 1½ ft. 2.00 1.75 1.50 1½ to 2 ft. 3.00 2.75 2.50 2 to 2½ ft. 4.50 4.25 4.00 2½ to 3 ft. 6.00 5.75 5.50 3 to 3½ ft. 8.00 7.50 7.00 virginiana Redcedar 1 to 1½ ft. 1.00 1.00 9.50 2½ to 3 ft. 6.00 5.75 5.50 3 to 3½ ft. 8.00 7.50 7.00 3½ to 4 ft. 10.50 10.00 9.50 4 to 5 ft. 14.00 13.00 12.00 5 to 6 ft. 18.00 17.00 16.00 | | | | | | | | |
| 1½ to 2 ft. 7.00 6.75 6.50 sabina. Savin Juniper 1 to 1½ ft. 4.50 4.25 4.00 4.25 5.00 2.25 5.00 2.25 5.00 2.25 5.00 2.25 5.00 2.25 5.00 2.25 5.00 2.25 7.00 < | • | | | | | = 00 | 4 77 | 4 50 |
| Sabina. Savin Juniper 1 to 1½ ft. | | | | | | | | |
| 1 to 1½ ft. 4.50 4.25 4.00 1½ to 2 ft. 5.50 5.25 5.00 2 to 2½ ft. 7.50 7.25 7.00 2½ to 3 ft. 10.00 9.50 9.00 3 to 3½ ft. 14.00 13.50 13.00 sabina horizontalis. Bar Harbor Juniper (formerly Juniper procumbens) 1 to 1½ ft. 4.50 4.25 4.00 1½ to 2 ft. 6.00 5.75 5.50 2 to 2½ ft. 8.00 7.50 7.00 2½ to 3 ft. 10.00 9.00 8.00 3 to 3½ ft. 10.00 9.00 8.00 3 to 3½ ft. 10.00 9.00 8.00 3 to 3½ ft. 8.00 7.50 7.00 2½ to 2 ft. 8.00 7.50 7.00 2½ to 3 ft. 10.00 9.00 8.00 3 to 1½ ft. 8.00 7.50 7.00 virginiana. Redcedar 1 to 1½ ft. 2.00 1.75 1.50 1½ to 2 ft. 3.00 2.75 2.50 2 to 2½ ft. 4.50 4.25 4.00 2½ to 3 ft. 6.00 5.75 5.50 3 to 3½ ft. 8.00 7.50 7.00 ½½ to 3 ft. 10.00 9.50 4 to 5 ft. 14.00 13.00 12.00 5 to 6 ft. 18.00 17.00 16.00 | | | | | | 7.00 | 0.75 | 0.50 |
| 1½ to 2 ft. 5.50 5.25 5.00 2 to 2½ ft. 7.50 7.25 7.00 2½ to 3 ft. 10.00 9.50 9.00 3 to 3½ ft. 14.00 13.50 13.00 sabina horizontalis. Bar Harbor Juniper (formerly Juniper procumbens) 1 to 1½ ft. 4.50 4.25 4.00 1½ to 2 ft. 6.00 5.75 5.50 2 to 2½ ft. 8.00 7.50 7.00 2½ to 3 ft. 10.00 9.00 8.00 3 to 3½ ft. 12.00 11.00 10.00 sabina tamariscifolia. Tamarix Savin Juniper 1½ to 2 ft. 8.00 7.50 7.00 virginiana. Redcedar 1 1½ to 2 ft. 3.00 2.75 2.50 2 to 2½ ft. 4.50 4.25 4.00 2½ to 3 ft. 6.00 5.75 5.50 3 1½ to 2 ft. 8.00 7.50 7.00 2 | | | | | | | | |
| 2 to 2½ ft. 7.50 7.25 7.00 2½ to 3 ft. 10.00 9.50 9.00 3 to 3½ ft. 14.00 13.50 13.00 sabina horizontalis. Bar Harbor Juniper (formerly Juniper procumbens) 1 to 1½ ft. 4.50 4.25 4.00 1½ to 2 ft. 6.00 5.75 5.50 2 to 2½ ft. 8.00 7.50 7.00 2½ to 3 ft. 10.00 9.00 8.00 3 to 3½ ft. 12.00 11.00 10.00 sabina tamariscifolia. Tamarix Savin Juniper 1½ to 2 ft. 8.00 7.50 7.00 virginiana. Redcedar 1 to 1½ ft. 2.00 1.75 1.50 1½ to 2 ft. 3.00 2.75 2.50 2 to 2½ ft. 8.00 7.50 7.00 virginiana. Redcedar 1 to 1½ ft. 1.00 1.75 1.50 1½ to 2 ft. 3.00 2.75 2.50 2 to 2½ ft. 4.50 4.25 4.00 2½ to 3 ft. 6.00 5.75 5.50 3 to 3½ ft. 8.00 7.50 7.00 3½ to 4 ft. 10.50 10.00 9.50 4 to 5 ft. 14.00 13.00 12.00 5 to 6 ft. 18.00 17.00 16.00 | _ | | | | | | | |
| 2½ to 3 ft. 10.00 9.50 9.00 3 to 3½ ft. 14.00 13.50 13.00 sabina horizontalis. Bar Harbor Juniper (formerly Juniper procumbens) 1 to 1½ ft. 4.50 4.25 4.00 1½ to 2 ft. 6.00 5.75 5.50 2 to 2½ ft. 8.00 7.50 7.00 2½ to 3 ft. 10.00 9.00 8.00 3 to 3½ ft. 12.00 11.00 10.00 sabina tamariscifolia. Tamarix Savin Juniper 1½ to 2 ft. 8.00 7.50 7.00 virginiana. Redcedar 1 to 1½ ft. 2.00 1.75 1.50 2 to 2½ ft. 4.50 4.25 4.00 7.50 7.00 3½ to 2 ft. 8.00 7.50 7.00 7.00 virginiana. Redcedar | | | | | | | | |
| 3 to 3½ ft. 14.00 13.50 13.00 sabina horizontalis. Bar Harbor Juniper (formerly Juniper procumbens) 1 to 1½ ft. 4.50 4.25 4.00 1½ to 2 ft. 6.00 5.75 5.50 2 to 2½ ft. 8.00 7.50 7.00 2½ to 3 ft. 10.00 9.00 8.00 3 to 3½ ft. 12.00 11.00 10.00 sabina tamariscifolia. Tamarix Savin Juniper 1½ to 2 ft. 8.00 7.50 7.00 virginiana. Redcedar 1 to 1½ ft. 2.00 1.75 1.50 2 to 2½ ft. 3.00 2.75 2.50 2 to 2½ ft. 4.50 4.25 4.00 2½ to 3 ft. 6.00 5.75 5.50 3 to 3½ ft. 8.00 7.50 7.00 ½ to 4 ft. 8.00 7.50 7.00 3½ to 4 ft. 10.50 10.00 9.50 4 to 5 ft. 14.00 13.00 12.00 5 to 6 ft. 18.00 17.00 16.00 | | | | | | | | |
| Sabina horizontalis. Bar Harbor Juniper (formerly Juniper procumbens) 1 to 1½ ft. | | | | | | | | |
| (formerly Juniper procumbens) 1 to 1½ ft. | 3 | to | $3\frac{1}{2}$ | ft. | | 14.00 | 13.50 | 13.00 |
| 1 to 1½ ft. 4.50 4.25 4.00 1½ to 2 ft. 6.00 5.75 5.50 2 to 2½ ft. 8.00 7.50 7.00 2½ to 3 ft. 10.00 9.00 8.00 3 to 3½ ft. 12.00 11.00 10.00 sabina tamariscifolia. Tamarix Savin Juniper 1½ to 2 ft. 8.00 7.50 7.00 virginiana. Redcedar 1 to 1½ ft. 2.00 1.75 1.50 1½ to 2 ft. 3.00 2.75 2.50 2 to 2½ ft. 4.50 4.25 4.00 2½ to 3 ft. 6.00 5.75 5.50 3 to 3½ ft. 8.00 7.50 7.00 3½ to 4 ft. 10.50 10.00 9.50 4 to 5 ft. 14.00 13.00 12.00 5 to 6 ft. 18.00 17.00 16.00 | sabina hor | izon | talis. | B_{i} | ar Harbor Ju | ıniper | | |
| 1½ to 2 ft. 6.00 5.75 5.50 2 to 2½ ft. 8.00 7.50 7.00 2½ to 3 ft. 10.00 9.00 8.00 3 to 3½ ft. 12.00 11.00 10.00 sabina tamariscifolia. Tamarix Savin Juniper 1½ to 2 ft. 8.00 7.50 7.00 virginiana. Redcedar 1½ ft. 2.00 1.75 1.50 1½ to 2 ft. 3.00 2.75 2.50 2 to 2½ ft. 4.50 4.25 4.00 2½ to 3 ft. 6.00 5.75 5.50 3 to 3½ ft. 8.00 7.50 7.00 3½ to 4 ft. 10.50 10.00 9.50 4 to 5 ft. 14.00 13.00 12.00 5 to 6 ft. 18.00 17.00 16.00 | (form | erly | Jun | iper | procumbens |) | | |
| 1½ to 2 ft. 6.00 5.75 5.50 2 to 2½ ft. 8.00 7.50 7.00 2½ to 3 ft. 10.00 9.00 8.00 3 to 3½ ft. 12.00 11.00 10.00 sabina tamariscifolia. Tamarix Savin Juniper 1½ to 2 ft. 8.00 7.50 7.00 virginiana. Redcedar 1½ ft. 2.00 1.75 1.50 1½ to 2 ft. 3.00 2.75 2.50 2 to 2½ ft. 4.50 4.25 4.00 2½ to 3 ft. 6.00 5.75 5.50 3 to 3½ ft. 8.00 7.50 7.00 3½ to 4 ft. 10.50 10.00 9.50 4 to 5 ft. 14.00 13.00 12.00 5 to 6 ft. 18.00 17.00 16.00 | 1 | to | 11/2 | ft. | | 4.50 | 4.25 | 4.00 |
| 2½ to 3 ft. 10.00 9.00 8.00 3 to 3½ ft. 12.00 11.00 10.00 sabina tamariscifolia. Tamarix Savin Juniper 1½ to 2 ft. 8.00 7.50 7.00 virginiana. Redcedar 1 to 1½ ft. 2.00 1.75 1.50 1½ to 2 ft. 3.00 2.75 2.50 2 to 2½ ft. 4.50 4.25 4.00 2½ to 3 ft. 6.00 5.75 5.50 3 to 3½ ft. 8.00 7.50 7.00 3½ to 4 ft. 10.50 10.00 9.50 4 to 5 ft. 14.00 13.00 12.00 5 to 6 ft. 18.00 17.00 16.00 | 11/2 | to | | | | | | |
| 3 to 3½ ft. 12.00 11.00 10.00 sabina tamariscifolia. Tamarix Savin Juniper 1½ to 2 ft. 8.00 7.50 7.00 virginiana. Redcedar 1 to 1½ ft. 2.00 1.75 1.50 1½ to 2 ft. 3.00 2.75 2.50 2 to 2½ ft. 4.50 4.25 4.00 2½ to 3 ft. 6.00 5.75 5.50 3 to 3½ ft. 8.00 7.50 7.00 3½ to 4 ft. 10.50 10.00 9.50 4 to 5 ft. 14.00 13.00 12.00 5 to 6 ft. 18.00 17.00 16.00 | 2 | to | 21/2 | ft. | | 8.00 | 7.50 | 7.00 |
| 3 to 3½ ft. 12.00 11.00 10.00 sabina tamariscifolia. Tamarix Savin Juniper 1½ to 2 ft. 8.00 7.50 7.00 virginiana. Redcedar 1 to 1½ ft. 2.00 1.75 1.50 1½ to 2 ft. 3.00 2.75 2.50 2 to 2½ ft. 4.50 4.25 4.00 2½ to 3 ft. 6.00 5.75 5.50 3 to 3½ ft. 8.00 7.50 7.00 3½ to 4 ft. 10.50 10.00 9.50 4 to 5 ft. 14.00 13.00 12.00 5 to 6 ft. 18.00 17.00 16.00 | 21/2 | to | 3 | ft. | | 10.00 | 9.00 | 8.00 |
| 1½ to 2 ft. 8.00 7.50 7.00 virginiana. Redcedar 1 to 1½ ft. 2.00 1.75 1.50 1½ to 2 ft. 3.00 2.75 2.50 2 to 2½ ft. 4.50 4.25 4.00 2½ to 3 ft. 6.00 5.75 5.50 3 to 3½ ft. 8.00 7.50 7.00 3½ to 4 ft. 10.50 10.00 9.50 4 to 5 ft. 14.00 13.00 12.00 5 to 6 ft. 18.00 17.00 16.00 | | | 31/2 | ft. | | 12.00 | 11.00 | 10.00 |
| 1½ to 2 ft. 8.00 7.50 7.00 virginiana. Redcedar 1 to 1½ ft. 2.00 1.75 1.50 1½ to 2 ft. 3.00 2.75 2.50 2 to 2½ ft. 4.50 4.25 4.00 2½ to 3 ft. 6.00 5.75 5.50 3 to 3½ ft. 8.00 7.50 7.00 3½ to 4 ft. 10.50 10.00 9.50 4 to 5 ft. 14.00 13.00 12.00 5 to 6 ft. 18.00 17.00 16.00 | cabina tan | | aifali | | Tamanin Sa | in Tara | | |
| virginiana. Redcedar 1 to 1½ ft. 2.00 1.75 1.50 1½ to 2 ft. 3.00 2.75 2.50 2 to 2½ ft. 4.50 4.25 4.00 2½ to 3 ft. 6.00 5.75 5.50 3 to 3½ ft. 8.00 7.50 7.00 3½ to 4 ft. 10.50 10.00 9.50 4 to 5 ft. 14.00 13.00 12.00 5 to 6 ft. 18.00 17.00 16.00 | | | | | | | | 7.00 |
| 1 to 1½ ft. 2.00 1.75 1.50 1½ to 2 ft. 3.00 2.75 2.50 2 to 2½ ft. 4.50 4.25 4.00 2½ to 3 ft. 6.00 5.75 5.50 3 to 3½ ft. 8.00 7.50 7.00 3½ to 4 ft. 10.50 10.00 9.50 4 to 5 ft. 14.00 13.00 12.00 5 to 6 ft. 18.00 17.00 16.00 | 1 1/2 | to | 2 | It. | • | 8.00 | 7.50 | 7.00 |
| 1½ to 2 ft. 3.00 2.75 2.50 2 to 2½ ft. 4.50 4.25 4.00 2½ to 3 ft. 6.00 5.75 5.50 3 to 3½ ft. 8.00 7.50 7.00 3½ to 4 ft. 10.50 10.00 9.50 4 to 5 ft. 14.00 13.00 12.00 5 to 6 ft. 18.00 17.00 16.00 | virginiana | . R | edce | lar | | | | |
| 2 to 2½ ft. 4.50 4.25 4.00 2½ to 3 ft. 6.00 5.75 5.50 3 to 3½ ft. 8.00 7.50 7.00 3½ to 4 ft. 10.50 10.00 9.50 4 to 5 ft. 14.00 13.00 12.00 5 to 6 ft. 18.00 17.00 16.00 | 1 | to | 11/2 | ft. | | 2.00 | 1.75 | 1.50 |
| 2½ to 3 ft. 6.00 5.75 5.50 3 to 3½ ft. 8.00 7.50 7.00 3½ to 4 ft. 10.50 10.00 9.50 4 to 5 ft. 14.00 13.00 12.00 5 to 6 ft. 18.00 17.00 16.00 | 11/2 | to | 2 | ft. | | 3.00 | 2.75 | 2.50 |
| 3 to 3½ ft. 8.00 7.50 7.00 3½ to 4 ft. 10.50 10.00 9.50 4 to 5 ft. 14.00 13.00 12.00 5 to 6 ft. 18.00 17.00 16.00 | | | 21/2 | ft. | | 4.50 | 4.25 | 4.00 |
| 3½ to 4 ft. 10.50 10.00 9.50 4 to 5 ft. 14.00 13.00 12.00 5 to 6 ft. 18.00 17.00 16.00 | | to | | | | 6.00 | 5.75 | 5.50 |
| 4 to 5 ft 14.00 13.00 12.00 5 to 6 ft 18.00 17.00 16.00 | | | 31/2 | ft. | • • • • • • • • • • • | 8.00 | 7.50 | 7.00 |
| 5 to 6 ft 18.00 17.00 16.00 | 31/2 | | | | | 10.50 | | 9.50 |
| 20100 20100 | _ | to | | | | 14.00 | 13.00 | |
| 6 to 8 ft 25.00 24.00 23.00 | | | | | | | | |
| | 6 | to | 8 | ft. | | 25.00 | 24.00 | 23.00 |

| | | | | | | Each Rate | Tens Hi Rate | andreds Rate |
|---------|------------------------------------|----------------------|--|--|-----------------------|--|--|--|
| virgini | iana | cann | arti. | C | annart Redce | dar | 1 | |
| · g | 3 3½ 4 5 | to to to to | 3½ 4 5 6 | ft. ft. ft. ft. | | 12.00 16.00 20.00 25.00 | 11.50 15.00 19.00 24.00 | 11.00 14.00 18.00 23.00 |
| virgin | iana | ølau | ca. | Silı | er Redcedar | | | |
| **** | 3 | to | 31/2 | ft. | | 12.00 | 11.50 | 11.00 |
| | 31/2 | to | 4 | ft. | | 16.00 | 15.00 | 14.00 |
| | 4 | to | 5 | ft. | | 20.00 | 19.00 | 18.00 |
| | 5 | to | 6 | ft. | • • • • • • • • • | 25.00 | 24.00 | 23.00 |
| PICEA- | 6 _Sor | to | 8 | ft. | | 32.00 | 30.00 | 28.00 |
| | - | | 71 . | С. | | | | |
| canad | | | hite? | | | 0.70 | 0.05 | 0.00 |
| | $\frac{1\frac{1}{2}}{2}$ | to to | 2 2½ | ft. ft. | | $\frac{2.50}{4.00}$ | $\frac{2.25}{3.75}$ | $\frac{2.00}{3.50}$ |
| | 21/2 | to | 3 | ft. | | 5.50 | 5.25 | 5.00 |
| | 3 12 | to | 31/2 | ft. | | 8.00 | 7.50 | 7.00 |
| | $3\frac{1}{2}$ | to | 4 | ft. | | 11.00 | 10.50 | 10.00 |
| | 4 | to | 5 | ft. | • • • • • • • • • • | 15.00 | 14.00 | 13.00 |
| | 5 6 | to | 6 | ft. | | 20.00 | $19.00 \\ 24.00$ | 18.00 23.00 |
| | 0 | to | 8 | ft. | • • • • • • • • • • | 25.00 | 24.00 | 25.00 |
| canad | ensis | albe | rtiar | ıa. | Black Hill S | pruce | | |
| | 1½ 2 2½ 3 3½ 4 5 | to to to to to to to | 2 2½ 3 3½ 4 5 6 8 | ft. ft. ft. ft. ft. ft. | | 2.50 4.00 5.50 8.00 11.00 15.00 20.00 25.00 | 2.25 3.75 5.25 7.50 10.50 14.00 19.00 24.00 | 2.00 3.50 5.00 7.00 10.00 13.00 18.00 23.00 |
| excels | | Jann | | · | | | | |
| exceis | | | ay S 1½ | _ | ce | 1.00 | .90 | .80 |
| | 1 1½ | to to | 2 | ft. | | 1.75 | 1.60 | 1.50 |
| | 2 | to | 21/2 | ft. | | 2.50 | 2.25 | 2.00 |
| | $2\frac{1}{2}$ | to | 3 | ft. | | 3.50 | 3.25 | 3.00 |
| | 3 | to | 31/2 | ft. | • • • • • • • • • • | 4.50 | 4.25 | 4.00 |
| | 31/2 | to | 4 | ft. | | 6.00 | 5.75 | 5.50 |
| | 4 5 | to to | 5 6 | ft. | | $8.50 \\ 12.00$ | $8.00 \\ 11.00$ | 7.50 10.00 |
| | 6 | to | 8 | ft. | | 18.00 | 17.00 | 16.00 |
| punge | | | | | een Spruce | 20.00 | 21100 | |
| | 2 | to | 21/2 | ft. | | 7.00 | 6.75 | 6.50 |
| | 21/2 | to | 3 | ft. | | 9.00 | 8.50 | 8.00 |
| | 3 3½ | to to | 3½ 4 | ft. | • • • • • • • • • • • | $12.00 \\ 16.00$ | 11.50 15.50 | 11.00 15.00 |
| | 4 | to | 5 | ft. | | 22.00 | 21.00 | 20.00 |
| | 5 | to | 6 | ft. | | 30.00 | 28.00 | 26.00 |

Each Tens Hundreds Rate Rate Rate

Owing to the scarcity, Blue Spruce are sold only in connection with other stock.

| | | 0 | | | | | | |
|--------|--|--|--|---|-------------------|---|---|--|
| punge | ns gl | auca | a. C | olor | ado Blue Sp | ruce | | |
| . 3 | 11/2 | | 2 | ft. | | 10.00 | 9.50 | 9.00 |
| | 2 | to | 21/2 | ft. | | 15.00 | 14.50 | 14.00 |
| | 21/2 | to | 3 | ft. | | 20.00 | 19.00 | 18.00 |
| | 3 | to | 31/2 | ft. | | 25.00 | 24.00 | 23.00 |
| | 31/2 | to | 4 | ft. | | 32.00 | 31.00 | 30.00 |
| | 4 | to | 5 | ft. | | 40.00 | 39.00 | 38.00 |
| | 5 | to | 6 | ft. | | 50.00 | 49.00 | 48.00 |
| | 6 | to | 8 | ft. | | 60.00 | 58.00 | 56.00 |
| | U | to | O | Ιυ. | | 00.00 | 00.00 | 90.00 |
| PINUS- | _Pin | e | | | | | | |
| mugh | | | gho l | Dina | | | | |
| mugn | | _ | | | | 5.00 | 4.75 | 4.50 |
| | 1 | to | 11/2 | | | 5.00 | $\frac{4.75}{7.25}$ | |
| | 1½ | | 2 | ft. | | 7.50 | | 7.00 |
| | 2 | to | 21/2 | | | 11.00 | 10.50 | 10.00 |
| | $2\frac{1}{2}$ | to | 3 | ft. | • • • • • • • • • | 16.00 | 15. 50 | 15. 00 |
| nigra. | Au | stric | ın Pi | ne | | | | |
| 8 | | to | 2 | ft. | | 3.50 | 3.25 | 3.00 |
| | 2 | to | 21/2 | ft. | | 5.00 | 4.75 | 4.50 |
| | 21/2 | to | 3 | ft. | | 6.50 | 6.25 | 6.00 |
| | 3 | to | 31/2 | ft. | | 9.00 | 8.50 | 8.00 |
| | 31/2 | to | 4 | ft. | | 12.00 | 11.00 | 10.00 |
| | 4 | to | 5 | ft. | | 16.00 | 15.00 | 14.00 |
| | 4 | w | J | LU. | | TO.00 | 19.00 | T-T-00 |
| | | | | | | | | |
| ponde | rosa. | и | ⁷ este1 | n Y | ellow Pine | | | |
| ponde | rosa. 2 | to | | n Y | | 5.00 | 4.75 | 4.50 |
| ponde | 2 | | ⁷ ester 2½ 3 | | ellow Pine | 5.00 6.50 | 4.75 6.25 | 4.50 6.00 |
| ponde | | to to | 2½ 3 | ft. | ellow Pine | | | |
| ponde | 2 2½ 3 | to to to | 2½ 3 3½ | ft. ft. ft. | Yellow Pine | $6.50 \\ 9.00$ | 6.25 | 6.00 |
| ponde | 2 2½ 3 3½ | to to to | 2½ 3 3½ 4 | ft. ft. ft. ft. | Yellow Pine | 6.50 9.00 12.00 | $6.25 \\ 8.50 \\ 11.00$ | 6.00 8.00 |
| ponde | 2 2½ 3 3½ 4 | to to to to to | 2½ 3 3½ | ft. ft. ft. | Yellow Pine | 6.50 9.00 12.00 16.00 | $6.25 \\ 8.50$ | 6.00 8.00 10.00 |
| | 2 2½ 3 3½ 4 5 | to to to to to | 2½ 3 3½ 4 5 6 | ft. ft. ft. ft. ft. ft. | Yellow Pine | 6.50 9.00 12.00 | 6.25 8.50 11.00 15.00 | 6.00 8.00 10.00 14.00 |
| ponde | 2 2½ 3 3½ 4 5 | to | 2½ 3 3½ 4 5 6 or N | ft. ft. ft. ft. ft. | Tellow Pine | 6.50 9.00 12.00 16.00 22.00 | 6.25 8.50 11.00 15.00 21.00 | 6.00 8.00 10.00 14.00 20.00 |
| | 2 2½ 3 3½ 4 5 sa. 1½ | to | 2½ 3 3½ 4 5 6 or N | ft. ft. ft. ft. ft. ft. | Yellow Pine | 6.50 9.00 12.00 16.00 22.00 | 6.25 8.50 11.00 15.00 21.00 | 6.00 8.00 10.00 14.00 20.00 |
| | 2 2½ 3 3½ 4 5 sa. 1½ 2 | to | 2½ 3 3½ 4 5 6 or N 2 2½ | ft. ft. ft. ft. ft. ft. ft. | Yellow Pine | 6.50 9.00 12.00 16.00 22.00 2.00 2.50 | 6.25 8.50 11.00 15.00 21.00 1.90 2.25 | 6.00 8.00 10.00 14.00 20.00 |
| | 2 2½ 3 3½ 4 5 sa. 1½ 2 2½ | to | 2½ 3 3½ 4 5 6 or N 2 2½ 3 | ft. ft. ft. ft. ft. ft. ft. | Yellow Pine | 6.50 9.00 12.00 16.00 22.00 2.50 3.50 | 6.25 8.50 11.00 15.00 21.00 1.90 2.25 3.25 | 6.00 8.00 10.00 14.00 20.00 1.80 2.00 3.00 |
| | 2 2½ 3 3½ 4 5 sa. 1½ 2 ½ 3 | to t | 2½ 3 3½ 4 5 6 or N 2 ½ 3 3½ | ft. ft. ft. ft. ft. ft. ft. | Yellow Pine | 6.50 9.00 12.00 16.00 22.00 2.50 3.50 5.00 | 6.25 8.50 11.00 15.00 21.00 1.90 2.25 3.25 4.75 | 6.00 8.00 10.00 14.00 20.00 1.80 2.00 3.00 4.50 |
| | 2 2½ 3 3½ 4 5 sa. 1½ 2 2½ | to | 2½3 3½4 5 6 or N 2 ½½3 3½4 | ft. | Yellow Pine | 6.50 9.00 12.00 16.00 22.00 2.50 3.50 5.00 7.00 | 6.25 8.50 11.00 15.00 21.00 1.90 2.25 3.25 4.75 6.50 | 6.00 8.00 10.00 14.00 20.00 1.80 2.00 3.00 4.50 6.00 |
| | 2 2 ¹ / ₂ 3 3 ¹ / ₂ 4 5 sa. 1 ¹ / ₂ 2 ¹ / ₂ 3 3 ¹ / ₂ 4 | to t | 2½ 3 3½ 4 5 6 or N 2 ½ 3 3½ 4 5 | ft. ft. ft. ft. ft. Vorn ft. ft. ft. ft. | Yellow Pine | 6.50 9.00 12.00 16.00 22.00 2.50 3.50 5.00 7.00 10.00 | 6.25 8.50 11.00 15.00 21.00 1.90 2.25 3.25 4.75 6.50 9.50 | 6.00 8.00 10.00 14.00 20.00 1.80 2.00 3.00 4.50 6.00 9.00 |
| | 2 2½ 3 3½ 4 5 sa. 1½ 2 ½ 3 3½ 4 5 | to t | 2½ 3 3½ 4 5 6 or N 2 ½ 3 3½ 4 5 6 | ft. ft. ft. ft. ft. Vorn ft. ft. ft. ft. | Tellow Pine | 6.50 9.00 12.00 16.00 22.00 2.50 3.50 5.00 7.00 10.00 14.00 | 6.25 8.50 11.00 15.00 21.00 1.90 2.25 3.25 4.75 6.50 9.50 13.00 | 6.00 8.00 10.00 14.00 20.00 1.80 2.00 3.00 4.50 6.00 9.00 12.00 |
| | 2 2 ¹ / ₂ 3 3 ¹ / ₂ 4 5 sa. 1 ¹ / ₂ 2 ¹ / ₂ 3 3 ¹ / ₂ 4 | to t | 2½ 3 3½ 4 5 6 or N 2 ½ 3 3½ 4 5 | ft. ft. ft. ft. ft. Vorn ft. ft. ft. ft. | Vellow Pine | 6.50 9.00 12.00 16.00 22.00 2.50 3.50 5.00 7.00 10.00 | 6.25 8.50 11.00 15.00 21.00 1.90 2.25 3.25 4.75 6.50 9.50 | 6.00 8.00 10.00 14.00 20.00 1.80 2.00 3.00 4.50 6.00 9.00 |
| resino | 2 2½ 3 3½ 4 5 sa. 1½ 2 ½ 3 ½ 4 5 6 | to | 2½ 3 ½ 4 5 6 or N 2 ½ 3½ 3 ½ 4 5 6 8 | ft. | Yellow Pine | 6.50 9.00 12.00 16.00 22.00 2.50 3.50 5.00 7.00 10.00 14.00 | 6.25 8.50 11.00 15.00 21.00 1.90 2.25 3.25 4.75 6.50 9.50 13.00 | 6.00 8.00 10.00 14.00 20.00 1.80 2.00 3.00 4.50 6.00 9.00 12.00 |
| | 2 2 ½ 3 3 ½ 4 5 5 sa. 1 ½ 2 ½ 3 3 ½ 4 5 6 6 ss. 1 | to t | 2½ 3½ 5 6 or N 2½ 3½ 4 5 6 8 | ft. | Yellow Pine | 6.50 9.00 12.00 16.00 22.00 2.50 3.50 5.00 7.00 14.00 18.00 | 6.25 8.50 11.00 15.00 21.00 1.90 2.25 3.25 4.75 6.50 9.50 13.00 17.00 | 1.80 2.00 4.50 6.00 9.00 12.00 12.00 |
| resino | 2 1½ 3 1½ 4 5 sa. 1½ 2 ½ 3 1½ 4 5 6 is. 1 | to t | 2½ 3½ 4 5 6 or N 2½ 3½ 4 5 6 8 te Pi | ft. | Vay Pine | 6.50 9.00 12.00 16.00 22.00 2.50 3.50 5.00 7.00 14.00 18.00 | 6.25 8.50 11.00 15.00 21.00 1.90 2.25 3.25 4.75 6.50 9.50 13.00 17.00 | 6.00 8.00 10.00 14.00 20.00 1.80 2.00 3.00 4.50 6.00 9.00 12.00 16.00 |
| resino | 2 2 ½ 3 3 ½ 4 5 sa. 1½ 2 ½ 3 3 ½ 4 5 6 us. 1 2 2 ½ 3 | to t | 2½ 3½ 4 5 6 or N 2 2½ 3 3½ 4 5 6 8 te Pi | ft. | Vellow Pine | 6.50 9.00 12.00 16.00 22.00 2.50 3.50 5.00 7.00 10.00 14.00 18.00 | 6.25 8.50 11.00 15.00 21.00 1.90 2.25 3.25 4.75 6.50 9.50 13.00 17.00 | 6.00 8.00 10.00 14.00 20.00 1.80 2.00 3.00 4.50 6.00 9.00 12.00 16.00 |
| resino | 2 2½ 3 3½ 4 5 sa. 1½ 2 ½ 3 3½ 4 5 6 15. 1 2 2½ 3 3½ 4 5 6 15. 1 2 2½ 3 1½ 3 1½ 5 6 15. 1 5 1½ 3 1½ 5 1½ 3 1½ 5 1½ 5 1½ 5 1½ 5 | to t | 2½3 3½4 56 or N 22½3 3½4 568 Pi 2½3 3½3 | ft. | Yellow Pine | 6.50 9.00 12.00 16.00 22.00 2.50 3.50 5.00 7.00 10.00 14.00 4.00 6.00 | 6.25 8.50 11.00 15.00 21.00 1.90 2.25 3.25 4.75 6.50 9.50 13.00 17.00 | 6.00 8.00 10.00 14.00 20.00 1.80 2.00 3.00 4.50 6.00 9.00 12.000 3.50 5.00 |
| resino | 2 2½ 3 3½ 5 sa. 1½ 2 ½ 3 3½ 5 6 15. 2 2½ 3 3½ 5 6 15. 2 2½ 3 3½ 5 6 15. 2 2½ 3 3½ 5 6 15. 2 2 2½ 5 6 15. 2 2 2½ 5 6 15. 2 2 2½ 5 6 15. 2 2 2½ 5 6 15. 2 2 2½ 5 6 15. 2 2 2½ 5 6 15. 2 2 2½ 5 6 15. 2 2 2½ 5 6 15. 2 2 2½ 5 6 15. 2 2 2½ 5 6 15. 2 2 2½ 5 6 15. 2 2 2½ 5 6 15. 2 2 2½ 5 6 15. 2 2 2 2½ 5 6 15. 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | to t | 2½3 33½4 56 or N 2½½3 33½4 568 Pi 2½3 33½4 | ft. | Yellow Pine | 6.50 9.00 12.00 16.00 22.00 2.50 3.50 5.00 7.00 14.00 4.00 4.00 7.50 | 6.25 8.50 11.00 15.00 21.00 1.90 2.25 3.25 4.75 6.50 9.50 13.00 17.00 2.25 3.75 5.50 7.00 | 6.00 8.00 10.00 14.00 20.00 1.80 2.00 3.00 4.50 6.00 9.00 12.00 3.50 5.00 6.50 |
| resino | 2 2½ 3 3½ 4 5 sa. 1½ 2 ½ 3 3½ 4 5 6 15. 1 2 2½ 3 3½ 4 5 6 15. 1 2 2½ 3 1½ 3 1½ 5 6 15. 1 5 1½ 3 1½ 5 1½ 3 1½ 5 1½ 5 1½ 5 1½ 5 | to t | 2½3 3½4 56 or N 22½3 3½4 568 Pi 2½3 3½3 | ft. | Yellow Pine | 6.50 9.00 12.00 16.00 22.00 2.50 3.50 5.00 7.00 10.00 14.00 4.00 6.00 | 6.25 8.50 11.00 15.00 21.00 1.90 2.25 3.25 4.75 6.50 9.50 13.00 17.00 | 6.00 8.00 10.00 14.00 20.00 1.80 2.00 3.00 4.50 6.00 9.00 12.000 3.50 5.00 |

| | | | | | Each Rate | Tens H Rate | undreds |
|-----------------|-------|----------------|------|-------------------|--------------|----------------|---------|
| sylvestris. | Sc | otch . | Pino | | nate | nate | Rate |
| 2 | to | 21/2 | | | 2.25 | 2.00 | 1.75 |
| 21/2 | to | 3 12 | ft. | | 3.50 | 3.25 | 3.00 |
| 3 12 | to | 31/2 | ft. | | 5.00 | 4.50 | 4.00 |
| 31/2 | to | 4 | ft. | | 6.50 | 6.00 | 5.50 |
| 4 1 | to | 5 | ft. | | 10.00 | 9.00 | 8.00 |
| 5 | to | 6 | ft. | | 14.00 | 13.00 | 12.00 |
| 6 | to | 8 | ft. | | 20.00 | 19.00 | 18.00 |
| 8 | to | 10 | ft. | | 25.00 | 24.00 | 23.00 |
| PSEUDOTS | UG | A D | OUC | GLASI. Do | uglas F | ir | |
| 2 | to | 21/2 | ft. | | 5.00 | 4.75 | 4.50 |
| 21/2 | to | 3 | ft. | | 7.00 | 6.75 | 6.50 |
| 3 12 | to | 31/2 | ft. | | 9.00 | 8.50 | 8.00 |
| 31/2 | to | 4 | ft. | | 12.00 | 11.50 | 11.00 |
| 4 | to | 5 | ft. | | 15.00 | 14.00 | 13.00 |
| 5 | to | 6 | ft. | | 20.00 | 19.00 | 18.00 |
| 6 | to | 8 | ft. | | 25.00 | 24.00 | 23.00 |
| Redcedar. (| See | Juni | peru | s) | | | |
| Spruce. (Se | e P | icea) | | | | | |
| TAXUS—Y | ew | | | | | | |
| cuspidata. | | panes | o Y | on/ | | | |
| (Bush | | | | <i>- m</i> | | | |
| ` 1 | to | 11/2 | ft. | | 6.00 | 5.50 | 5.00 |
| 11/2 | to | 2 /2 | ft. | | 9.50 | 9.25 | 9.00 |
| 2'2 | to | 21/2 | | | 14.00 | 13.50 | 13.00 |
| avanidata | | | | | | | |
| cuspidata | 1. 4 | £ | , | | | | |
| (Upri | _ | | • | | | | |
| 2 | to | $2\frac{1}{2}$ | | • • • • • • • • • | 14.00 | 13.50 | 13.00 |
| $2\frac{1}{2}$ | to | 3 | ft. | • • • • • • • • • | 18.00 | 17.50 | 17.00 |
| Dwarf Jap | anes | se Ye | w | | | | |
| 12 | to | 15 | in. | | 6.50 | 6.25 | 6.00 |
| 15 | to | 18 | in. | | 8.50 | 8.25 | 8.00 |
| THUJA—A | hor | vitae | | | | | |
| occidentali | | | ican | Arborvitae | | | |
| 1 | to | 11/2 | ft. | | .90 | .80 | .70 |
| 11/2 | to | 2 | ft. | | 1.25 | 1.10 | 1.00 |
| 2'2 | to | 21/2 | ft. | | 2.50 | 2.25 | 2.00 |
| 21/2 | to | 3 | ft. | | 3.75 | 3.50 | 3.25 |
| 3 /2 | to | 31/2 | ft. | | 5.50 | 5.25 | 5.00 |
| 31/2 | to | 4 | ft. | | 7.50 | 7.25 | 7.00 |
| 4 | to | 5 | ft. | | 10.00 | 9.50 | 9.00 |
| 5 | to | 6 | ft. | | 14.00 | 13.00 | 12.00 |
| 6 | to | 7 | ft. | | 19.00 | 18.00 | 17.00 |
| occidentali | 5 010 | obosa | G | lobe Arborvi | tae | | |
| 1 | to | 11/2 | ft. | | 4.00 | 3.75 | 3.50 |
| 11/2 | to | 2 | ft. | | 5.00 | 4.75 | 4.50 |
| 2 | to | 21/2 | ft. | | 7.00 | 6.50 | 6.00 |
| 21/2 | to | 3 | ft. | | 9.00 | 8.50 | 8.00 |
| ~ /2 | - | - | | | | 2.00 | 2.00 |

| | | | | | | | Each Rate | Tens H Rate | undreds Rate |
|----------|-------|-----|----------------|--------|--------|-------|--------------|----------------|-----------------|
| occident | alis | pyr | rami | dalis. | Pyr | amid | Arborvi | tae | |
| 1 | | | 11/2 | | | | | 1.40 | 1.30 |
| 1 | 1/2 | to | 2 | ft. | | | 2.75 | 2.60 | 2.50 |
| 2 | | to | 21/2 | ft. | | | 4.50 | 4.25 | 4.00 |
| 2 | 1/2 | to | 3 | ft. | | | 6.00 | 5.75 | 5.50 |
| 3 | | to | 31/2 | ft. | | | 8.50 | 8.00 | 7.50 |
| 3 | 1/2 | to | 4 | ft. | | | . 12.00 | 11.50 | 11.00 |
| 4 | | to | 5 | ft. | | | 18.00 | 17.00 | 16.00 |
| 5 | | to | 6 | ft. | | | . 24.00 | 23.00 | 22.00 |
| 6 | | to | 7 | ft. | | | . 30.00 | 29.00 | 28.00 |
| 7 | | to | 8 | ft. | | | 35.00 | 34.00 | 33.00 |
| occident | talis | wai | reana | а. И | Vare o | r Sib | erian Ar | borvitae | |
| 1 | | to | 11/2 | ft. | | | . 4.75 | 4.50 | 4.25 |
| 1 | 1/2 | to | 2 | ft. | | | . 6.00 | 5.50 | 5.00 |
| 2 | | to | 21/2 | ft. | | | . 7.50 | 7.25 | 7.00 |
| TSUGA- | -Н е | mlo | ck | | | | | | |
| canaden | sis. | C | anad | a He | emlock | : | | | |
| 1 | 1/2 | to | 2 | ft. | | | . 4.00 | 3.80 | 3.60 |
| 2 | - | to | 21/2 | ft. | | | . 6.00 | 5.75 | 5.50 |
| 2 | 1/2 | to | 3 | ft. | | | . 7.50 | 7.25 | 7.00 |
| 3 | | to | $3\frac{1}{2}$ | ft. | | | . 10.00 | 9.50 | 9.00 |

SHRUBS

Size indicates feet in height unless otherwise noted.

| Size indic | ates | reet | ın | neight i | ınıess | other | wise note | d. |
|----------------|---------|---------------|------------|---------------------|--------|---------------------|---------------------|---------|
| | | | | | | Each | Tens F | Iundred |
| ACANTHR | OPA | NA | Χr | entanhu | Hum | Rate | Rate | Rate |
| (Aralia p | | | | | 114111 | | | |
| 2 | to | 3 | ft. | | | .80 | \$.75 | \$.70 |
| 3 | to | 4 | ft. | | | 1.00 | .90 | .80 |
| A CED : | 1 | 4 | | x . 1 | | | | |
| ACER ginna | | | | <i>Iaple</i> | | 1 50 | 7.40 | 7.00 |
| 3 4 | to | | ft. | | | 1.50 | 1.40 | 1.30 |
| _ | to | 5 | | • • • • • | | 2.50 | 2.40 | 2.30 |
| Ailanthus. | (See | Tree | 25) | | | | | |
| AMELANC | HIE | R—S | had | lblow () | unebe | erry) | | |
| canadensis | | | | | | | | |
| 2 | to | 3 | ft. | | | 1.00 | .90 | .80 |
| 3 | to | 4 | ft. | | | 1.50 | 1.40 | 1.30 |
| AMORPHA | frui | ticos | a. | Indigob | ush | | | |
| 2 | to | 3 | ft. | | | .75 | .65 | .55 |
| 3 | to | 4 | ft. | | | 1.00 | .90 | .80 |
| • | | _ D | | | | | | ••• |
| ARALIA spi | | | | | | | | |
| 2 | to | | ft. | | | 1.20 | 1.10 | 1.00 |
| 3 4 | to | | ft. ft. | • • • • • • | | $\frac{1.50}{2.00}$ | $\frac{1.40}{1.90}$ | 1.30 |
| _ | to | • | | • • • • • • | | 2.00 | 1.90 | 1.80 |
| ARONIA—(| | | | | | | | |
| arbutifolia. | R_{i} | ed C | hok | eberry | | | | |
| 2 | to | | ft. | | | 1.50 | 1.40 | 1.30 |
| 3 | | 4 | ft. | | | 1.80 | 1.70 | 1.60 |
| melanocarp | | | | | | 1 00 | | |
| 2 3 | | | ft. ft. | | | 1.20 | 1.10 | 1.00 |
| • | | _ | | | | 1.60 | 1.50 | 1.40 |
| Beauty Bush | • | | | zia) | | | | |
| BERBERIS— | | | | | | | | |
| atropurpure | ea. | | | | | erry | | |
| $1\frac{1}{2}$ | to : | 2 : | ft. | | | 1.20 | 1.10 | 1.00 |
| Box Barber | | | | | | | | |
| | to 1 | | n. | • • • • • • • | | .80 | .70 | .60 |
| | to 1 | | n. | | • • • | 1.00 | .90 | .80 |
| thunbergi. | | anese 1½ 1 | | | | 40 | .35 | .30 |
| 11/2 | | | t. | | | .40 .50 | .45 | .40 |
| | | 21/2 f | | | | .70 | .65 | .60 |
| Bridalwreath. | | | | | • • • | | .00 | .00 |
| Buckthorn. (| (3) | Rha | nrec | (1) | | | | |
| | | | | | | | | |
| BUDDLEIA. | | | | | | | | |
| | | | | - , | | | ably hard | • |
| | to E | | | • • • • • • | | .70 | .60 | .50 |
| Buffaloberry. | | | | | | | | |
| Burningbush. | (Se | e Eu | ony | mus) | | | | |

| CARAGANA arborescens. Siberian Pea Tree 2 | | | | | | | Each Rate | Tens Hu Rate | ndreds Rate |
|---|----------|-------|-------------|--------|-------|---|--------------|-----------------|----------------|
| 2 to 3 ft | CARAG | AN | A at | bore | scen | s. Siberian I | Pea Tre | e | |
| 3 to 4 ft | 0 | | | | | | | | .40 |
| CORNUS—Dogwood alternifolia. Pagoda Dogwood, Blueberried 2 to 3 ft. 1.20 1.10 1.00 3 to 4 ft. 1.50 1.40 1.30 amomum. Silky Dogwood 2 to 3 ft. 60 .55 .50 3 to 4 ft. 80 .75 .70 Coral Dogwood Bright Red Bark 2 to 3 ft. 80 .70 .60 4 to 5 ft. 1.00 .90 .80 Goldentwig Dogwood. Yellow Dogwood 2 to 3 ft. 80 .70 .65 Goldentwig Dogwood. Yellow Dogwood 2 to 3 ft. 80 .70 .65 paniculata. Gray Dogwood 2 to 3 ft. 80 .70 .65 paniculata. Gray Dogwood 2 to 3 ft. 80 .75 .70 3 to 4 ft. 1.00 .90 .80 sanquinea. Bloodtwig Dogwood 2 to 3 ft. 80 .75 .70 3 to 4 ft. 1.00 .90 .80 sanquinea. Red-osier Dogwood 2 to 3 ft. 80 .75 .70 stolonifera. Red-osier Dogwood 2 to 3 ft. 80 .75 .70 stolonifera. Red-osier Dogwood 2 to 3 ft. 80 .75 .70 stolonifera. Red-osier Dogwood 2 to 3 ft. 1.00 .90 Variegated Dogwood 2 to 3 ft. 1.10 1.00 .90 Variegated Dogwood 2 to 3 ft. 1.20 1.10 1.00 Coralberry. (See Symphoricarpus) CORYLUS—Hazelnut americana 2 to 3 ft. 99 .85 .80 3 to 4 ft. 1.20 1.10 1.00 COTONEASTER acutifolia. Peking Cotoneaster 2 to 3 ft75 .70 .65 | | | | | | | | | |
| alternifolia. Pagoda Dogwood, Blueberried 2 to 3 ft. 1.20 1.10 1.00 3 to 4 ft. 1.50 1.40 1.30 amomum. Silky Dogwood 2 to 3 ft | | 4 | to | 5 | ft. | | | .90 | .80 |
| alternifolia. Pagoda Dogwood, Blueberried 2 to 3 ft. 1.20 1.10 1.00 3 to 4 ft. 1.50 1.40 1.30 amomum. Silky Dogwood 2 to 3 ft | CORNU | JS— | Dog | wood | 1 | | | | |
| 3 to 4 ft. 1.50 1.40 1.30 amomum. Silky Dogwood 2 to 3 ft | alterni | folia | ı. <i>I</i> | ago | da L | Dogwood, Blu | eberried | ! | |
| amomum. Silky Dogwood 2 to 3 ft | | | to | 3 | ft. | | | 1.10 | 1.00 |
| 2 to 3 ft | | 3 | to | 4 | ft. | | 1.50 | 1.40 | 1.30 |
| Coral Dogwood Bright Red Bark 2 to 3 ft | amom | um. | Sil | ky D | ogw | ood | | | |
| Coral Dogwood Bright Red Bark 2 to 3 ft | | 2 | to | 3 | ft. | | .60 | .55 | .50 |
| Bright Red Bark 2 to 3 ft | | 3 | to | 4 | ft. | | .80 | .75 | .70 |
| Bright Red Bark 2 to 3 ft | Coral | Dog | woo | d | | | | | |
| 2 to 3 ft | | - | | | Barl | k | | | |
| 3 to 4 ft | | | | | | | .60 | .55 | .50 |
| Goldentwig Dogwood. Yellow Dogwood 2 to 3 ft | | 3 | to | _ | | | | | |
| 2 to 3 ft | | 4 | to | 5 | ft. | | 1.00 | .90 | .80 |
| 2 to 3 ft | Golde | ntwi | o Do | owo | od. | Yellow Dog | wood | | |
| 3 to 4 ft | Gordo | | - | | | _ | | .55 | .50 |
| 2 to 3 ft | | | | | | | | | |
| 2 to 3 ft | panicu | lata | G | v an 1 | 2000 | wood | | | |
| 3 to 4 ft. 1.00 .90 .80 sanquinea. Bloodtwig Dogwood 2 to 3 ft60 .55 .50 3 to 4 ft80 .75 .70 stolonifera. Red-osier Dogwood 2 to 3 ft60 .55 .50 3 to 4 ft80 .70 .60 4 to 5 ft. 1.10 1.00 .90 Variegated Dogwood 2 to 3 ft. 1.20 1.10 1.00 Coralberry. (See Symphoricarpus) CORYLUS—Hazelnut americana 2 to 3 ft90 .85 .80 3 to 4 ft. 1.20 1.10 1.00 COTONEASTER acutifolia. Peking Cotoneaster 2 to 3 ft75 .70 .65 | panicu | | | | | | 90 | 75 | 70 |
| sanquinea. Bloodtwig Dogwood 2 to 3 ft. .60 .55 .50 3 to 4 ft. .80 .75 .70 stolonifera. Red-osier Dogwood 2 to 3 ft. .60 .55 .50 3 to 4 ft. .80 .70 .60 4 to 5 ft. 1.10 1.00 .90 Variegated Dogwood 2 to 3 ft. 1.20 1.10 1.00 Coralberry. (See Symphoricarpus) CORYLUS—Hazelnut americana 2 to 3 ft. .90 .85 .80 3 to 4 ft. 1.20 1.10 1.00 COTONEASTER acutifolia. Peking Cotoneaster 2 to 3 ft. .75 .70 .65 | | | | - | | | | | |
| 2 to 3 ft | | • | | | | | 1.00 | | **** |
| 3 to 4 ft. .80 .75 .70 stolonifera. Red-osier Dogwood 2 to 3 ft. .60 .55 .50 3 to 4 ft. .80 .70 .60 4 to 5 ft. 1.10 1.00 .90 Variegated Dogwood 2 to 3 ft. 1.20 1.10 1.00 Coralberry. (See Symphoricarpus) CORYLUS—Hazelnut americana 2 to 3 ft. .90 .85 .80 3 to 4 ft. 1.20 1.10 1.00 COTONEASTER acutifolia. Peking Cotoneaster 2 to 3 ft. .75 .70 .65 | sanqui | | | | | | 20 | | =0 |
| stolonifera. Red-osier Dogwood 2 to 3 ft. .60 .55 .50 3 to 4 ft. .80 .70 .60 4 to 5 ft. 1.10 1.00 .90 Variegated Dogwood 2 to 3 ft. 1.20 1.10 1.00 Coralberry. (See Symphoricarpus) CORYLUS—Hazelnut americana 2 to 3 ft. .90 .85 .80 3 to 4 ft. 1.20 1.10 1.00 COTONEASTER acutifolia. Peking Cotoneaster 2 to 3 ft. .75 .70 .65 | | | | - | | | | | |
| 2 to 3 ft | | | | | | | .00 | .10 | .10 |
| 3 to 4 ft | stoloni | | | | | Dogwood | | | |
| 4 to 5 ft. 1.10 1.00 .90 Variegated Dogwood 2 to 3 ft. 1.20 1.10 1.00 Coralberry. (See Symphoricarpus) CORYLUS—Hazelnut americana 2 to 3 ft. .90 .85 .80 3 to 4 ft. 1.20 1.10 1.00 COTONEASTER acutifolia. Peking Cotoneaster 2 to 3 ft. .75 .70 .65 | | | | _ | | | | | |
| Variegated Dogwood 2 to 3 ft. 1.20 1.10 1.00 Coralberry. (See Symphoricarpus) CORYLUS—Hazelnut americana 2 to 3 ft | | | | | | | | | |
| 2 to 3 ft. 1.20 1.10 1.00 Coralberry. (See Symphoricarpus) CORYLUS—Hazelnut americana 2 to 3 ft | | _ | | • | | • | 1.10 | 1.00 | .90 |
| Coralberry. (See Symphoricarpus) CORYLUS—Hazelnut americana 2 to 3 ft | Varieg | | | | | | | | 4 00 |
| CORYLUS—Hazelnut americana 2 to 3 ft | | 2 | to | 3 | ft. | | 1.20 | 1.10 | 1.00 |
| americana 2 to 3 ft | Coralber | ry. | (See | Syn | npho | oricarpus) | | | |
| 2 to 3 ft | CORYL | US- | -На | zelnı | ıt | | | | |
| 3 to 4 ft 1.20 1.10 1.00 COTONEASTER acutifolia. Peking Cotoneaster 2 to 3 ft | americ | ana | | | | | | | |
| COTONEASTER acutifolia. Peking Cotoneaster 2 to 3 ft | | | | _ | | | | | |
| 2 to 3 ft | | 3 | to | 4 | ft. | | 1.20 | 1.10 | 1.00 |
| 2 to 3 ft | COTON | EAS | TE | Raci | ıtifo | lia. Peking | Cotonea | ster | |
| 3 to 4 ft 1.10 1.00 .90 | | | | 3 | | | .75 | .70 | |
| | | 3 | to | 4 | ft. | | 1.10 | 1.00 | .90 |
| CYDONIA—Quince | CYDON | IA- | -Ou | ince | | | | | |
| japonica. Flowering Quince | | | | | g O | uince | | | |
| 1½ to 2 ft | • | | | | | | .75 | .70 | .65 |
| 2 to 3 ft. 100 90 80 | | 2 | to | 3 | ft. | | 1.00 | .90 | .80 |

| | | | | | Each Rate | Tens Hu Rate | |
|-----------------|-------------------|---------------|------------|---|---------------------|---------------------|--------------|
| DEUTZIA ; | raci | lis. | Slen | der Deutzia | Ivate | itate i | Rate |
| 11/2 | _ | 2 | ft. | | .80 | .70 | .60 |
| 2 12 | to | | ft. | | 1.00 | .90 | .80 |
| lemoine | | | | | | | |
| 2 | to | 3 | ft. | | 1.00 | .90 | .80 |
| Dogwood. | See | Cor | nus) | | | | |
| ELAEAGNU | JS a | ngu | stifol | ia—Russian (| Olive | | |
| 3 | to | 4 | ft. | | 1.00 | .95 | .90 |
| 4 | to | 5 | ft. | • • • • • • • • • • • • • | 1.30 | 1.25 | 1.20 |
| Argentea. | Sil | verl | perry | | | | |
| 2 | to | 3 | ft. | | 1.25 | 1.10 | 1.00 |
| 3 | to | 4 | ft. | | 1.50 | 1.40 | 1.30 |
| 4 | to | 5 | ft. | • • • • • • • • • • • | 2.00 | 1.90 | 1.80 |
| Elder. (See | San | ıbu | cus) | | | | |
| EUONYMU | | | | | | | |
| alatus. W | ⁷ inge | ed E | luony | mus | | | |
| 2 | to | 3 | | | 1.40 | 1.30 | 1.20 |
| 3 | to | 4 | ft. | | 2.00 | 1.90 | 1.80 |
| atropurpu | | | |) | | | |
| 2 | to | 3 | ft. | • | 1.00 | .90 | .80 |
| 3 | to | 4 | ft. | | 1.40 | 1.30 | 1.20 |
| | | | | Burningbush | - 00 | | 0.0 |
| $\frac{2}{3}$ | to | 3 | ft. | • | 1.00 | .90 | .80 |
| 5 4 | to to | 4 5 | ft. ft. | | $\frac{1.40}{1.80}$ | $\frac{1.30}{1.70}$ | 1.20 1.60 |
| Flowering A | | | | | 1.00 | 10 | 1.00 |
| _ | | | | • | | | |
| FORSYTHI | | | | | | | |
| Intermedia 2 | | | | • | co | 50 | 45 |
| 3 | to to | $\frac{3}{4}$ | ft. ft. | | .60 .75 | .50 .65 | .45 |
| 4 | to | 5 | ft. | | .90 | .80 | .75 |
| suspensa. | | | ı oFo | rsythia | | | |
| 2 | to | 3 | ft. | | .70 | .65 | .60 |
| 3 | to | 4 | ft. | | .90 | .80 | .75 |
| 4 | to | 5 | ft. | | 1.20 | 1.10 | 1.00 |
| suspensa l | Fortu | nei. | Fo | rtune Forsyth | ia | | |
| 2 | to | 3 | ft. | | .70 | .65 | .60 |
| 3 | to | 4 | ft. | | .80 | .75 | .70 |
| HAMAMEI | LIS- | -Wi | tch-F. | lazel | | | |
| 3 | to | 4 | | | 1.50 | 1.40 | 1.30 |
| Hazelnut. | (See | Con | ylus) | | | | |
| Highbush co | ranbe | erry | . (S | ee Viburnum |) | | |
| Honeysuckle | . (| See | Loni | cera) | | | |
| ** | 0 | n. 1 | | | | | |

Hoptree. (See Ptelia)

| • | | Each | Tens Hu | |
|------------------------|------------------------|--------------------|--------------------|--------------------|
| HYDRANGEA | —Hydrangea | Rate | Rate | Rate |
| arborescens. | Snowhill Hydrangea | | | |
| 2 to | | .85 | .80 | .75 |
| Peegee. Larg | e Flowering Hydrange | a | | |
| 2 to | 3 ft | .85 | .80 | .75 |
| Tree form | | | | |
| 4 to | 5 ft | 2.50 | 2.40 | 2.30 |
| Juneberry. (See | Amelanchier) | | | |
| KERRIA—Kerri | ia | | | |
| japonica | | | | |
| 2 to | 3 ft | 1.50 | 1.40 | 1.30 |
| | | | 1.10 | 1.00 |
| | amabilis—Beauty Bus | | 7 70 | 7 40 |
| 1½ to | | 1.60 | 1.50 | 1.40 |
| LIGUSTRUM- | -Privet | | | |
| amurense. A | mur River North (Ha | rdy Prin | et) | |
| 1 to | 1½ ft | .20 | .16 | .14 |
| 1½ to | 2 ft | .30 | .25 | .20 |
| 2 to | | .35 | .30 | .25 |
| 3 to | 4 ft | .50 | .45 | .40 |
| Regel Privet | | | | |
| 1½ to | 2 ft. sp | .50 | .45 | .40 |
| 2 to | 3 ft. sp | .70 | .65 | .60 |
| Lilac. (See Syri | inga) | | | |
| LONICERA—H | | | | |
| | rrow Honeysuckle | | | |
| | wers, red berries | | | |
| | | 00 | | ~0 |
| 2 to 3 to | 3 ft | .60 | .55 .70 | .50 .60 |
| 4 to | 4 ft | $\frac{.80}{1.00}$ | .90 | .80 |
| | J 16 | 1.00 | .00 | .00 |
| morrowi White flo | wers, yellow berries | | | |
| 2 to | 3 ft | .60 | .55 | .50 |
| 3 to | 4 ft | .80 | .70 | .60 |
| 4 to | 5 ft | 1.00 | .90 | .80 |
| tatarica alba. | White Tatarian Hon | evsucble | | |
| 3 to | 4 ft | .80 | .75 | .70 |
| 4 to | 5 ft | 1.00 | .90 | .80 |
| | | | | |
| 5 to | 6 ft | 1.50 | 1.40 | 1.30 |
| 5 to | | | 1.40 | 1.30 |
| 5 to tatarica grand | iflora. Bride Honeysuc | kle | | |
| 5 to | | | 1.40 .55 .70 | 1.30 .50 .60 |

| | | | | | Each Rate | Tens : Rate | Hundreds Rate |
|--------------------|------------------|-----|--------|---------------------|--------------|----------------|------------------|
| White B | Belle. | (B) | ella A | (lbida) | | | |
| 2 | to | 3 | ft. | | .60 | .55 | .50 |
| 3 | to | 4 | ft. | | .80 | .70 | .60 |
| 4 | to | 5 | ft. | | 1.00 | .90 | .80 |
| _ | | - | | | | .50 | •00 |
| xylosteu | m. E | uro | bean . | Fly Honeysu | ckle | | |
| 2 | to | 3 ' | ft. | | .70 | .65 | .60 |
| 3 | to | 4 | ft. | | .90 | .80 | .70 |
| J. | | | | | .90 | .00 | .70 |
| Ninebark. | | | ysoca | | | | |
| PHILADE Avalanc | | JS- | –Мос | korange | | | |
| 2 | to | 3 | ft. | | .80 | .75 | .70 |
| 3 | to | 4 | ft. | | 1.00 | .90 | |
| Bouquet | | _ | | double | 1.00 | | .00 |
| | | _ | | ·uouvie | 7 00 | 0.0 | 0.0 |
| 2 | to | 3 | ft. | | 1.00 | .90 | .80 |
| coronari | us. S | Swe | et Mo | ockorange | | | |
| 2 | to | 3 | ft. | | .65 | .60 | .55 |
| 3 | to | 4 | ft. | | .90 | .80 | .75 |
| 4 | | 5 | ft. | | 1.10 | 1.00 | .90 |
| Dwarf C | • | • | | | 1.10 | 2.00 | |
| | | | | | 7 00 | 0.0 | 0.0 |
| | $\frac{1}{2}$ to | 2 | ft. | | 1.00 | .90 | |
| 2 | to | 3 | ft. | | 1.40 | 1.30 | 1.20 |
| Dwarf S | weet | | | | | | |
| 1 | ½ to | 2 | ft. | | .80 | .70 | .60 |
| grandifle | orus. | Big | Scen | itless Mockoi | range | | |
| 2 | to | 3 | ft. | | .60 | .55 | .50 |
| 3 | to | 4 | ft. | | .80 | .70 | .65 |
| _ | | | | • • • • • • • • • • | | | |
| 4 | | 5 | ft. | • • • • • • • • • | 1.00 | .90 | .85 |
| 5 | to | 6 | ft. | | 1.25 | 1.10 | 1.00 |
| Lemoine | • | | | | | | |
| 2 | to | 3 | ft. | | .60 | .55 | .50 |
| 3 | to | 4 | ft. | | 1.00 | .90 | .80 |
| 4 | to | 5 | ft. | | 1.50 | 1.40 | 1.30 |
| - | | 0 | _ · | | 1.00 | 1.10 | 1.00 |
| Virginal | | | | | | | |
| 2 | to | 3 | ft. | • • • • • • • • • | 1.00 | .90 | .80 |
| 3 | to | 4 | ft. | | 1.40 | 1.30 | 1.20 |
| PHYSOC | ADDI | TS | Nine | harb | | | |
| opulifoli | | _ | | Ninebark | | | |
| 2 | to | 3 | ft. | | .65 | .60 | .55 |
| 3 | to | 4 | ft. | | .80 | .70 | .65 |
| 4 | to | 5 | ft. | | 1.00 | .90 | .80 |
| 5 | | _ | | | | | |
| | to | 6 | ft. | | 1.25 | 1.10 | 1.00 |
| Goldlead | | | | | | | |
| 2 | to | 3 | ft. | | .65 | .60 | .55 |
| 3 | to | 4 | ft. | | .80 | .70 | .65 |
| 4 | to | 5 | ft. | , | 1.00 | .90 | .80 |
| | | | | | | | |

| | Each Rate | Tens Hu Rate | ndreds Rate |
|---|---------------------|---------------------|---------------------|
| POTENTILLA—Cinquefoil | | | |
| fruiticosa. Shrubby Cinquefoil | | | |
| 1½ to 2 ft | $\frac{1.00}{1.20}$ | $\frac{.90}{1.10}$ | .80 1.00 |
| Privet. (See Ligustrum) | | | |
| PRUNUS—Plum | | | |
| americana | | | |
| 4 to 6 ft | 1.40 | 1.20 | 1.00 |
| 6 to 8 ft | 3.50 | 3.25 | 3.00 |
| glandulosa. Flowering Almond Pin | k | | |
| 2 to 3 ft | 1.20 | 1.10 | 1.00 |
| 3 to 4 ft | 1.50 | 1.40 | 1.30 |
| glandulosa. Flowering Almond Wh | iite | | |
| 3 to 4 ft | 1.50 | 1.40 | 1.30 |
| | | | 2.00 |
| newport. Purple Leaved Plum | 150 | 1.40 | 1 00 |
| 3 to 4 ft | $\frac{1.50}{2.00}$ | $\frac{1.40}{1.90}$ | $\frac{1.30}{1.80}$ |
| 4 to 5 ft | 3.00 | 2.90 | 2.80 |
| 0 00 0 100 0 100 | 5.00 | 4.00 | 2.00 |
| triloba. Flowering Plum | | | |
| 2 to 3 ft | $\frac{1.20}{1.50}$ | 1.10 1.40 | 1.00 1.30 |
| PTELEA—Hoptree | | | |
| trifoliata. Common Hoptree | | | |
| 3 to 4 ft | .80 | .70 | .60 |
| 4 to 5 ft | 1.00 | .90 | .80 |
| 5 to 6 ft | 1.20 | 1.10 | 1.00 |
| DILATING D. L. | | | |
| RHAMNUS—Buckthorn | | | |
| cathartica. Common Buckthorn | | | |
| 3 to 4 ft | .60 | .50 | .45 |
| 4 to 5 ft | .80 1.00 | .70 .90 | .60 .80 |
| 0 00 0 100 0000000000000000000000000000 | 1.00 | .90 | .00 |
| frangula. Glossy Buckthorn | | | |
| 3 to 4 ft | .60 | .50 | .45 |
| 4 to 5 ft | .80 | .70 | .60 |
| 5 to 6 ft | 1.00 | .90 | .80 |
| RHODOTYPOS—Jetbead | | | |
| kerrioides | | | |
| 1½ to 2 ft | .60 | .55 | .50 |
| 2 to 3 ft | .80 | .75 | .70 |
| RHUS—Sumac | | | |
| | | | |
| canadensis. Fragrant Sumac | 1 00 | 1.10 | 1.00 |
| 1½ to 2 ft | $\frac{1.20}{1.60}$ | 1.10 1.50 | 1.00 1.40 |
| 2 to 2½ ft | 1.00 | 1.00 | 1.40 |

| | | | | | | Each | Tens Hu | ndrodo |
|---------|--------------------------|---------------|-------|------------|-----------------------|--------------------|------------|------------|
| | | | | | | Rate | | Rate |
| cotin | | _ | | | etree | | | |
| | 2 | to | 3 | ft. | • • • • • • • • • • | 2.00 | 1.90 | 1.80 |
| | 3 | to | 4 | ft. | • • • • • • • • • • | 2.50 | 2.40 | 2.30 |
| glabr | a. S | mod | th S | uma | c | | | |
| | 2 | to | 3 | ft. | | .60 | .50 | .40 |
| | 3 | to | 4 | ft. | | .75 | .65 | .60 |
| typhi | na la | aini. | at a | Sh. | edded Sumac | | | |
| typin | 2 | to | 3 | ft. | | .65 | .60 | 55 |
| | 3 | to | 4 | ft. | | .90 | .80 | .55 .75 |
| | 4 | to | 5 | ft. | | 1.20 | 1.10 | 1.00 |
| DIDEC | _ | | | | | 2.20 | 2120 | 2.00 |
| RIBES- | | | | : C | urrant | | | |
| alpin | | | | | | 0.0 | 70 | co |
| | $\frac{1\frac{1}{2}}{2}$ | to | 2 21/ | ft. | | .80 1.00 | .70 .90 | .60 .80 |
| | | | | | | 1.00 | .90 | .00 |
| odora | atum. | G_{i} | older | Cu | rrant | | | |
| | 2 | to | 3 | ft. | • • • • • • • • • • | .60 | .55 | .50 |
| | 3 | to | 4 | ft. | | .80 | .75 | .70 |
| ROBIN | IIA- | Loc | ust | | | | | |
| hispie | | | | cia | | | | |
| | 3 | to | 4 | ft. | | 2.50 | 2.40 | 2.30 |
| | 4 | to | 5 | ft. | | 3.50 | 3.25 | 3.00 |
| D | 15- | D. | se S | 4: . |) | | | |
| Roses. | | | | | | | | |
| Russian | | | | Elac | eagnus) | | | |
| SALIX- | | | | | | | | |
| Incar | | Rose | mary | | llow | | | |
| | 2 | to | 3 | ft. | | .60 | .55 | .50 |
| | 3 | to | 4 | ft. | | .80 | .70 | .60 |
| | 4 | to | 5 | ft. | • • • • • • • • • • • | 1.00 | .90 | .80 |
| SAMBU | JCU! | S—1 | Elder | | | | | |
| canao | densis | . A | lmer | ican | Elder | | | |
| | 2 | to | 3 | ft. | | .60 | .55 | .50 |
| | 3 | to | 4 | ft. | | .80 | .70 | .60 |
| | 4 | \mathbf{to} | 5 | ft. | | 1.00 | .90 | .80 |
| Gold | en Ei | iron | ean l | Elde | r | | | |
| | 2 | to | 3 | ft. | | .60 | .55 | .50 |
| | 3 | to | 4 | ft. | | .80 | .70 | .60 |
| | 4 | to | 5 | ft. | | 1.00 | .90 | .80 |
| Cutle | af E | iron | ean | Elde | * | | | |
| Cutic | 2 | to | 3 | ft. | | .70 | .65 | .60 |
| | 3 | to | 4 | ft. | | .90 | .80 | .70 |
| Cutle | of D | dh- | | ELA | la# | | | |
| Cutte | ar Ke | to to | | ft. | er | 1.00 | .90 | .80 |
| | - | | _ | | 771.1 | 1.00 | | .00 |
| racen | | | | | Elder | 80 | 75 | 70 |
| | $\frac{2}{3}$ | to to | 3 | ft. ft. | | $\frac{.80}{1.00}$ | .75 .90 | .70 .80 |
| | | 1.(1) | 4 | 11. | | 7.00 | .50 | .00 |

| SHEPHERDIA | | | | | | | | | Each | Tens H | undreds |
|---|---------|-------------|------------|----------------|-------|------------|---------|-------|-------|---------|---------|
| argentea. Silver Buflaloberry 3 to 4 ft 1.00 .90 .80 4 to 5 ft 1.20 1.10 1.00 5 to 6 ft 1.50 1.40 1.30 Snowball. (See Viburnum) Snowberry. (See Symphoricarpos) SORBARIA—False-Spirea sorbifolia. Ural False-Spirea 2 to 3 ft 75 .65 .60 3 to 4 ft 90 .80 .75 SPIRAEA—Spirea Anthony Waterer. Dwarf Red 1 to 1½ ft 65 .55 .50 1½ to 2 ft 80 .70 .65 Billiard. Rose pink panicles 2 to 3 ft 60 .55 .50 3 to 4 ft 80 .70 .65 douglasi. Rose pink spikes 2 to 3 ft 60 .55 .50 3 to 4 ft 80 .70 .65 Froebel. Flat panicles, rose pink, 3 ft. 1½ to 2 ft 80 .70 .65 Garland. (Arguta) Early white, 3 ft. 1½ to 2 ft 65 .60 Garland. (callosa alba) White Japanese Spirea 1 to 1½ ft 60 .55 1/2 to 2½ ft 80 .70 .65 Thunbergi. Early Dwarf White 2 to 2½ ft 80 .70 .65 Thunbergi. Early Dwarf White 2 to 3 ft 1.80 .70 .65 Thunbergi. Early Dwarf White 2 to 3 ft 1.80 .70 .65 Thunbergi. Early Dwarf White 2 to 3 ft 1.80 .70 .65 Thunbergi. Early Dwarf White 2 to 3 ft 1.80 .70 .65 Thunbergi. Early Dwarf White 2 to 3 ft 1.80 .70 .65 Thunbergi. Early Dwarf White 2 to 3 ft 1.80 .70 .70 trichocarpa. Korean Spirea New hardy Spirea. Similar to Van Houtte. a little later and the flowers are much larger. 1½ to 2 ft 1.50 1.40 1.30 2 to 3 ft 1.80 1.70 1.60 Vanhoutte. Bridalweath 2 to 3 ft 1.80 1.70 1.60 Vanhoutte. Bridalweath 2 to 5 ft 90 .80 .70 Selected specimens B & B 3 to 4 ft 75 .65 .55 4 to 5 ft 90 .80 .70 Selected specimens B & B 3 to 4 ft 1.30 1.20 1.10 | CLIEDIT | EDD | T A | D (| * 1 1 | | | | | | |
| 3 to 4 ft. 1.00 .90 .80 4 to 5 ft. 1.20 1.10 1.00 5 to 6 ft. 1.50 1.40 1.30 Snowball. (See Viburnum) Snowberry. (See Symphoricarpos) SORBARIA—False-Spirea sorbifolia. Ural False-Spirea 2 to 3 ft | | | | | | | | | | | |
| ## to 5 ft. | urgeni | | | | | | • | | 1.00 | .90 | .80 |
| Snowball. (See Viburnum) Snowberry. (See Symphoricarpos) SORBARIA—False-Spirea sorbifolia. Ural False-Spirea 2 to 3 ft | | | | | | | | | | | 1.00 |
| Sonoberry. (See Symphoricarpos) SORBARIA | | | | - | | | | | 1.50 | 1.40 | 1.30 |
| SORBARIA—False-Spirea 2 to 3 ft | | | | | | | | , | | | |
| Sorbifolia. Ural False-Spirea 2 to 3 ft | | - | | | _ | | rpos |) | | | |
| 2 to 3 ft | | RIA- | –Fa II• | lse-S | pire | 1 Shiva | | | | | |
| SPIRAEA—Spirea Anthony Waterer. Dwarf Red 1 to 1½ ft | SOLDIL | | | | | • | | | .75 | .65 | 60 |
| Anthony Waterer. Dwarf Red 1 to 1½ ft | | _ | | _ | | | | | | | |
| Anthony Waterer. Dwarf Red 1 to 1½ ft | SPIRAE | A—5 | Spire | ea | | | | | | | |
| 1½ to 2 ft. .80 .70 .65 | Antho | ny V | Vate | rer. | Dn | arf | Red | | | | |
| Billiard. Rose pink panicles 2 to 3 ft | | | | , | | | | | | | |
| 2 to 3 ft | | | | | | | | • • • | .80 | .70 | .65 |
| 3 to 4 ft | Billiar | | | _ | - | | | | 20 | | = 0 |
| douglasi. Rose pink spikes 2 to 3 ft. .60 .55 .50 3 to 4 ft. .80 .70 .65 Froebel. Flat panicles, rose pink, 3 ft. 1½ to 2 ft. .60 .55 .50 2 to 2½ ft. .80 .70 .65 Garland. (Arguta) Early white, 3 ft. 1½ to 2 ft. .50 .45 .40 2 to 2½ ft. .65 .60 .55 japonica. (callosa alba) White Japanese Spirea 1 to 1½ ft. .60 .55 .50 1½ to 2 ft. .80 .70 .65 Thunbergi. Early Dwarf White 2 to 2½ ft. .80 .75 .70 trichocarpa. Korean Spirea New hardy Spirea. Similar to Van Houtte. Blooms a little later and the flowers are much larger. 1½ to 2 ft. 1.50 1.40 1.30 2 to 3 ft. 1.80 1.70 1.60 Vanhoutte. Bridalwreath 2 <t< th=""><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></t<> | | | | | | | | | | | |
| 2 to 3 ft | J 1 . | • | | _ | | | • • • • | • • • | •00 | .10 | .00 |
| 3 to 4 ft | dougia | | | | | | | | 60 | 55 | 50 |
| 1½ to 2 ft | | | | | | | | | | | |
| 1½ to 2 ft | Froebe | 1. <i>I</i> | lat | bani | cles. | rose | bin | k. 3 | ft. | | |
| Garland. (Arguta) Early white, 3 ft. 1½ to 2 ft | | | | | | | - | | | .55 | .50 |
| 1½ to 2 ft50 .45 .40 2 to 2½ ft65 .60 .55 .55 japonica. (callosa alba) White Japanese Spirea 1 to 1½ ft60 .55 .50 1½ to 2 ft80 .70 .65 Thunbergi. Early Dwarf White 2 to 2½ ft80 .75 .70 trichocarpa. Korean Spirea New hardy Spirea. Similar to Van Houtte. Blooms a little later and the flowers are much larger. 1½ to 2 ft1.50 1.40 1.30 2 to 3 ft 1.80 1.70 1.60 Vanhoutte. Bridalwreath 2 to 3 ft60 .50 .40 3 to 4 ft75 .65 .55 4 to 5 ft90 .80 .70 Selected specimens B & B 3 to 4 ft1.30 1.20 1.10 4 to 5 ft1.50 1.40 1.30 | | 2 | to | $2\frac{1}{2}$ | ft. | • • • • | | | .80 | .70 | .65 |
| 2 to 2½ ft | Garlar | nd. | (Ar | guta |) Ea | rly n | hite | , 3 1 | ft. | | |
| japonica. (callosa alba) White Japanese Spirea 1 to 1½ ft | | | | | | | | | | | |
| 1 to 1½ ft | | _ | | | | | | | | | .55 |
| 1½ to 2 ft. .80 .70 .65 Thunbergi. Early Dwarf White 2 to 2½ ft. .80 .75 .70 trichocarpa. Korean Spirea New hardy Spirea. Similar to Van Houtte. Blooms a little later and the flowers are much larger. 1½ to 2 ft. 1.50 1.40 1.30 2 1.60 Vanhoutte. Bridalwreath 2 to 3 ft. 1.80 1.70 1.60 Vanhoutte. Bridalwreath 2 to 3 ft. .60 .50 .40 3 to 4 ft. .75 .65 .55 4 to 5 ft. .90 .80 .70 Selected specimens B & B 3 to 4 ft. 1.30 1.20 1.10 4 to 5 ft. 1.50 1.40 1.30 | japoni | | | | | | | | | | |
| Thunbergi. Early Dwarf White 2 to 2½ ft 80 .75 .70 trichocarpa. Korean Spirea New hardy Spirea. Similar to Van Houtte. Blooms a little later and the flowers are much larger. 1½ to 2 ft 1.50 1.40 1.30 2 to 3 ft 1.80 1.70 1.60 Vanhoutte. Bridalwreath 2 to 3 ft 60 50 40 3 to 4 ft | | | | | | | | | | | |
| 2 to 2½ ft | 7711 | . – | | | | | | | .00 | .10 | .00 |
| trichocarpa. Korean Spirea New hardy Spirea. Similar to Van Houtte. Blooms a little later and the flowers are much larger. 1½ to 2 ft. 1.50 1.40 1.30 1.60 Vanhoutte. Bridalwreath 2 to 3 ft. 60 .50 .40 3 to 4 ft. .75 .65 .55 .55 4 to 5 ft. .90 .80 .70 Selected specimens B & B 3 to 4 ft. 1.30 1.20 1.10 4 to 5 ft. 1.50 1.40 1.30 | Inuni | - | | | | | | | 80 | 75 | 70 |
| New hardy Spirea. Similar to Van Houtte. Blooms a little later and the flowers are much larger. 1½ to 2 ft. 1.50 1.40 1.30 1.30 2 to 3 ft. 1.80 1.70 1.60 1.60 Vanhoutte. Bridalwreath 2 to 3 ft. .60 .50 .40 .40 3 to 4 ft. .75 .65 .55 .55 4 to 5 ft. .90 .80 .70 .70 Selected specimens B & B 3 to 4 ft. 1.30 1.20 1.10 4 to 5 ft. 1.50 1.40 1.30 | 4.1.1. | | | | | | | | .00 | .10 | .10 |
| a little later and the flowers are much larger. 1½ to 2 ft. 1.50 1.40 1.30 2 to 3 ft. 1.80 1.70 1.60 Vanhoutte. Bridalwreath 2 to 3 ft. .60 .50 .40 3 to 4 ft. .75 .65 .55 4 to 5 ft. .90 .80 .70 Selected specimens B & B 3 to 4 ft. 1.30 1.20 1.10 4 to 5 ft. 1.50 1.40 1.30 | | | | | | | milo | # to | Von H | Contto | Blooms |
| 1½ to 2 ft. 1.50 1.40 1.30 2 to 3 ft. 1.80 1.70 1.60 Vanhoutte. Bridalwreath 2 to 3 ft. .60 .50 .40 3 to 4 ft. .75 .65 .55 4 to 5 ft. .90 .80 .70 Selected specimens B & B 3 to 4 ft. 1.30 1.20 1.10 4 to 5 ft. 1.50 1.40 1.30 | a | little | late | er ar | d th | e flo | wer | s are | much | larger. | Dioons |
| Vanhoutte. Bridalwreath 2 to 3 ft. .60 .50 .40 3 to 4 ft. .75 .65 .55 4 to 5 ft. .90 .80 .70 Selected specimens B & B 3 to 4 ft. 1.30 1.20 1.10 4 to 5 ft. 1.50 1.40 1.30 | | 11/2 | to | 2 | ft. | | | | 1.50 | 1.40 | |
| 2 to 3 ft | | _ | | | | | | • • • | 1.80 | 1.70 | 1.60 |
| 3 to 4 ft. .75 .65 .55 4 to 5 ft. .90 .80 .70 Selected specimens B & B 3 to 4 ft. 1.30 1.20 1.10 4 to 5 ft. 1.50 1.40 1.30 | Vanho | | | | | | | | CO | 50 | 40 |
| 4 to 5 ft. .90 .80 .70 Selected specimens B & B 3 to 4 ft. 1.30 1.20 1.10 4 to 5 ft. 1.50 1.40 1.30 | | | | - | | | | | | | |
| 3 to 4 ft 1.30 1.20 1.10 4 to 5 ft 1.50 1.40 1.30 | | 4 | to | 5 | ft. | | | | | | |
| 4 to 5 ft 1.50 1.40 1.30 | | | | | | | | | 1 20 | 1.00 | 1 10 |
| | | - | | | | | | | | | |
| | Sumac. | (See | Rh | us) | | | | | | | |

| SYMPHORICA | DDO | c | Su om house. | Each Rate | Tens : | Hundreds Rate |
|--------------------|---------------|------------|---|---------------------|---------------------|------------------|
| mollis. Sprea | | | | | | |
| 2 to | _ | | | .50 | .45 | .40 |
| 3 to | _ | ft. | | .75 | .70 | |
| | - ralber | | | | ••• | .00 |
| 1½ to | 2 | ft. | | .35 | .30 | .25 |
| $\frac{172}{2}$ to | | | • • • • • • • • • • | .45 | .40 | |
| 3 to | | | | .60 | .55 | |
| | | | | | ••• | |
| SYRINGA—Li | lac Chines | | | | | |
| | | ft. | | 1.00 | 0.0 | 0= |
| 2 to 3 to | 3 4 | ft. | | $1.00 \\ 1.40$ | .90 1.30 | |
| | | | | 1.40 | 1.50 | 1.20 |
| | | | ee Lilac | | | |
| 3 to | | ft. | • • • • • • • • • • | 1.50 | 1.40 | |
| 4 to | 5 | ft. | • | 2.00 | 1.90 | 1.80 |
| josikaea. Hu | ıngari | an Ì | Lilac | | | |
| 2 to | 3 | ft. | | 1.20 | 1.10 | 1.00 |
| 3 to | 4 | ft. | | 1.40 | 1.30 | |
| 4 to | 5 | ft. | • • • • • • • • • | 1.80 | 1.70 | 1.60 |
| persica. Pers | ian L | ilac | | | | |
| 2 to | 3 | ft. | | 1.00 | .90 | .85 |
| 3 to | 4 | ft. | | 1.40 | 1.30 | 1.20 |
| 4 to | 5 | ft. | | 1.80 | 1.70 | 1.60 |
| villosa. Late | Lilac | | | | | |
| 3 to | | ft. | | 1.40 | 1.30 | 1.20 |
| 4 to | | ft. | | 1.60 | 1.50 | |
| vulgaris. Con | mman | P., | rple Lilac | | | |
| 2 to | | ft. | rpie Liiac | .65 | .60 | .55 |
| 3 to | 4 | ft. | | .90 | .80 | .75 |
| 4 to | 5 | ft. | | 1.25 | 1.10 | 1.00 |
| | | | ns. B & B | | | |
| 3 to | 4 | ft. | | 1.50 | 1.40 | 1.30 |
| 4 to | 5 | ft. | | 2.00 | 1.90 | 1.80 |
| Common Wh | ite | | | | | |
| 2 to | 3 | ft. | | 1.20 | 1.10 | 1.00 |
| 3 to | 4 | ft. | | 1.50 | 1.40 | 1.30 |
| Horticult | ural v | arie | ties of Lilac: | | | |
| Belle de Nan | cv. I | out | ole Rose | | | |
| 3 to | • | ft. | | 2.40 | 2.30 | 2.20 |
| | | | | | | |
| Charles the T | | | _ | | 7.50 | 7.40 |
| 2 to 3 to | _ | ft. ft. | • | $\frac{1.60}{2.40}$ | $\frac{1.50}{2.30}$ | 1.40 2.20 |
| | | | | 4.40 | 4.50 | 2.20 |
| Hugo Koster. | | | osy purple | | | |
| 2 to | | ft. | | | 1.50 | 1.40 |
| 3 · to | 4 | ft. | | 2.40 | 2.30 | 2.20 |

| | | Each Rate | Tens Hu Rate | ndreds Rate |
|------------------------|------------------|---------------------|---------------------|---------------------|
| La Tour d'Auvergne. | Double purp | le | | |
| 3 to 4 ft | t | 2.40 | 2.30 | 2.20 |
| Ludwig Spaeth. Sin | | | | |
| 2 to 3 fr 3 to 4 fr | t t | $\frac{1.60}{2.40}$ | $\frac{1.50}{2.30}$ | $\frac{1.40}{2.20}$ |
| | | 2.40 | 2.50 | 4.20 |
| Marie Legraye. Sing | | 1.00 | 1.50 | 7 40 |
| 2 to 3 f | | $\frac{1.60}{2.40}$ | $\frac{1.50}{2.30}$ | $\frac{1.40}{2.20}$ |
| Michel Buchner. Do | | | | |
| | uote pate thac | 1.60 | 1.50 | 1.40 |
| 3 to 4 f | | 2.40 | $\frac{1.30}{2.30}$ | $\frac{1.40}{2.20}$ |
| Mme. Abel Chatenay | | 0 | | |
| , | t | 2.40 | 2.30 | 2.20 |
| Mme. Lemoine. Doi | | | | _,_, |
| | t | 1.60 | 1.50 | 1.40 |
| 3 to 4 f | | $\frac{1.00}{2.40}$ | $\frac{1.30}{2.30}$ | 2.20 |
| President Grevy. Do | | 2.10 | 2.50 | 2.20 |
| | | 1.00 | 1.50 | 1.40 |
| 2 to 3 f | t | $\frac{1.60}{2.40}$ | $\frac{1.50}{2.30}$ | $\frac{1.40}{2.20}$ |
| 3 33 | | 2.40 | 2.30 | 2.20 |
| Red Marly. Single re | | | | |
| 3 to 4 fr | t | 2.40 | 2.30 | 2.20 |
| TAMARIX—Tamarix | | | | |
| africana. Upright, d | ark green folias | | | |
| 2 to 3 ft | | .60 | .50 | .40 |
| 3 to 4 f | | .75 | .65 | .55 |
| odessana. Odessa Ta | | | | |
| 2 to 3 ft | | .60 | .50 | .40 |
| 3 to 4 ft | | .75 | .65 | .55 |
| 4 to 5 ft | | 1.00 | .90 | .80 |
| hispida. Kashgar Ta | | | | |
| 2 to 3 ft | | 1.00 | .90 | .85 |
| | | 1.20 | 1.10 | 1.00 |
| 4 to 5 fr | | 1.50 | 1.40 | 1.30 |
| VIBURNUM—Viburni | | | | |
| americanum. Americ | | | | |
| | | 1.00 | .95 | .90 |
| • | t | 1.25 | 1.15 | 1.10 |
| dentatum. Arrowwood | | | | |
| | | .80 | .70 | .65 |
| 3 to 4 f | | 1.00 | .90 | .85 |
| lantana. Wayfaring- | Tree | | | |
| 2 to 3 ft | | 1.00 | .90 | .80 |
| 3 to 4 fr | t | 1.50 | 1.40 | 1.30 |

| | | | | | Each | Tens Hu | |
|---------------------------------|--------------------------|-------|------|---|------|---------|------|
| lentago. | Nan | nvher | rrv | | Rate | Rate I | Rate |
| 2 | to | • | | | 1.00 | .90 | .80 |
| 3 | | 4 | | | 1.50 | 1.40 | 1.30 |
| 4 | to | 5 | ft. | | 2.00 | 1.90 | 1.80 |
| molle. K | molle. Kentucky Viburnum | | | | | | |
| 2 | to | 3 | ft. | | 1.00 | .90 | .80 |
| 3 | to | 4 | ft. | | 1.25 | 1.20 | 1.10 |
| opulus. | Europ | ean (| Cran | berrybush | | | |
| 2 | to | 3 | ft. | | 1.00 | .90 | .80 |
| 3 | to | 4 | ft. | | 1.25 | 1.20 | 1.10 |
| opulus sterile. Common Snowhill | | | | | | | |
| 2 | | | ft. | | 1.00 | | .80 |
| 3 | to | 4 | ft. | | 1.25 | 1.20 | 1.10 |
| Wahoo. (See Euonymus) | | | | | | | |
| Wayfaring- | Tree. | (Se | e Vi | burnum) | | | |
| WEIGELA | —We | igela | | | | | |
| | | | | rmine flowers | s | | |
| 3 | to | 4 | ft. | | 1.20 | 1.10 | 1.00 |
| Eva Rathke. Dwarf red | | | | | | | |
| 2 | to | 3 | | | .90 | .80 | .75 |
| 3 | to | 4 | ft. | | 1.20 | 1.10 | 1.00 |
| rosea. I | Pink V | Veige | la | | | | |
| 2 | | 3 | | | .70 | .60 | .55 |
| 3 | to | 4 | ft. | • | .90 | .80 | .75 |
| Witch-Hazel. (See Hamamelis) | | | | | | | |

ROSES

All varieties on this page are hardy in Wisconsin.

| | Each Rate | Tens Hu Rate | ndreds Rate |
|--|--------------|-----------------|----------------|
| ROSA—Rose | | | |
| blanda. Meadow Rose Wild rose, single light pink | | | |
| No. 1\$ | .80 | \$.70 | \$.65 |
| Harison's Yellow | | | |
| Very hardy yellow | | | |
| No. 1 | 1.20 | 1.10 | 1.00 |
| Hugonis | | | |
| Single yellow trailer | | | |
| No. 1 | 1.00 | .95 | .90 |
| lucida. Virginia Rose | | | |
| Single rosy-pink flowers | | | |
| No. 1 | .80 | .70 | .65 |
| Mme. Plantier | | | |
| Pure white, very hardy | | | |
| No. 1 | .80 | .70 | .65 |
| | .00 | .10 | .00 |
| multiflora. Japanese Rose | | | |
| Single white trailer | | | |
| No. 1 | .75 | .65 | .60 |
| Persian Yellow | | | |
| Deep yellow, very hardy | | | |
| No. 1 | 1.20 | 1.10 | 1.00 |
| rubiginosa. Sweetbrier | | | |
| Fragrant pink flowers | | | |
| No. 1 | 1.00 | .90 | .80 |
| rubrifolia. Readleaf Rose | | | |
| Red foliage, small pink flower | Q | | |
| No. 1 | | .90 | .80 |
| | 1.00 | .00 | .00 |
| rugosa. Rugosa Rose | | | |
| Single red | | | |
| No. 1 | .75 | .65 | .60 |
| rugosa | | | |
| Single white | | | |
| No. 1 | .85 | .75 | .70 |
| setigera. Prairie Rose | | | |
| Single pink, trailing wild rose | е | | |
| No. 1 | .80 | .70 | .65 |
| | | | |

ROSA RUGOSA HYBRIDS

| | Each Rate | Tens Hu Rate | ndreds Rate |
|--|---------------|-----------------|----------------|
| Austrian Copper | | | |
| Single, intense copper-range No. 1 | | 1.90 | 1.80 |
| C. F. Meyer | | | |
| Double pink No. 1 | 1.20 | 1.10 | 1.00 |
| F. J. Grootendorst | | | |
| Clusters, Double red No. 1 | 1.20 | 1.10 | 1.00 |
| Grootendorst Pink | 1.20 | 1.10 | 1,00 |
| Double shell pink | | | |
| No. 1 | 1.25 | 1.20 | 1.15 |
| Hansa | | | |
| Double red No. 1 | . 80 | .70 | .65 |
| Sir Thomas Lipton | | ••• | .00 |
| Double white | | | |
| No. 1 | 80 | .70 | .65 |
| CLIMBING | ROSES | | |
| All 2 year-No. 1, field grown | 1.00 | .90 | .80 |
| American Beauty, large red American Pillar, single rosy pi Crimson Rambler, deep crimso Dorothy Perkins, soft shell pin Dr. Van Fleet, pale pink | n | | |
| Excelsa, bright crimson, large Gardenia, large creamy-yellow Hiawatha, deep ruby crimson | clusters | | |
| Paul's Scarlet, vivid scarlet Seven Sisters, red to blush pin | L | | |
| Silver Moon, silvery white with Tausenschon, soft pink changi | i golden stan | nens ie rose | - |
| HYBRID ROSE | BUSHES | | |
| 2 year—No. 1 | 1.00 | .90 | .80 |
| Key HP—Hybrid Perpetual HT—Hybrid Tea | | | |
| T—Tea DP—Dwarf Polantha | | | |
| Baby Rambler (DP), dwarf cr. | imson | | |
| Clio (HP), flesh color, very la Crested Moss, pink moss rose | rge | | |
| Frau Karl Druschki (HP), la | rge pure wh | ite | |

Each Tens Hundreds Rate Rate

| | Rate | Kate | Kate |
|--|---|---|--------|
| General Jacqueminot (HP), dark General Washington (HP), red Gruss an Teplitz (HT), scarlet, b J. B. Clark (HP), deep scarlet J. L. Mock (HP), silvery pink Kaiserin Auguste Viktoria (HT) Killarney Pink (HT), bright shell Lady Hillingdon (T), deep orang La France (HT), bright satin pin Marshall P. Wilder (HP), large, Mme, C. Testout (HT), fine large, Mme. Plantier (HT), white Mrs. John Laing (HP), large, sof, Ophelia (HT), light salmon shad | creamy creamy pink, fre e yellow k deep rich e pink | ofusely white, f e bloome crimson | er |
| Paul Neyron (HP), deep rose, in | nmense siz | e | |
| Princess Camille de Rohn (HP) |), rich m | aroon—e | rimson |
| very dark Radiance (HT), rose pink, very f Red Radiance (HT), rosy red Ulrich Brunner (HP), rich cherr | | ge, vigos | ous |
| | | | |
| 2 year—No. 1 American Beauty (HP), crimson Columbia (HT), large glowing f Goldon Emblem (HT), rich, dee Los Angeles (HT), flaming pink, Mrs. Aaron Ward (HT), Indian pink Sarah Van Fleet (HT), Double r Sunburst (HT), rich yellow shade 2 year—No. 1 Rev. F. Page-Roberts (HT), gol copper and reddish buff on o | nink, fragi p golden richly sh n yellow, ose pink ed copper . 2.00 den yello utside | rant yellow aded gol shaded y orange 1.90 w, staine | 1.80 |
| Sour. de Georges Pernet (HT), | | ient-red, | yellow |
| shading | | | |
| STANDARD OR TR | | | |
| | FE KOSE | 5 | |
| | | | 450 |
| 2 year heads | | | 4.50 |
| Pink, Red, White, Yellow | | | 4.50 |
| Pink, Red, White, Yellow | | | 4.50 |
| Pink, Red, White, Yellow VINES | | | 4.50 |
| Pink, Red, White, Yellow VINES MPELOPSIS—Iry | | | 4.50 |
| Pink, Red, White, Yellow VINES | 5.00 | | 4.50 |
| Pink, Red, White, Yellow VINES MPELOPSIS—Ivy quinquefolia. Virginia Creeper | 5.00 | 4.75 | |
| Pink, Red, White, Yellow VINES MPELOPSIS—Ivy quinquefolia. Virginia Creeper 2 year | 5.00 | 4.75 | |
| Pink, Red, White, Yellow VINES MPELOPSIS—Ivy quinquefolia. Virginia Creeper 2 year engelmanni. Engelmann Creeper | 50 | 4.75 | .40 |

| Each Rate | | Hundreds Rate |
|---|----------|------------------|
| | | Itale |
| ARISTOLOCHIA Sipho. Dutchman's-Pipe | | 0.5 |
| 2 year 1.10 | 1.00 | .95 |
| Bittersweet. (See Celastrus) | | |
| Boston Ivy. (See Ampelopsis) | | |
| BIGNONIA radicans. Trumpetcreeper | | |
| 2 year | .65 | .60 |
| CELASTRUS—Bittersweet | | |
| orbiculatus. Japanese Bittersweet | | |
| 2 year | | |
| 3 year | | .60 |
| scandens. American or Native Bitterswee | | |
| 2 year | | |
| 3 year | .85 | .80 |
| CLEMATIS—Clematis | | |
| Henryi Large flowering white | | |
| 2 year—No. 1 1.75 | 1.70 | 1.65 |
| jackmanni | | |
| Large flowering purple | | |
| 2 year—No. 1 1.75 | 1.70 | 1.65 |
| Mme. Edouard Andre | | |
| Large flowering carmine red | | |
| 2 year—No. 1 1.75 | 1.70 | 1.65 |
| paniculata. Sweet Autumn Clematis | | |
| Small flowering white | - | |
| 2 year—No. 1 | .70 | .65 |
| Dutchman's-Pipe. (See Aristolochia) | | |
| EUONYMUS radicans vegetus. Bigleaf V | Wintercr | eeper |
| 2 year 1.00 | .90 | .80 |
| Grape. (See Vitus) | | |
| Ivy. (See Ampelopsis) | | |
| LONICERA—Honeysuckle | | |
| sempervirens. Scarlet Trumpet Honeysuc | kle | |
| 2 year | | .60 |
| prolifera. Grape or Wild Trailing Hone | eysuckle | |
| 2 year | | |
| LYCIUM chinensis. Matrimony Vine | | |
| 2 year | .50 | .40 |
| Trumpet Creeper. (See Bignonia) | | |
| VITUS—Grape | | |
| Hardy, wild, suitable for arbors | | |
| 2 year | .48 | .40 |
| WISTERIA sinensis. Chinese Wisteria | | |
| 2 year, grafted 1.40 | 1.30 | 1.20 |

PERENNIALS

Perennials have increased greatly in popularity and in attempting to keep up with the demand, we have added new varieties to our list as fast as we have found them adaptable to Wisconsin conditions. We have grown increasingly large quantities until we now grow many thousands each year.

The plants quoted are all strong, transplanted stock of sufficient age and strength to bloom the first year.

* designates rock plants.

Heights given are of plants when in bloom.

These prices include delivery and our usual guarantee. Special prices will be made on large quantities, without delivery or guarantee.

Three of one variety will be sold at 10's rate.

An extra charge will be made for plants selected and staked when in bloom or dug with ball of earth.

| staked when in bloom of dug with bail | or ear | tu. | |
|---|--------------|--------|-----------------|
| | Each Rate | Tens H | undreds Rate |
| ACHILLEA—Yarrow Boule de Neige | | | |
| Improved pearl, full, perfect white flowers. Fine cutflower. June-July. 2 ft\$ | .35 | \$.30 | \$.25 |
| filipendulina | | | |
| Flat heads of bright yellow flowers with finely cut foliage. June-July. 2 to | | | |
| 3 ft | .35 | .30 | .25 |
| Pearl Double white. June-July. | | | |
| 2 ft | .35 | .30 | .25 |
| Perry White | | | |
| Choice new variety, very large, pure white flowers with broad overlapping petals. One of the best for cutting. June-Sept. 2 ft. | .35 | .30 | .25 |
| Pink Yarrow | | | |
| Compact heads of rose colored flowers with finely cut deep green foliage. June. 1½ ft | .35 | .30 | .25 |
| ★tomentosa | | | |
| Wooly foliage, bright yellow flowers. Grows naturally on dry porous soil, but does well on heavier soil. June. | , | | |
| 6 to 8 inches | .35 | .30 | .25 |

| | Each | | undreds |
|---|--------|------|---------|
| ACONITUM—Monshood | Rate | Rate | Rate |
| Roots are poisonous. | | | |
| autumnale | | | |
| Dark blue flowers. SeptOct. 3 to 4 ft | .50 | .45 | .40 |
| fischeri | .00 | .10 | .±0 |
| Dwarf variety with dark blue flowers. SeptOct. 2 to 3 ft | .50 | .45 | .40 |
| | .00 | .10 | .=0 |
| fischeri Wilsoni A newer variety from China. Tall growing with spikes of violet blue flowers. | | | |
| SeptOct. 5 to 6 ft | .60 | .55 | .50 |
| napellus | | | |
| Dark blue flowers. July-Aug. 3 to 4 ft | .50 | .45 | .40 |
| ADIANTUM. (See ferns) | | | |
| *AETHIONEMA—Stonecress | | | |
| Interesting rock plants with glaucous blue foliage, wooly stems, almost shrubby in habit. Cut back slightly after blooming. Stony, sandy loam is suitable for them in sunny position. | | | |
| pulchellum | | | |
| rosy pink flowers, June-Aug. 6 to 8 inches | .50 | .45 | .40 |
| AGROSTEMMA-(See Lychnis Coron | iaria) | | |
| *AJUGA—Bugle Very useful rockery plants for carpeting the ground especially in part shade. Also grows well in full sun. | | | |
| geneviensis | | | |
| Gentian blue flowers. May- June. 6 to 8 inches | .40 | .35 | .30 |
| reptans rubra | | | |
| Deep purplish blue flowers. May-June. 3 to 4 inches. | .35 | .30 | .25 |
| ALTHEA ROSEA—Hollyhock | | | |
| Double | | | |
| Appleblossom, crimson, rose, scarlet, white, yellow, mixed | .35 | .30 | .25 |
| mixed | .00 | .00 | .20 |

| | Each Rate | Tens Hun Rate R | dreds |
|---|--------------|--------------------|-------|
| Single | 10000 | 24400 24 | |
| Red, rose, salmon, white, yellow, mixed | .35 | .30 | .25 |
| ALYSSUM | | | |
| argenteum | | | |
| Yellow flowers in clustered heads, leaves silvery be- neath. June. 15 inches | .35 | .30 | .25 |
| ★citrinum | | | |
| Similar to Saxatile Compactum, but flowers are pale yellow. May. 1 ft | .35 | .30 | .25 |
| rostratum | | | |
| Prostrate, almost shrubby variety, hoary gray foliage, flowers pale yellow in unbranched heads. June-July. | .35 | .30 | .25 |
| ★saxatile compactum | | | |
| Often called Basket of Gold. Forms compact mass of yellow flowers. Excellent for border or rockery. May. 1 ft | .35 | .30 | .25 |
| Dwarf variety with racemes | | | |
| of pale yellow flowers and rough, hoary leaves. May. 4 to 5 inches | .40 | .35 | .25 |
| ANCHUSA | | | |
| barrelieri | | | |
| Dwarf variety, deep blue flowers, bushy habit. June. 2 ft | .35 | .30 | .25 |
| dropmore | | | |
| Tall spikes gential blue flowers. June. 4 ft | .35 | .30 | .25 |
| mysotidiflora | | | |
| Clusters of blue flowers resembling for-get-me-not, very effective for shady places. May. 1 ft opal | .50 | .45 | .40 |
| Similar to Dropmore, but | | | |
| pale blue flowers. June. 3 to 4 ft | .35 | .30 | .25 |

| | Each Rate | Tens Hun Rate I | ndreds Rate |
|--|--------------|--------------------|----------------|
| ANEMONE | | | |
| *pulsatilla. Pasque Flower | | | |
| Purple flowers, cut-leaf foliage. April-May. 9 to 12 inches | .50 | .45 | .40 |
| ANTHEMIS | | | |
| tinctoria kelawyi | | | |
| Yellow, finely cut foliage, will grow in poorest soil. June-July. 2 ft | .35 | .30 | .25 |
| AQUILEGIA—Columbine | | | |
| *alpina | | | |
| Blue, short spurred. 1 ft | .35 | .30 | .25 |
| caerulea. (Colorado Columbine) | | | |
| Blue and white flowers, long spurred. June. 2 ft | .40 | .35 | .30 |
| caerulea, Mrs. Nichols | | | |
| An improved caerulea. Very | | | |
| large flowers, long spurs, rich blue with white cup and golden anthers. June. 2 ft | .40 | .35 | .30 |
| | .10 | | .00 |
| chrysantha Yellow, long spurs. June. | | | |
| 2½ to 3 ft | .35 | .30 | .25 |
| Dobbies Imperial Hybrids A new strain unequalled for their range of colors, large flowers and long spurs. | | | |
| June | .40 | .35 | .30 |
| Mrs. Scott Elliott Hybrids Wonderful mixture of colors, | | | |
| large flowers and long spurs. June. 2 ft | .40 | .35 | .30 |
| | .10 | .00 | .00 |
| Pink Shades Longspurred | .35 | .30 | .25 |
| *ARABIS ALPINA—Rockress | | | |
| Pure white fragrant flowers produced in dense masses, excellent for rockery or | | | |
| border. April-May. 6 to 8 inches | .35 | .30 | .25 |
| | | | |
| Alpina fl. pl. Similar to above but has | | | |
| double white flowers | .50 | .45 | .40 |

| | Each Rate | Tens Hun Rate H | idreds Late |
|---|--------------|--------------------|----------------|
| *ARENARIA—Sandwort | | | |
| caespitosa | | | |
| A close tufted plant, mossy growth, small white flowers, very fine for working between flagstones. 1 to 2 | | | |
| inches | .40 | .35 | .30 |
| grandiflora | | | |
| Large pure white flowers, trailing. May. 4 to 6 | 40 | 0.5 | |
| inches | .40 | .35 | .30 |
| montana | | | |
| Close tufts covered with white flowers. Grows best in sunny location in border or rockery. May. 6 to 8 | | | |
| inches | .40 | .35 | .30 |
| ARMERIA. (See Statice) | | | |
| ARTEMISSIA | | | |
| lactiflora. White Mugwort | | | |
| Large branching panicles of | | | |
| fragrant white flowers. | | | |
| AugSept. 4 ft | .35 | .30 | .25 |
| Silver King | | | |
| White leaved contrast plant, | | | |
| maturing its mist like foli- | | | |
| age early in summer. Use- | | | |
| ful for winter boquets. 2 to 3 ft | .40 | .35 | .30 |
| | .10 | .00 | .00 |
| ASCLEPIAS—Milkweed | | | |
| tuberosa. Butterflyweed | | | |
| Erect clusters of bright orange flowers. July-Aug. | | | |
| 2 ft | .35 | .30 | .25 |
| ASPHODELINE | .00 | ••• | 120 |
| lutea | | | |
| Tall spikes of bright yellow | | | |
| flowers. Very fragrant, | | | |
| sword-like foliage. July. | | | |
| 3 ft | .40 | .35 | .30 |
| ASTER | | | |
| ★alpinus alba | | | |
| Dwarf white aster, large single flowers. May-June. 6 | | | |
| to 8 inches | .40 | .35 | .30 |

| | Each Rate | Tens Hu Rate | ndreds Rate |
|--|--------------|-----------------|----------------|
| *alpinus. Dark Beauty | Toate | Itate | Rate |
| Large dark blue flowers. | 4.0 | 0.5 | |
| May-June. 8 inches | .40 | .35 | .30 |
| *alpinus. Goliath | | | |
| Large bluish purple flowers. May-June. 6 to 10 inches | .40 | .35 | .30 |
| amellus | .40 | .00 | .50 |
| Bushy plants 1½ to 2 ft. | | | |
| high, covered with bloom | | | |
| latter part of August. Very | | | |
| good for perennial border. | | | |
| amellus. Beauty of Ronsdorf | 40 | 25 | 20 |
| Lilac rose | .40 | .35 | .30 |
| amellus. King George | 40 | 0.5 | 0.0 |
| Large trusses, bluish violet | .4 0 | .35 | .30 |
| amellus. Perry's Favorite | | | |
| Very showy large flowered variety, bright pink | .40 | .35 | .30 |
| Mauve Cushion | •=0 | .00 | .00 |
| Late flowering Japanese va- | | | |
| riety forming cushion like plants. 2½ ft. across, 9 | | | |
| plants. 2½ ft. across, 9 | | | |
| inches high with mauve col- ored flowers completely | | | |
| covering plant. OctNov. | .40 | .35 | .30 |
| Barr's Pink | | | |
| (New) Strong vigorous | | | |
| grower, bright pink flow- | =0 | 45 | 40 |
| ers. AugSept. 4 ft | .50 | .45 | .40 |
| Climax Large spikes, lavender blue | | | |
| flowers. AugSept. 4 ft. | .35 | .30 | .25 |
| novae angliae. New England Aster | | | |
| Violet purple. AugSept. | | | |
| 3 to 4 ft | .35 | .30 | .25 |
| novae angliae roseus | | | |
| Rosy purple. Aug. Sept. 3 | | 0.0 | 0.5 |
| to 4 ft | .35 | .30 | .25 |
| Mrs. Raynor | | | |
| Purplish crimson. AugSept. 3 to 4 ft | .35 | .30 | .25 |
| Queen Mary | | | 0 |
| (New) Flowers in loosely | | | |
| branched panicles, very | - | | 4.5 |
| large blue tinted lavender | .50 | .45 | .40 |
| | | | |

| | Each | Tens Hur | dreds |
|--|---------|----------|-------|
| St. Egwin | Rate | | late |
| Soft rosy pink, dwarf bushy | | | |
| habit. AugSept. 2½ ft. | .35 | .30 | .25 |
| White Climax | | | |
| White | .35 | .30 | .25 |
| Sub-caeruleus Dwarf plants, tufted foliage, large pale blue flowers with yellow center. June. 12 to 15 inches | .40 | .35 | .30 |
| ASTILBE | | | |
| Plants having large trusses of flowers in shades of pink and white. Prefer half shady position. | | | |
| Gladstone | | | |
| White. June-July. 1½ ft. | .75 | .70 | .65 |
| Queen Alexander Bright pink | .75 | .70 | .65 |
| *AUBRETIA | | | |
| Dwarf compact growing plants, especially suitable for rockery. Colors range from rose to purple. May. 6 inches | .40 | .35 | .30 |
| BAPTISIA—Wild Indigo | | | |
| australis Dark blue lupine like flowers. June. 2½ ft | .35 | .30 | .25 |
| BELAMACANDA CHINENSIS—Bla | | | 0 |
| Orange colored flowers, spot- | ckociiy | Lity | |
| ted purplish brown, seed pods when open resemble blackberries. Aug. 3 ft. | .40 | .35 | .30 |
| Bell flower. (See Campanula) | | | |
| Bluebells. (See Mertensia) | | | |
| BOCCONIA CORDATA—Plume Por | ÞÞУ | | |
| Attractive foliage, panicles of creamy white flowers, | | | |
| July-Aug. 6 ft | .35 | .30 | .25 |
| BOLTONIA | | | |
| asteroides | • | | |
| White aster like flowers. AugSept. 4 to 5 ft | .35 | .30 | .25 |

| | Each Rate | Tens Hur Rate F | ndreds Rate |
|---|--------------|--------------------|----------------|
| latisquamis | | | |
| Similar to above with laven- der pink flowers. Aug | 0.5 | 0.0 | ~~ |
| Sept. 3 to 4 ft | .35 | .30 | .25 |
| BUPTHALMUM—Oxeye salcifolium | | | |
| Large golden yellow flowers, bushy habit. June. 2 ft. | .40 | .35 | .30 |
| Buttercup. (See Ranunclulus) | | | |
| CALLIRHOE—Poppy Mallow involucrata | | | |
| Trailing plant finely divided | | | |
| foliage, saucer shaped | | | |
| flowers, deep crimson with | | | |
| white center. June-Sept. | .35 | .30 | .25 |
| 1 ft | .50 | .50 | .20 |
| CALAMINTHA Alpina | | | |
| Good rock plant for dry, sunny place, small purple | | | |
| flowers. June-July. 6 | | | |
| inches | .40 | .35 | .30 |
| CAMPANULA—Bellflower Alliariaefolia | | | |
| Tall spikes creamy white | | | |
| Tall spikes creamy white bells. July-Aug. 2 to 3 ft | .35 | .30 | .25 |
| ★ carpathica | | | |
| Compact growing plants, flowers large, erect. June- | | | |
| flowers large, erect. June- | | | |
| July. 8 to 12 inches. | .40 | .35 | .30 |
| Blue | .40 | .35 | .30 |
| ★carpathica riverslea | .10 | .00 | .00 |
| Dwarf tufted plant, large | | | |
| flat saucer shaped flowers, | | | |
| pale blue on slender stems. | | | |
| July. 8 to 12 inches | .40 | .35 | .30 |
| ★garganica | | | |
| A gem for the rock garden. | | | |
| Forms a low spreading | | | |
| tuft, covered with starry light blue flowers with | | | |
| white eye. Beautiful hang- | | | |
| ing over rock | .50 | .45 | .40 |
| glomerata | | | |
| Dense tuft of dark green | | | |
| foliage, large close heads | | | |
| of deep blue flowers. July. | 40 | 25 | 20 |
| 1½ ft | .40 | .35 | .30 |

| medium. Canterbury-bell | Each Rate | Tens Hui Rate H | ndreds Rate |
|---|--------------|--------------------|----------------|
| Biennial. June. 2 ft. Blue, pink and white | .35 | .30 | .25 |
| medium calycanthema. Cup and saucer. | ,00 | **** | .=0 |
| Blue, pink and white | .35 | .30 | .25 |
| muralis. (Portenschlagiana) Dwarf plant forming dense carpets of dark blue flowers. May-June. 3 to 5 | | | |
| inches | .50 | .45 | .40 |
| persicifolia. Peachleaf Bellflower | | | |
| Erect spikes of large bell shaped flowers. June-July. 2 ft. | | | |
| Blue | .35 | .30 | .25 |
| White | .35 | .30 | .25 |
| pyramidalis | | | |
| Tall spikes. Aug. 4 to 5 ft. | | | |
| Blue | .35 .35 | .30 .30 | .25 |
| | .55 | .50 | .25 |
| *rotundifolia. Harebell | | | |
| Blue, bell shaped flowers. June. 1 ft | .35 | .30 | .25 |
| *turbinata | .00 | .50 | .20 |
| Beautiful variety of carpathica forming close mats of foliage and bearing large blue saucer shaped flowers. June-July | .40 | .35 | .30 |
| Campion. (See Lychnis) | | | |
| Candytuft. (See Iberis) | | | |
| Canterbury-bell. (See Campanula) | | | |
| CASSIA MARILANDICA—Wild Sen | ına | | |
| Pea-like yellow flowers, fine- | | | |
| ly divided leaves similar to locust. AugSept. 4 to 5 | | | |
| ft | .35 | .30 | .25 |
| Carnation. (See Dianthus) | | | |
| CATANANCHE | | | |
| blue July-Aug. 2 ft | .35 | .30 | .25 |
| bicolor Blue with white center | .35 | .30 | .25 |
| CENTAUREA | | | |
| Dealbata Rose pink. June-July. 2 ft. | .35 | .30 | .25 |
| | | | |

| WILLE EDM NOUSERI | COMIT | 714 1 | |
|---|--------------|--------------------|----------------|
| | Each Rate | Tens Hun Rate I | ndreds Rate |
| macrocephala | | | |
| Thistle-like yellow flowers. | | | |
| July. 3 to 4 ft | .35 | .30 | .25 |
| oury. o to # 16 | .00 | .50 | .20 |
| montana | | | |
| Violet blue. June. 2 ft | .35 | .30 | .25 |
| | | | 0 |
| ★CERASTIUM | | | |
| tomentosum. Snow-in-Summer | | | |
| Silvery white foliage, white | | | |
| | | | |
| flowers. May-June. 6 to | | | |
| 8 inches | .35 | .30 | .25 |
| ★CERATOSTIGMA | | | |
| | | | |
| plumbaginoides | | | |
| Dwarf spreading habit, deep | | | |
| blue flowers. AugSept. | | | |
| 6 inches | .40 | .35 | .30 |
| | .10 | .00 | .50 |
| ★CHEIRANTHUS —Wallflower | | | |
| allioni | | | |
| Biennial, plant is covered | | | |
| with bright orange flow- | | | |
| | 25 | 20 | 05 |
| ers. July. 1 ft | . 35 | .30 | .25 |
| CHRYSANTHEMUM (Pryethrum) | | | |
| arcticum | | | |
| | | | |
| Dark green foliage, large | | | |
| white flowers. Sept. 2 ft. | .35 | .30 | .25 |
| n i i i i i i i i i i i i i i i i i i i | D | , | |
| coccineum. Painted Lady (Pyrethr | um Ko: | seum) | |
| Charming old fashioned | | | |
| flower which has been | | | |
| much improved in recent | | | |
| years. Invaluable as cut | | | |
| years. Invaluable as cut | | | |
| flowers and color effects | | | |
| in perennial border. We | | | |
| offer Kellway's strain of | | | |
| this hardy perennial. | | | |
| Single mixed. June. 2 ft. | .35 | .30 | .25 |
| Atrosanquinea. Dark red | | .35 | .30 |
| Jas. Kellway. Deep Crim- | •10 | .00 | *80 |
| | =0 | 45 | 40 |
| son | .5 0 | .45 | .40 |
| coreanum. Korean Chrysanthemum | ! | | |
| A new perennial from Korea | | | |
| | | | |
| Large white daisy like | | | |
| flowers with golden center, | | | |
| which often turn to a light | | | |
| pink color. Very hardy. | | | |
| Oct. 2 to 4 ft | .50 | .45 | .40 |
| | | aisa) | |
| leucanthemum. Oxeye Daisy (Men | | | |
| White. May. 2 to 3 ft | .35 | .30 | .25 |
| Ulignosum. Giant Daisy | | | |
| White. AugSept. 4 to 5 ft. | .35 | .30 | .25 |
| 11 marco 22 mg. 20 pt. 2 00 0 20 | | | 0 |

| | Each | Tens Hur | |
|--|---------------------|----------|------|
| Maximum. Shasta Daisy | Rate | Rate F | tate |
| Alaska | | | |
| Large white blossoms. June- July. 1½ ft | .35 | .30 | .25 |
| King Ed. VII | | | |
| Similar to Alaska, but taller. 3 ft | .35 | .30 | .25 |
| Mrs. Lowthian Bell | | | |
| White, one of the largest flowering of the Shasta | | | |
| Daisies | .35 | .30 | .25 |
| Hardy Chrysanthemum | .35 | .30 | .25 |
| Autumn Glow, bright red | | | |
| Barbara Cumming (new) Very large decorative type. Clear yellow, shading to orange bronze toward center. Late August-October | .50 | .45 | .40 |
| Carrie, golden yellow | | **** | |
| Bronze button, bronze Firelight, red, tipped copper Glory of seven Oaks, deep gold L'Argentuillais, chestnut brown Mrs. Phillips, single pink, yellor Ouray, brilliant dark scarlet wi Petite Louise, pale pink Skibo, bronze to yellow Snowdrop, pure white button White Doty, pure white pompo | v center th copp | , | |
| CIMICIFUGA RACEMOSA. Cohosh | Bush | | |
| Narrow spikes of white flowers. July. 3 to 4 ft | .40 | .35 | .30 |
| CLEMATIS RECTA | | | |
| Fragrant white flowers in showy clusters. June-July. 2 ft | .50 | .45 | .40 |
| Columbine. (See Aquilegia) | | | |
| CONVALLARIA MAJALIS. Lily o | f the V | allev | |
| May-June. Clumps | .40 | .35 | .30 |
| CORREOPSIS | | | |
| Large single yellow flowers. June to Sept. 2 ft | .35 | .30 | .25 |

| +CDITIONALIERI A CENTIOCA | Each Rate | Tens Hu Rate | ndreds Rate |
|---|--------------|-----------------|----------------|
| *CRUCIANELLA STYLOSA Hardy perennial suitable for rockwork, bright purple, ball shaped flowers. June. 8 to 10 inches | .35 | .30 | .25 |
| Daisy. (See Chrysanthemum) Daylily. (See Hemerocallus) | | | |
| DELPHINIUM—Larkspur Belladonna | | | |
| Improved, light blue. June. 3 to 4 ft | .35 | .30 | .25 |
| Bellamosa | | | |
| Same type as Belladonna, but dark blue. June. 3 to 4 ft | .35 | .30 | .25 |
| Blackmore and Langdon Strain | | | |
| Tall, graceful spikes, superb mixture. June. Nursery run | .50 | .45 | .40 |
| Plants selected and staked when in bloom | 1.00 | .90 | |
| Chinese. Chinese Larkspur | | | |
| Finely cut foliage, open panicles of flowers, making it very desirable for cutting. June. 2½ ft. | | | |
| Blue | .35 .35 | .30 .30 | .25 .25 |
| English Hybrids | | | |
| A choice mixed strain | .35 | .30 | .25 |
| Wrexham Strain (Hollyhock Delphi Extra long and tapering | nium) | | |
| spikes, rich and varied colors. June. Nursery run | .50 | .45 | .40 |
| Plants selected and staked when in bloom | 1.00 | .90 | |
| DIANTHUS—Pink, Carnation Allwoodi | | | |
| New perpetual flowering hardy pink mixed. 1 ft. | .40 | .35 | .30 |
| *Alpinus | | | |
| Dwarf, compact growth large rose colored flowers. | | | |
| A gem for the rock garden. June. 6 inches | .40 | .35 | .30 |

| | Each Rate | Tens Hun Rate I | dreds late |
|--|--------------|--------------------|---------------|
| *Arenarious | | | |
| White with carmine ring, | | | |
| deeply fringed, fragrant, | | | |
| deeply fringed, fragrant, good for hot dry places. 6 | | | |
| to 8 inches | .40 | .35 | .30 |
| DY A NICHT IX IC | | | |
| DIANTHUS | | | |
| barbatus. Sweet William | | | |
| Mixed | .35 | .30 | .25 |
| Newport Pink | .35 | .30 | .25 |
| Scarlet Beauty | .35 | .30 | .25 |
| *caessius. Cheddar Pink | | | |
| | | | |
| Compact growth, glaucous foliage, fragrant rose col- | | | |
| ored flowers. May-June. | | | |
| 6 inches | .35 | .30 | .25 |
| | .00 | .50 | .20 |
| cruentus | | | |
| Dense heads of flowers on | | | |
| long stems, deep red. 12 | | | |
| to 18 inches | .40 | .35 | .30 |
| *deltoides. Maiden Pink | | | |
| | | | |
| Dwarf plants with narrow | | | |
| leaves and covered with | | | |
| small flowers. June-July. | | | |
| 6 inches | 25 | 20 | 95 |
| Rose | .35 .35 | .30 .30 | .25 .25 |
| White | .35 | .30 | .25 |
| | .55 | .50 | .40 |
| Major Stearnes Variety, bright crimson dark foli- | | | |
| | .35 | .30 | .25 |
| age | .50 | .50 | .20 |
| Double Cluster (Latifolious) | | | |
| Double crimson. June. 11/2 | | | |
| ft | .35 | .30 | .25 |
| | | | |
| ★neglectus | | | |
| Deep rose colored flowers | 40 | 0.7 | 0.0 |
| choice alpine, 6 inches | .40 | .35 | .30 |
| grenadin | | | |
| Dwarf compact hardy carna- | | | |
| tion, single and double | | | |
| flowers, produced in great | | | |
| profusion. June-July. 12- | | | |
| 15 inches | | | |
| Pink | .35 | .30 | .25 |
| Scarlet | .35 | .30 | .25 |
| White | .35 | .30 | .25 |
| | | | |
| plumarius. Grass Pink | | | |
| Fragrant flowers, fringed petals. June-July. 1½ ft. | | | |
| petals. June-July. 1½ ft. | .35 | .30 | .25 |

| | Each Rate | Tens Hur Rate H | dreds Late |
|--|--------------|--------------------|---------------|
| sylvestris | | | |
| Bluish foliage, salmon pink | | | |
| flowers on stems 1 ft. high. | | | |
| Likes open sunny position in stoney loam soil. A | | | |
| in stoney loam soil. A | | | |
| slight covering of stone | | | |
| chips upon the surrounding soil is beneficial | .40 | .35 | .30 |
| ing son is beneficial | •±0 | .00 | .50 |
| DICENTRA—Bleedingheart | | | |
| ★eximea. Fringed Bleedingheart | | | |
| Dwarf sort with finely cut | | | |
| foliage and pink flowers | | | |
| throughout the season. 1 | -0 | 4 5 | 40 |
| ft | .50 | .45 | .40 |
| spectabilis. True Bleedingheart | | | |
| Pink heart-shaped flowers. | | | |
| May-June. 2 ft | 1.00 | .90 | .80 |
| DICTAMUS—Gasplant | | | |
| Attractive, glossy dark green | | | |
| leaves, flowers on spikes, | | | |
| June-July. 2 to 3 ft. | | | |
| Red | .50 | .45 | .40 |
| White | .50 | .45 | .40 |
| DIGITALIS—Foxglove | | | |
| Biennial | | | |
| Giant Shirley | | | |
| Mixed. June-July. 4 to 5 | | | |
| ft | .35 | .30 | .25 |
| DORONICUM—Leopardbane | | | |
| Caucasicum | | | |
| Large bright yellow flowers, | | | |
| long stems, good for cutting. May-June. 1½ to 2 | | | |
| | | | |
| ft | .60 | .55 | .50 |
| ECHINACEA—Coneflower | | | |
| purpurea | | | |
| Redish purple flowers with | | | |
| brown cane-shaped center. | 0.5 | 0.0 | 0.5 |
| July-Aug. 2 to 3 ft | .35 | .30 | .25 |
| ECHINOPS RITRO—Steel Globe Th | istle | | |
| Round heads of deep metalic | | | |
| blue flowers. July-Aug. 2 | | | |
| to 3 ft | .35 | .30 | .25 |
| ERIGERON—Fleabane | | | |
| Daisy-like flowers, good for | | | |
| cutting. June-July. 11/2 | | | |
| ft. | | | |

| · | Each | Tens Hui | ndreds |
|--|---------|----------|--------|
| Coulteri | Rate | | Rate |
| White | .35 | .30 | .25 |
| Speciosus | 25 | 20 | 95 |
| Lilac ★ERINUS | .35 | .30 | .25 |
| Alpinus | | | |
| Very attractive plants for the rockery. Requires per- fect drainage. Plant on slope where water cannot lodge. Dwarf compact. May-June. 4 to 6 inches. | | | |
| Rosey purple | .40 | .35 | .30 |
| ERYNGIUM AMETHYSTINUM Finely cut foliage, thistle- like heads of steel. Blue flowers. 2 to 3 ft | .35 | .30 | .25 |
| *ERYSIMUM—Blistercress | .00 | .00 | .20 |
| pulchellum. Rock Blistercress | | | |
| Dwarf plants with sulphur- | | | |
| yellow flowers. Good rock plant for dry sunny position | .35 | .30 | .25 |
| Eulalia. (See Miscanthus) | | | |
| EUPHORBIA—Spurge Corollata | | | |
| Plant with fine stems and foliage, covered with white flowers. Very useful in bouquets. June-July. 11/2 ft. | .35 | .30 | .25 |
| EUPATORIUM | .00 | .00 | .20 |
| Coelestinum (Mistflower) (Hardy A Light purple flowers similar to Ageratum in flower from Aug. to frost. 1 to | geratun | 1) | |
| 2 ft | .35 | .30 | .25 |
| FERNS Native mixed | .40 | .35 | .30 |
| FILAPENDULA ULMARIA—Europ (Spirea Ulmaria) | ean Me | adowswee | et |
| Double creamy white flowers. June-July. 2 to 3 ft | .40 | .35 | .30 |
| Flax. (See Linum Perenne) | | | |
| For-get-me-not. (See Myosotis) Foxglove. (See Digitalis) | | | |
| Funkia. (See Hosta) | | | |

| | Each Rate | Tens Hu | ndreds Rate |
|---|--------------|---------|----------------|
| GAILLARDIA Kellway's Exhibition Strain | ivate | 10416 1 | vace |
| Large yellow and crimson flowers all summer. 2 ft. | .30 | .25 | .20 |
| Portola Hybrids | | | |
| New strain, large flowers, brilliant scarlet margined golden yellow | .35 | .30 | .25 |
| GEUM Lady Stratheden | | | |
| Double yellow flowers. June. 2 ft | .40 | .35 | .30 |
| Mrs. Bradshaw Double red | .40 | .35 | .30 |
| Giant Daisy. (See Chrysanthemum U | lignosu | m) | |
| Goldon Glow. (See Rudbeckia) Golden Rod. (See Solidago) | | | |
| Globe Thistle. (See Echinops) | | | |
| Grasses. (See Miscanthus) | | | |
| GYPSOPHILA Acutifolia | | | |
| Similar in habit to G. Paniculata, but with larger single pale pink flowers. July. 2 to 3 ft | | | |
| July. 2 to 3 ft | .35 | .30 | .25 |
| Bristol Fairy | | | |
| New. Large panicles of double white flowers. June. 2 to 3 ft | 1.00 | .90 | |
| paniculata fl. pl. Snowhite | | | |
| Similar to G. Paniculata, | | | |
| only double flowers. These plants are grown from seed and will come about 40% | | | |
| double. The misty white sprays are fine for cut- | | | |
| flower work. 2 to 3 ft | .35 | .30 | .25 |
| *repens | | | |
| Dwarf white trailing variety. Good for rock work. July- August. 6 to 8 inches | .35 | .30 | .25 |
| HELENIUM—Sneezeweed | | | |
| Tall, robust growing plants with large heads of flowers which bloom during Au- | | | |
| gust-Sent. | | | |

gust-Sept.

| Each Rate | Tens Hundreds Rate Rate |
|---|----------------------------|
| Great (Helenium Autumnale Superbum) Yellow. 4 to 5 ft | .30 .25 |
| Red (Melenium Autumnale Rubrum) Deep red changing to terracotta 4 ft | .45 .40 |
| Riverton Gem Old gold changing to wall- flower red. 4 ft | .45 .40 |
| Hoopsei Orange yellow. Early flowering. May-June. 2 ft | .30 .25 |
| HELIANTHEMUM—Sunrose Dwarf evergreen plants completely covered with flowers in July and August. Best suited for a dry sunny position. Mixed | .35 .30 |
| HELIANTHUS—Sunflower | .60 .60 |
| angustifolia Free blooming, yellow. Aug Sept. 3 to 4 ft | .30 .25 |
| HELIOPSIS Pitcheri | |
| Large single golden yellow flowers. July-Aug. 3 to 4 ft | .30 .25 |
| flowers. July-Aug. 2 to 3 ft | .30 .25 |
| HEMEROCALLUS—Day Lily dumorteri | |
| Orange yellow | .30 .25 |
| Rich orange yellow flowers, very fragrant. Fine for cutting. May. 1½ ft40 | .35 .30 |
| flava. Lemonlily | |
| Lemon yellow, sweet scented. May-June. 2½ ft35 florham | .30 .25 |
| Large golden yellow, strong grower. June-July. 3 to 4 ft | .35 .30 |
| fulva. Orange Lily | |
| Orange. June-July. 3 to 3½ ft | .30 .25 |

| | Each Rate | Tens Hu Rate | ndreds Rate |
|--|--------------|-----------------|----------------|
| middendorfi | | | |
| Large orange yellow. June- July. 2 to 3 ft | .40 | .35 | .30 |
| thunbergia | | | |
| Lemon yellow, fragrant Similar to Flava, but | t | | |
| blooms in July | 35 | .30 | .25 |
| HESPERIS-Rocket (Sweet Rocket) | | | |
| Fragrant flowers in June July. 2 to 3 ft. | - | | |
| Purple | | .30 .30 | .25 .25 |
| ★HEUCHERA—Alumroot | | | |
| Bushy plants with graceful spikes of flowers | | | |
| brizoides | | | |
| Pale pink. May. 1½ ft | 50 | .45 | .40 |
| sanquinea. Coralbells | =0 | 45 | .40 |
| Coral red. June. 1½ ft | 50 | .45 | .40 |
| sanquinea alba White | 50 | .45 | .40 |
| HIBISCUS—Rosemallow | | | |
| Vigorous growing plants with large flowers. Will | 1 | | |
| grow well in dry as well as | | | |
| moist ground. AugSept 4 to 5 ft. | • | | |
| Pink | 35 | .30 | .25 |
| Red | | .30 | .25 |
| White | 35 | .30 | .25 |
| Hollyhock. (See Althea rosea) | | | |
| HOSTA—Plantainlily | | | |
| Very desirable for foliage as well as for flowers. Sur | | | |
| or shade. caerulea | | | |
| Early, blue. July-Aug. 1½ | | | |
| ft | | .30 | .25 |
| lancifolia | | | |
| Narrow leaves, blue. Later than caerulea | | .30 | .25 |
| plantaginea | | | |
| Fragrant white flowers leaves light green and | , | | |
| leaves light green and | 1 | | EO |
| large. July-Aug | 60 | .55 | .50 |

| *HYPERICUM—St. Johnswort | Each Rate | Tens Hur Rate I | ndreds Rate |
|---|--------------|--------------------|----------------|
| fragile | | | |
| Trailing variety with stems about 5 inches long ending in flowers of pure yellow | .50 | .45 | .40 |
| reptans | | | |
| Prostrate variety covered with yellow flowers, tinged red. A gem for the rockery. July-Aug. 4 to 5 inches | .50 | .45 | .40 |
| ★IBERIS SEMPERVIRENS—Candyt | uft | | |
| Dense evergreen foliage, covered with white flowers. April-May. 8 to 12 inches | .35 | .30 | .25 |
| IRIS GERMANICA—German Iris | | | |
| Afterglow | | | |
| Soft lavender, yellow center 3 ft | .40 | .35 | .30 |
| Alcazar | | | |
| S. light bronzy violet F. deep velvety purple. 3½ ft | .35 | .30 | .25 |
| Ambassadeur | | | |
| S. dull coppery violet F. rich purple brown. 4 ft. | .75 | .70 | .65 |
| Anna Farr | | | |
| S. and F. White, border pale blue. 3 ft | .50 | .45 | .40 |
| Archeveque | | | |
| S. and F. deep purple violet 2 ft | .40 | .35 | .30 |
| Asia S. pale lavender deepening at | | | |
| the base to golden yellow | | | |
| F. pale reddish purple, lighter at edges | 2.00 | 1.90 | |
| Ballerine | | | |
| S. light blue violet F. deeper. 3 ft | 1.00 | .90 | |
| Black Prince | | | |
| S. and F. rich violet purple. 1½ ft | .35 | .30 | .25 |
| Bleu Parfleur | | | |
| White, heavily bordered dark blue | .35 | .30 | .25 |

| | Each Rate | Tens Hur Rate F | dreds ate |
|---|--------------|--------------------|--------------|
| Bougere | 10ato | ivate 1 | va te |
| S. and F. lilac and purple. 2 ft | .35 | .30 | .25 |
| Bridesmaid | | | |
| S. and F. white, reticulated lavender. 2 ft | .30 | .25 | .20 |
| S. reddish purple F. deeper. 2½ ft | .35 | .30 | .25 |
| Celeste Pale sky blue. 2 to 3 ft | .35 | .30 | .25 |
| Crusader | | | |
| S. light violet blue F. deeper. 3 ft | .60 | .55 | .50 |
| Dalmatica | | | |
| S. clear lavender blue F. deep lavender. 3½ ft | .35 | .30 | .25 |
| Delicatissima | | | |
| S. deep lavender F. light purple. 3 ft | .35 | .30 | .25 |
| Dream | | | |
| Soft clear rose pink, vigorous grower, free bloomer, fragrant | .35 | .30 | .25 |
| Edouard Michel | | | |
| S. reddish violet | | | |
| F. deeper. An improved Caprice. 3 ft | | | |
| Caprice. 3 ft | .35 | .30 | .25 |
| Eldorado | | | |
| S. yellowish bronze F. violet purple. 2½ ft Fairy | .35 | .30 | .25 |
| White, bordered pale blue. 3½ ft | .35 | .30 | .25 |
| Flavescens | | | |
| Light yellow. 3 ft | .35 | .30 | .25 |
| Florentine | | | |
| White. 2½ ft | .35 | .30 | .25 |
| Gold Imperial S. and F. rich golden yellow. | | | |
| One of the best of its color. 2½ to 3 ft | 1.00 | .90 | |
| Halfdan | | | |
| Creamy white, large flowers of good substance. 2 ft. | .35 | .30 | .25 |

| | Each Rate | Tens Hu | ndreds Rate |
|---|--------------|---------|----------------|
| Hector S. delicate yellow F. violet red. 2 ft | .35 | .30 | .25 |
| Her Majesty S. rosey pink F. pink veined crimson. 2½ ft. | .35 | .30 | .25 |
| Honorabilis S. golden F. rich mahogany brown. | | | |
| 2½ to 3 ft Isoline S. lilac pink | .35 | .30 | .25 |
| F. deep lilac pink, veined brown at base. 2½ ft | .40 | .35 | .30 |
| S. and F. deep blue. 3½ ft. | .35 | .30 | .25 |
| Lent A. Williamson S. lavender brown F. velvety purple. 3½ ft | .50 | .45 | .40 |
| Lohengrin S. and F. deep violet mauve. 3 ft. | .35 | .30 | .25 |
| Lord of June S. lavender blue F. rich violet blue. 3 ft | .75 | .70 | .65 |
| S. light yellow F. blue bordered light yellow 2 ft. | .35 | .30 | .25 |
| Madam Chereau White frilled azure blue. 2½ ft | .35 | .30 | .25 |
| Magnifica S. light violet blue F. deep reddish violet. 3 ft. | .75 | .70 | .65 |
| Miranda S. and F. clear violet blue. 3½ ft | .40 | .35 | .30 |
| Monsignor | .10 | 100 | |
| S. pale violet F. pale violet overlaid with deep purple. 2 ft | .35 | .30 | .25 |
| Morning Splendor S. violet F. rich dark red purple. Very fragrant. 3 to 3½ ft | 2.00 | 1.90 | |

| | Each Rate | Tens Hui Rate I | ndreds Rate |
|--|--------------|--------------------|----------------|
| Mother of Pearl | | | |
| Light soft lavender, lustrous texture. 4 ft | .50 | .45 | .40 |
| Mrs. H. Darwin | | | |
| S. and F. white reticulated violet at base. 2 ft | .35 | .30 | .25 |
| Mrs. W. E. Fryer | | | |
| S. pale mauve | | | |
| F. deep velvety purple. 2½ | | | |
| ft | .35 | .30 | .25 |
| Mrs. Alan Gray | | | |
| Soft Lilac. 2½ ft | .35 | .30 | .25 |
| Perfection | | | |
| S. light blue | | | |
| F. rich velvety lavender. | | | |
| 2½ ft | .35 | .30 | .25 |
| Princess Victoria Louise | | | |
| S. sulphur yellow | | | |
| F. rich violet. 2½ ft | .35 | .30 | .25 |
| Prosper Laugier | | | |
| S. light bronzy red | | | |
| F. velvety ruby purple. 3 ft. | .35 | .30 | .25 |
| Prospero | | | 0 |
| S. pale lavender flushed yel- | | | |
| low at the base. | | | |
| F. deep red-purple with | | | |
| lighter shadings at margin. | | | |
| Deep orange beard. Strong | .75 | .70 | .65 |
| grower | .15 | .70 | .00 |
| Quaker Lady | | | |
| S. smoky lavender, shaded | | | |
| yellow F. Ageratum blue and gold. | | | |
| 2½ ft | .35 | .30 | .25 |
| | | | |
| Queen of May S. lilac | | | |
| F. soft rosy lilac. 2½ ft. | .35 | .30 | .25 |
| | | 100 | 0 |
| Rheine Nixe | | | |
| S. white F. rich violet purple. 3 ft. | .35 | .30 | .25 |
| Roseway | .00 | .00 | .40 |
| S. and F. rose lilac. 2½ ft. | .40 | .35 | .30 |
| | .±0 | .00 | .00 |
| Sambucina | | | |
| Rose purple with touch of | .30 | .25 | .20 |
| orange. 2½ ft | .50 | .40 | .20 |

| | Each Rate | Tens Hun Rate F | ndreds Rate |
|---|--------------|--------------------|----------------|
| Seminole S. soft violet rose F. rich velvety crimson, bril- | | | |
| liant orange beard. 2½ ft | .50 | .45 | .40 |
| Shekinah Pale yellow shading to amber in the throat. A true yellow Pallida. 3 ft | .40 | .35 | .30 |
| Sherwin Wright S. and F. golden yellow. 2 ft | .35 | .30 | .25 |
| Souv. De Mme Gaudichau S. and F. rich velvety dark purple, large and vigorous | | | |
| grower. 3½ ft | 1.00 | .90 | |
| Susan Bliss S. and F. deep rose pink. 3½ ft | 1.25 | 1.15 | |
| Sweet Lavander S. pale lavender F. deep rose | | | |
| lavender, broad and horizontal. 3 ft | .50 | .45 | .40 |
| S. deep rosy purple F. paler veined lilac. 2 ft | .50 | .45 | .40 |
| Violacea Grandiflora S. rich blue F. violet blue. 2 ft | .35 | .30 | .25 |
| Walhalla S. light blue F. velvety violet | 0.0 | 0~ | 20 |
| purple. 2½ ft [RIS KAEMPFERI—Japanese Iris | .30 | .25 | .20 |
| Gold Bound White, gold banded center . | .50 | .45 | .40 |
| Mahogany Deep mahogany red | .50 | .45 | .40 |
| Norma Deep purple | .50 | .45 | .40 |
| Purple and Gold Rich violet purple, gold center | .50 | .45 | .40 |
| Uchieu Caerulean blue, golden center | .50 | .45 | .40 |
| | .00 | | |

| | Each Rate | Tens Hur Rate H | ndreds Rate |
|--|--------------|--------------------|----------------|
| ★IRIS cristata | | | |
| Creeping native species, rich | | | |
| amethyst blue, a gem for the rockery. 3 to 4 inches | .40 | .35 | .30 |
| | •10 | 100 | .00 |
| ★IRIS pumila | | | |
| The pumila varieties grow from 4 to 6 inches high | | | |
| and can be used in rock- | | | |
| ery or in front of peren- | | | |
| nial border. | | | |
| blue | .40 | .35 | .30 |
| purple | .35 | .30 | .25 |
| whiteyellow | .35 .40 | .30 .35 | .25 |
| · · | .10 | .00 | .00 |
| IRIS Pseudacorus (Yellow Flag Iris) | | | |
| Will grow in moist places, yellow. 3 to 4 ft | .35 | .30 | .25 |
| • | .00 | .00 | .20 |
| IRIS sibirica—Siberian Iris | | | |
| Vigorous free flowering va- | • | | |
| rieties, good for perennial | | | |
| border. Naturalizing or waterside planting. | | | |
| blue, 2½ ft | .35 | .30 | .25 |
| white, 3 ft | .35 | .30 | .25 |
| Perry blue, large flower, | 4.0 | | |
| clear blue. 3 ft | .40 | .35 | .30 |
| Jacob's Ladder. (See Polemonium) | | | |
| KNIPHOFIA—Torchlily (Tritoma) | | | |
| Bonfire Torchlily (T. Pfitzeri) | | | |
| Free flowering, orange scar- | | | |
| let. Not hardy. Store in cool cellar over winter. | | | |
| AugSept. 3 ft | .40 | .35 | .30 |
| Larkspur. (See Delphinium) | | | |
| - ' ' | | | |
| LATHYRUS—Perennial Sweet Pea | | | |
| Good perennial climber for arbor or trellis. July-Aug. | | | |
| red | .35 | .30 | .25 |
| rose | .35 | .30 | .25 |
| white | .35 | .30 | .25 |
| LIATRIS—Gayfeather | | | |
| pycnostachya | | | |
| Long spikes, rich purple | | | |
| flowers. July-Aug. 4 to 5 | 0.5 | 0.0 | 0- |
| ft | .35 | .30 | .25 |
| Lilies. (See bulbs) | | | |
| Lily-of-the-Valley. (See Convallaria) |) | | |

| | Each Rate | Tens Hu Rate | ndreds Rate |
|---|--------------|-----------------|----------------|
| LIMONIUM LATIFOLIA—Bigleaf latifolia) | Sea-lav | ender (S | Statice |
| Panicles of lavender blue flowers | .40 | .35 | .30 |
| LINUM PERENNE—Perennial Flax May to Aug. 2 ft. | | | |
| blue white | .35 .35 | .30 .30 | .25 .25 |
| LOBELIA CARDINALIS Spikes of brilliant flowers. Aug. 2 to 3 ft | .40 | .35 | .30 |
| LUPINE POLYPHYLLUS—Lupine | *10 | 100 | 100 |
| Large spikes of pea shaped flowers blooming in May and June. 2 to 3 ft. Blue, | | | |
| pink, white or mixed | .40 | .35 | .30 |
| LYCHNIS—Campion *alpina | | | |
| Dwarf plant, rose pink. April. 1 ft | .40 | .35 | .30 |
| Arkwrighti Large flowers, orange scarlet | | | |
| to salmon pink. June. July. 1 to 1½ ft | .40 | .35 | .30 |
| chalcedonica. Maltese Cross Brilliant scarlet. July. 3 ft | .35 | .30 | .25 |
| coronaria. Rose Campion | •00 | ,,,, | ,20 |
| June-July. 2 ft. | .35 | .30 | .25 |
| red | .35 | .30 | .25 |
| white | .35 | .30 | .25 |
| LYSIMACHIA clethroides | | | |
| Large recuved spikes of pure | | | |
| white flowers. JulySept. 2 ft | .50 | .45 | .40 |
| nummularia. Moneywort (Creepin | g Jenny |) | |
| Creeping variety, yellow flowers. Good in shade as | | | |
| well as sun. June-Aug. 4 in | .35 | .30 | .25 |
| LYTHRUM | | | |
| Rose Loosestrife (Lythrum Roseum) Tall rosy purple spikes. Good for moist locations |) | | |
| as well as dry sections. July-Aug. 4 ft | .35 | .30 | .25 |

| | Each Rate | Tens Hur Rate R | dreds late |
|--|--------------|--------------------|---------------|
| MALVA MOSCHATA—Musk Mallo | n/ | | |
| June-Aug. 2 ft. | | | |
| White | .35 | .30 | .25 |
| Rose | .35 | .30 | .25 |
| MATRICARIA | | | |
| parthenoides (Capensis) Feverfew-C Double white flowers, good | amomil | e | |
| cutflower. June-Sept. 1½ | | | |
| to 2 ft | .35 | .30 | .25 |
| MERTENSIA VIRGINICA—Bluebel | ls | | |
| May-June. 1½ ft | .35 | .30 | .25 |
| MISCANTHUS—Eulalia | | | |
| sinensis (E. Japonica) | | | |
| Long narrow graceful green foliage. When in bloom | | | |
| plumes are 6 to 7 ft. high | .40 | .35 | .30 |
| Maiden Grass (E. Gracillima) | | | |
| Graceful habit, narrow | | | |
| bright green foliage with | 4.0 | | |
| silvery mid-rib. 4 to 5 ft. | .40 | .35 | .30 |
| Striped Eulalia (E. Variegata) | | | |
| Very ornamental, long leaves striped green, white and | | | |
| often yellow. 4 to 5 ft | .40 | .35 | .30 |
| Zebra Grass (E. Zebrina) | | | |
| Foliage marked crosswise | | | |
| with broad yellow bars. 4 | 40 | 0.5 | 200 |
| to 5 ft | .40 | .35 | .30 |
| MONARDA DYDIMA—Oswego Be | ebalm | | |
| Showy plants 2 to 3 ft. with aromatic foliage and | | | |
| bright scarlet flowers. | | | |
| July-Aug | .35 | .30 | .25 |
| Monkshood. (See Aconitum) | | | |
| ★MYOSOTIS (For-get-me-not) | | | |
| palustris semperflorens | | | |
| Large rich blue flowers with | | | |
| yellow eye, profuse bloom- er, good for damp places. | | | |
| 8 to 10 in | .35 | .30 | .25 |
| palustris semperflorens rosea | | | |
| Pink flowered form of the | 0.5 | 00 | 0.5 |
| above. 8 to 10 in | .35 | .30 | .25 |

| | Each Rate | Tens Hu Rate | ndreds Rate |
|---|--------------|-----------------|----------------|
| ★NEPETA MUSSINI | | | |
| Dwarf compact bushy habit, lavender flowers. May- June. 1 ft | .35 | .30 | .25 |
| OENOTHERA—Evening Primrose | | | |
| misouriensis | | | |
| A low species with prostrate ascending branches, pro- fuse bloomer. Very large | | | |
| yellow flowers. June-Aug. 1 ft | .40 | .35 | .30 |
| youngi | | | |
| Shiny foliage, lemon yellow flowers. June-Aug. 2 ft. | .35 | .30 | .25 |
| Oriental Poppy. (See Papaver) | | | |
| PACHYSANDRA TERMINALIS | | | |
| Glossy, evergreen foliage. One of the best ground | | | |
| covers. 9 in | .40 | .35 | .30 |
| PAEONIA—Peony | | | |
| All peonies are strong roots having 3 to 5 eyes. | | | |
| Avalanche | | | |
| Large, late midseason, blush white, faint pink center. | .90 | .85 | .80 |
| Baroness Schroeder | | | |
| Very large late mid-season. Pale flesh white tinted | | | |
| cream, fragrant. Outer petals often shaded faint pink | 2.00 | 1.90 | 1.80 |
| Claire Dubois | 2.00 | 1.00 | 2.00 |
| Very large late bright rose | | | |
| pink | 1.50 | 1.40 | 1.30 |
| China pink, mid-season | .60 | .55 | .50 |
| | .00 | .00 | .50 |
| Cornea Elegans Delicate pink, mid-season | .60 | .55 | .50 |
| Couronne d'Or | | | |
| White, golden yellow stam- | | | |
| ens, center petals tipped carmine, late | .75 | .70 | .65 |
| Cupra Superba | | | |
| Pink, white center | .60 | .55 | .50 |

| | Each Rate | Tens Hu Rate | ndreds Rate |
|---|--------------|-----------------|----------------|
| Dorchester | .75 | 70 | C.E |
| Flesh pink, late | .75 | .70 | .65 |
| Duchess de Nemours Guard petals white, center | | | |
| sulphur yellow, fragrant, early | .75 | .70 | .65 |
| Edulis Superba | | | |
| Very early, fragrant, bright old rose pink | .75 | .70 | .65 |
| Eugene Verdier | | | |
| Large compact blooms of pale hydrangea pink, late | 1.50 | 1.40 | 1.30 |
| Felix Crousse | | | |
| Large, late mid-season | 1.50 | 1.40 | 1.30 |
| Festive Maxima | | | |
| Large pure white, center petals flecked crimson, early | .75 | .70 | .65 |
| Floral Treasure | | | |
| Large pale lilac rose, mid- season | .90 | .85 | .80 |
| Fragrans | | | |
| American-beauty rose shade, late | .75 | .70 | .65 |
| Karl Rosefield | | | |
| Large bright crimson, mid- season | 1.50 | 1.40 | 1.30 |
| Mons Jules Eli | | | |
| Large, light rose pink, early | 1.50 | 1.40 | 1.30 |
| Officionalis Rubra fl. pl. | | | |
| Rich, deep crimson, first to bloom | 1.25 | 1.15 | 1.10 |
| Sarah Bernhardt | 1.20 | 1.10 | 1.10 |
| | | | |
| Very large, appleblossom pink, each petal silver | | | |
| tipped | 2.00 | 1.90 | 1.80 |
| Tennuifolia. Fringed Peony | | | |
| Similar to Officionalis Rubra but has finely cut foliage | 1.50 | 1.40 | 1.30 |
| PAPAVER—Poppy | | | |
| *alpinum. Alpine Poppy Like a small and more deli- | | | |
| cate Iceland Poppy and | | | |
| often delicately fringed, | | | |
| mixed colors. May-Aug. 1 ft | .40 | .35 | .30 |
| T TU | •=0 | .00 | .00 |

| | Each Rate | Tens H Rate | Iundreds Rate |
|--|--|--|--------------------------------|
| ★nudicaule. Iceland Poppy Mixed colors | 40 | .35 | .30 |
| | .10 | .00 | .50 |
| *nudicaule. Thibet Orange | .40 | .35 | .30 |
| PAPAVER ORIENTALE—Oriental I | | .00 | .00 |
| June-July. 2 to 2½ ft | орру | | |
| Beauty of Levermere | | | |
| Crimson with black blotches | .50 | .45 | .40 |
| Bright Scarlet | .50 | .45 | .40 |
| Mrs. Perry | | | |
| Orange apricot | .50 | .45 | .40 |
| Perry White | | | |
| Satiny white, with crimson blotches at base of petals. | .40 | .35 | .30 |
| PENTSTEMON | 110 | .00 | |
| grandiflorus. Shell-leaf Pentstemon | | | |
| Long spikes, lavender blue | | | |
| flowers, very good cut- flower. Plant in open | | | |
| sunny place. May-June. | | | |
| 2 to 3 ft | .40 | .35 | .30 |
| hirsutus (pubescens) | | | |
| | | | |
| Violet flowers shaded to | | | |
| flesh pink. Good for hot | .35 | .30 | .25 |
| flesh pink. Good for hot dry exposures. June 2 ft. | .35 | .30 | .25 |
| flesh pink. Good for hot dry exposures. June 2 ft. torreyi Tall spikes, brilliant scarlet | | | |
| flesh pink. Good for hot dry exposures. June 2 ft. torreyi Tall spikes, brilliant scarlet flowers. June-Aug. 3 ft. | .35 | .30 | .25 |
| flesh pink. Good for hot dry exposures. June 2 ft. torreyi Tall spikes, brilliant scarlet flowers. June-Aug. 3 ft. PHALARIS. Arundinacea Variegata Grass) | .35 (Vari | .30 | .25 |
| flesh pink. Good for hot dry exposures. June 2 ft. torreyi Tall spikes, brilliant scarlet flowers. June-Aug. 3 ft. PHALARIS. Arundinacea Variegata Grass) Green leaves, striped white | .35 (Vari | .30 | .25 |
| flesh pink. Good for hot dry exposures. June 2 ft. torreyi Tall spikes, brilliant scarlet flowers. June-Aug. 3 ft. PHALARIS. Arundinacea Variegata Grass) Green leaves, striped white PHLOX | .35 (Vari | .30 legated | .25 Ribbon |
| flesh pink. Good for hot dry exposures. June 2 ft. torreyi Tall spikes, brilliant scarlet flowers. June-Aug. 3 ft. PHALARIS. Arundinacea Variegata Grass) Green leaves, striped white | .35 (Vari | .30 legated | .25 Ribbon |
| flesh pink. Good for hot dry exposures. June 2 ft. torreyi Tall spikes, brilliant scarlet flowers. June-Aug. 3 ft. PHALARIS. Arundinacea Variegata Grass) Green leaves, striped white PHLOX Africa Brilliant carmine-red | .35 (Vari | .30 segated .30 | .25 Ribbon .25 |
| flesh pink. Good for hot dry exposures. June 2 ft. torreyi Tall spikes, brilliant scarlet flowers. June-Aug. 3 ft. PHALARIS. Arundinacea Variegata Grass) Green leaves, striped white PHLOX Africa Brilliant carmine-red Athis Deep clear salmon | .35 (Vari | .30 legated | .25 Ribbon .25 |
| flesh pink. Good for hot dry exposures. June 2 ft. torreyi Tall spikes, brilliant scarlet flowers. June-Aug. 3 ft. PHALARIS. Arundinacea Variegata Grass) Green leaves, striped white PHLOX Africa Brilliant carmine-red | .35 (Vari | .30 segated .30 | .25 Ribbon .25 |
| flesh pink. Good for hot dry exposures. June 2 ft. torreyi Tall spikes, brilliant scarlet flowers. June-Aug. 3 ft. PHALARIS. Arundinacea Variegata Grass) Green leaves, striped white PHLOX Africa Brilliant carmine-red Athis Deep clear salmon Baron Von Dedem | .35 (Vari | .30 legated .30 .35 | .25 Ribbon .25 .30 |
| flesh pink. Good for hot dry exposures. June 2 ft. torreyi Tall spikes, brilliant scarlet flowers. June-Aug. 3 ft. PHALARIS. Arundinacea Variegata Grass) Green leaves, striped white PHLOX Africa Brilliant carmine-red Athis Deep clear salmon Baron Von Dedem Brilliant orange scarlet B. Comte | .35 (Vari .35 .40 .35 | .30 segated .30 .35 .30 | .25 Ribbon .25 .30 .25 |
| flesh pink. Good for hot dry exposures. June 2 ft. torreyi Tall spikes, brilliant scarlet flowers. June-Aug. 3 ft. PHALARIS. Arundinacea Variegata Grass) Green leaves, striped white PHLOX Africa Brilliant carmine-red Athis Deep clear salmon Baron Von Dedem Brilliant orange scarlet Rich French purple Beacon Brilliant cherry red Bridesmaid | .35 .35 .35 .40 .35 .35 | .30 legated .30 .35 .30 .30 | .25 Ribbon .25 .30 .25 .25 .25 |
| flesh pink. Good for hot dry exposures. June 2 ft. torreyi Tall spikes, brilliant scarlet flowers. June-Aug. 3 ft. PHALARIS. Arundinacea Variegata Grass) Green leaves, striped white PHLOX Africa Brilliant carmine-red Athis Deep clear salmon Baron Von Dedem Brilliant orange scarlet B. Comte Rich French purple Beacon Brilliant cherry red | .35 .35 .35 .40 .35 .35 | .30 legated .30 .35 .30 .30 | .25 Ribbon .25 .30 .25 .25 .25 |

| | Each Rate | Tens H Rate | undreds Rate |
|--|--------------|----------------|-----------------|
| Champs Elysses | | | |
| Bright rosy magenta | .35 | .30 | .25 |
| Commander Crimson red with darker center | .50 | .45 | .40 |
| Coquilicot Most brilliant orange scarlet | .40 | .35 | .30 |
| Count Zepplin Pure white with vermillion red eye. One of the best | | | |
| of its type | .40 | .35 | .30 |
| Eclaireur | | | |
| Rosy magenta with lighter halo | .35 | .30 | .25 |
| Elizabeth Campbell Light salmon pink | .50 | .45 | .40 |
| Enchantress | | | |
| Salmon pink, deeper in color and stronger grower than Elizabeth Campbell | .40 | .35 | .30 |
| Ethel Pritchard | 40 | 0.5 | 0.0 |
| Mauve, almost pale blue | .40 | .35 | .30 |
| White with carmine eye | .35 | .30 | .25 |
| Ferd Cortez | | | |
| Crimson overlaid with copper bronze | .35 | .30 | .25 |
| Fuerbrand Brilliant orange scarlet | .40 | .35 | .30 |
| Flora Riedy | .10 | .00 | .00 |
| New white | .35 | .30 | .25 |
| Jeanne d'Arc | | | |
| Pure white, similar to Mrs. Jenkins, but later flower- ing | .35 | .30 | .25 |
| Jules Sandeau | | | |
| Large heads of brilliant | | | |
| watermelon pink flower, dwarf habit | .40 | .35 | .30 |
| Koenigshoefer | | | |
| Scarlet | .40 | .35 | .30 |

| | Each Rate | Tens Hun Rate R | dreds |
|--|--------------|--------------------|-------|
| Lassburg | | | |
| Mid-season, tall, large flow- ering white | .35 | .30 | .25 |
| LeMahdi | | | |
| Metallic bluish violet | .40 | .35 | .30 |
| Milly Bright pink with delicate mauve suffusion | .35 | .30 | .25 |
| Miss Lingard | | | |
| Flowers a month early, glossy green foliage. Large trusses white flowers with delicate lilac eye | .35 | .30 | .25 |
| Miss Verboom | | | |
| (New) A rose-pink form of Miss Lingard, habit and foliage the same, flowers same time as Miss Lingard Mrs. Jenkins | .50 | .45 | .40 |
| Pure white, medium height, late | .35 | .30 | .25 |
| Mrs. Scholten | | | |
| Deep salmon pink, large pyramidal spikes | .40 | .35 | .30 |
| Rheinlander | 25 | 20 | 05 |
| Soft salmon pink, dark eye | .35 | .30 | .25 |
| Riverton Jewell | | | |
| Mauve rose with carmine eye | .35 | .30 | .25 |
| Rising Sun (New) Salmon pink | .50 | .45 | .40 |
| Rosaline | | | |
| New variety, with carmine colored flowers | .35 | .30 | .25 |
| R. P. Struthers | | | |
| Bright rosy carmine, red eye | .35 | .30 | .25 |
| Rynstrom | | | |
| Large flowers, carmine rose, similar to color of Paul Neyron rose | .35 | .30 | .25 |
| Orange scarlet, crimson cen- | | | |
| ter | .35 | .30 | .25 |
| Thor Deep salmon pink, overlaid with scarlet glow | .35 | .30 | .25 |
| 9 | | | |

| | Each Rate | Tens H | ndreds Rate |
|--|--------------|--------|----------------|
| Von Hochburg | | | |
| (New) brilliant red | .40 | .35 | .30 |
| W. C. Egan Soft lilac shade, red eye | .35 | .30 | .25 |
| Widar Bright reddish violet, white | | | |
| center | .35 | .30 | .25 |
| ★amoena | | | |
| Bright pink, dwarf. April- May. 6 in | .35 | .30 | .25 |
| *divaricata. Blue Phlox (Canadens | is) | | |
| Nature species, blooms from | , | | |
| April through May, fra- | | | |
| grant lavender flowers. 10 | 0.5 | 0.0 | 0= |
| in | .35 | .30 | .25 |
| ★Subulata | | | |
| Dwarf trailing plants with | | | |
| moss like, evergreen foli- age covered with mass of | | | |
| bloom in April-May, Ex- | | | |
| cellent for border and | | | |
| rockery. | | | |
| *Alba | | 0.0 | |
| White | .35 | .30 | .25 |
| *Fairy | | | |
| Pale blue with dark purple | | | |
| eye. Same habit as vivid, slow growing, compact. | .50 | .45 | .40 |
| ★lilaciana | .00 | .10 | .10 |
| Pale lilac | .35 | .30 | .25 |
| ★Morheimi | .00 | .00 | .20 |
| Carmine pink, red eye | .35 | .30 | .25 |
| ★Nelsoni | | ••• | 0 |
| Small white flowers | .40 | .35 | .30 |
| ★Rosea | | | |
| Pink | .35 | .30 | .25 |
| ★Vivid | | | |
| Bright pink with red eye, | | | |
| dwarf, compact. One of | | | |
| the best varieties of this | | | 4.0 |
| type | .50 | .45 | .40 |
| ★G. F. Wilson | | | |
| Soft lavender | .40 | .35 | .30 |
| PHYSALIS FRANCHETI—Chinese | Lantern | Plant | |
| Bright orange scarlet lan- | | | |
| tern-like fruits for winter | 0.5 | 20 | 0" |
| boquets. 2 ft | .35 | .30 | .25 |
| | | | |

| | Each Rate | Tens Hun Rate R | dreds ate |
|--|--------------|--------------------|--------------|
| PHYSOSTEGIA—False Dragon Head | ! | | |
| virginica | | | |
| Spikes of rosy pink flowers. July-Aug. 3 to 4 ft | .35 | .30 | .25 |
| virginica alba White form of above | .35 | .30 | .25 |
| Dwarf, compact variety, profuse bloomer, deep pink, good for cutting. AugSept. 1½ to 2 ft | .40 | .35 | .25 |
| Plantain Lily. (See Hosta) | | | |
| PLATYCODEN—Balloonflower | | | |
| Tall blue. June-Aug. 2½ ft | .35 | .30 | .25 |
| Tall white. June-Aug. 2½ ft Dwarf blue. June-Aug. 1 | .35 | .30 | .25 |
| to 1½ ft | .35 | .30 | .25 |
| to 1½ ft | .35 | .30 | .25 |
| Plumbago. (See Ceratostigma) | | | |
| Plume Poppy. (See Bocconia) | | | |
| POLEMONIUM—Jacob's Ladder | 0= | 0.0 | 0.5 |
| Blue. June-July. 1½ ft. White. June-July. 1½ ft. | .35 | .30 .30 | .25 .25 |
| *Humile. Pale blue flowers, white throat. June-Aug. | .66. | .00 | .40 |
| 6 in | .40 | .35 | .30 |
| POLYGONUM CUSPIDATUM—Jaj | banese | Fleeceflow | er |
| White. Aug. 2 to 3 ft | .35 | .30 | .25 |
| *PRIMULA—Hardy Primrose | | | |
| Grow best in partial shade, must have moisture and good drainage. Plant in mixture of peat moss or leafmold and sandy loam soil with stones mixed in. | | | |
| auricula alpina | | | |
| Mixed colors. 6 in | .50 | .45 | .40 |
| Cortusoides Soft wrinkled heart shaped | | | |
| leaves, deep rose flowers. | *** | 45 | 4.0 |
| 8 to 10 in | .50 | .45 | .40 |

| V | 001111 | | |
|---|--------------|--------------------|----------------|
| | Each Rate | Tens Hui Rate I | ndreds Rate |
| polyantha (Bunch Primroses) | | | |
| Munstead Strain mixed. 8 | | | |
| to 12 in | .50 | .45 | .40 |
| Polyantha | | | |
| Barr's Exhibition Reds | | | |
| Finest strain of polyanthus | | | |
| in crimson shades. 8 to | | | |
| 12 in | .50 | .45 | .40 |
| Pyrethrum. (See Chrysanthemum) | | | |
| RANUNCULUS ACRIS—Tall Butter | rcub | | |
| Small double yellow flowers, | | | |
| upright growing. 2 ft. | | | |
| May-June | .35 | .30 | .25 |
| Rockcress. (See Aralia) | | | |
| | | | |
| RUDBECKIA (Coneflower) | | | |
| hirta. Black Eyed Susan | | | 1 |
| July-Aug. 2½ ft | .35 | .30 | .25 |
| purpuera. (See Echinacea) | | | |
| Goldenglow | | | |
| Double yellow, late. Aug. | | | |
| 6 ft | .35 | .30 | .25 |
| SALVIA AZUREA | | | |
| | | | |
| Spikes of sky blue flowers. Aug. 4 to 5 ft | .35 | .30 | .25 |
| • | .00 | .50 | .40 |
| Sandwort. (See Arenaria) | | | |
| ★SAPONARIA —Soapwort | | | |
| Ocymoides. Rock Soapwort | | | |
| Rosy pink. June. 8 to 10 | | | |
| in | .35 | .30 | .25 |
| White. June. 8 to 10 in | .35 | .30 | .25 |
| ★SAXIFRAGA—Saxifrage Cordifolia | | | |
| Broad deep green foliage. | | | |
| Rosy pink flowers. April- | | | |
| May. 1 ft | .50 | .45 | .40 |
| decipiens | | | |
| Dwarf mossy plants, white | | | |
| flowers, green foliage. | | | |
| flowers, green foliage, turns crimson in winter. | | | |
| May-June. 6 in | .50 | .45 | .40 |
| SCABIOSA | | | |
| caucasica | | | |
| Soft shades of lavender, | | | |
| good cutflower. June- | | | |
| Aug. 2 ft | .40 | .35 | .30 |
| o . | | | |

| | Each Rate | Tens Hur Rate F | ndreds Rate |
|---|--------------|--------------------|----------------|
| caucasica alba White | .40 | .35 | .30 |
| caucasica goldingensis | | **** | |
| (New) Deep lavender, long stems and larger flower. | .40 | .35 | .30 |
| caucasica. Isaac House's Strain New shades of lilac and deep blue | .40 | .35 | .30 |
| SEDUM—Stonecrop | | | |
| Green foliage, yellow flowers. May-June. 4 in | .35 | .30 | .25 |
| ★album Thick waxy round foliage, white flowers. May-June. | | | |
| 4 in | .35 | .30 | .25 |
| ★ewersi Rose pink flowers. July- Aug. 8 in | .40 | .35 | .30 |
| ★kamtschaticum | | | |
| Yellow flowers, prostrate green foliage. July-Aug. 6 in | .35 | .30 | .25 |
| ★kamtchaticum variegatum Same as kamtchaticum, but has variegated foliage | .50 | .45 | .40 |
| ★lydium | | ,,,, | |
| Fine mossy green foliage, which turns red in fall. Pink flower. 2 to 3 in | .35 | .30 | .25 |
| ★middendorffianum Yellow. 6 to 8 in | .35 | .30 | .25 |
| ★pruniatum forsterianum | | | |
| Trailing, glaucous green leaves, yellow flower | .40 | .35 | .30 |
| ★sarmentosum rampant grower, yellow | .35 | .30 | .25 |
| ★sieboldi | | ,,,, | 0 |
| round, succulent glaucous foliage, pink flowers. Aug. Sept | .40 | .35 | .30 |
| spectabile. Showy Stonecrop | | | |
| Flat heads, rose colored flowers. Aug. 1½ ft | .35 | .30 | .25 |

| Each Rate | |
|---|----------|
| Purple Showy Stonecrop (S. S. Brilliant) Similar to Spectabile, deep |) |
| rose crimson | .30 .25 |
| ★stoloniferum (S. spurium roseum) Rose-crimson. July-Aug. 6 | |
| in | |
| *stoloniferum coccineum (S. spurium co- Rose colored flowers. July- | ccineum) |
| Aug. 6 in | .30 .25 |
| ★SEMPERVIVUM—Houseleek | |
| arachnoideum. Spiderweb Houseleek | |
| Small rosettes, covered with white webbing. Flowers | |
| red | .45 .40 |
| arenarium | |
| Small green rosettes in large numbers. Spreads rapidly .40 | .35 .30 |
| brauni | .50 .50 |
| Small rosettes, bronze col- | |
| ored leaves, almost dull red at tips of leaves50 | .45 .40 |
| doellianum | |
| Small hairy rosettes of pale | |
| green leaves tinted red at tips, red flowers40 | .35 .30 |
| fauconetti | .50 .50 |
| Small rosettes with small | |
| leaves. Red flowers40 | .35 .30 |
| funcki Green tipped brownish ro- | |
| settes, rapid grower, dull | |
| rose flowers | .35 .30 |
| globiferum | |
| Bright green globular ro- | |
| settes, young plants appear on top of old ro- | |
| settes | .35 .30 |
| tectorum Broad rosettes with reddish | |
| color | .35 .30 |
| triste Sharply pointed rosettes of | |
| reddish color | .35 .30 |
| ★SILENE—Catchfly. Campion | |
| acaulis Close green cushions of fo- | |
| liage covered with tiny | |
| pink flowers. May-June .50 | .45 .40 |

| | Each Rate | Tens Hun Rate H | dreds Late |
|---|--------------|--------------------|---------------|
| alpestris | 20000 | | •440 |
| Dwarf compact plant, pure white flowers on wiry stems. May-June. 4 to 5 | | | |
| in | .40 | .35 | .30 |
| saxifraga Choice alpine of mossy growth, white flowers in | 40 | 0.7 | 20 |
| profusion | .40 | .35 | .30 |
| schafta Bright pink flowers in July- Sept. 6 to 8 in | .40 | .35 | .30 |
| Sneezeweed. (See Helenium) | | | |
| Soapwort. (See Saponaria) | | | |
| SOLIDAGO (Goldenrod) | | | |
| 3 to 4 ft | .35 | .30 | .25 |
| Speedwell. (See Veronica) | | | |
| Spirea Ulmaria. (See Filipendula) | | | |
| STACHYS LANATA—Wooly Betony | , | | |
| Old fashioned garden plant | | | |
| for edging soft silvery foliage, purple flowers but of little value | .35 | .30 | .25 |
| Statice Latifolia. (See Limonium) | .00 | .00 | .20 |
| | | | |
| *STATICE—Thrift armeria alpina | | | |
| Compact tufts of foliage, | | | |
| bright rose flowers. June- | | | |
| July | .40 | .35 | .30 |
| armeria cephalotes rosea | 0.5 | 0.0 | 0.5 |
| Pale pink flowers. 1 ft | .35 | .30 | .25 |
| armeria cephalotes rubra | 4.0 | 0.5 | 20 |
| Deep rose. 1 ft | .40 | .35 | .30 |
| Rosalie (S. A. Laucheana) | | | |
| Bright rosy red, 6 to 8 in. June-Aug | .40 | .35 | .30 |
| STOKESIA | | | |
| July-Aug. 1 to 1½ ft. | | | |
| blue | .35 | .30 | .25 |
| white | .35 | .30 | .25 |
| Sunflower. (See Helianthus) | | | |
| Sweet William. (See Dianthus Barba | atus) | | |

| A CONTRACTOR AND A CONT | Each Rate | Tens Hund Rate Ra | |
|--|--------------|----------------------|-----|
| *TEUCRIUM | | | |
| chamaedrys | | | |
| Shrub-like habit, glossy | | | |
| green foliage, spikes of purple flowers in July- | | | |
| Aug. 1 ft | .40 | .35 | .30 |
| Aug. 116 | .40 | .50 | .50 |
| THALICTRUM—Meadowrue | | | |
| ★Maiden Hair M. (Adiantifolium) | | | |
| Foliage similar to maiden | | | |
| hair fern, small white | | | |
| flowers. June. 1 ft | .40 | .35 | .30 |
| | | | |
| aquilegiafolium | | | |
| Foliage similar to aquilegia, | 40 | 0.5 | 0.0 |
| white. June-July. 3 ft. | .40 | .35 | .30 |
| aquilegiafolium purpureum | | | |
| Purple. 3 ft | .40 | .35 | .30 |
| * | | | |
| glaucum (Dusty Meadowrue) | | | |
| Similar to aquilegiafolium, | | | |
| blue gray foliage, finely cut, heads of yellow flow- | | | |
| ers. 4 ft | .40 | .35 | .30 |
| C15. ± 1t | .10 | .00 | .50 |
| THERMOPSIS CAROLINIANA | | | |
| Yellow spikes, lupine like | | | |
| flower. July-Aug. 4 ft. | .50 | .45 | .40 |
| Thrift. (See Statice Armeria) | | | |
| · | | | |
| ★THYMUS | | | |
| serpyllum (Mother of Thyme) | | | |
| Dense mats of dark green | | | |
| foliage, purple flowers. | | | |
| June-July. 4 to 5 in | .40 | .35 | .30 |
| serpyllum album | | | |
| Mats of dark green foliage, | | | |
| white flowers. June-July. | | | |
| 4 in | .40 | .35 | .30 |
| | | | |
| Crimson Thyme (Serpyllum Coccin | - | 0.5 | 9.0 |
| Bright red flowers | .40 | .35 | .30 |
| Wooly Thyme (T. S. Lanuginosus) | | | |
| Wooly foliage, reddish pink | | | |
| flowers | .40 | .35 | .30 |
| TRADESCANTIA VIRGINICA—Vi | naini - | Spidannicut | |
| Succession of blue flowers | iginia | Spiderwort | |
| all summer. 2 ft | .35 | .30 | .25 |
| | | .50 | .20 |
| Tritoma. (See Kniphofia) | | | |

| | Each Rate | Tens Hun Rate H | idreds Rate |
|--|--------------|--------------------|----------------|
| ★TROLLIOUS —Globeflower europeous | | | |
| Lemon yellow, buttercup-like flowers. May-June. 2 ft. | .50 | .45 | .40 |
| Orange. 2 ft | .50 | .45 | .40 |
| ledebouri Orange yellow. 3 ft | .50 | .45 | .40 |
| ★TUNICA—Tunicflower saxifraga | | | |
| Tufted habit, small pink flowers all summer, 8 to 10 in | .35 | .30 | .25 |
| saxifraga alba White. 8 to 10 in | .35 | .30 | .25 |
| VALARIANA OFFICIONALIS—Gar | den H | eliotrope | |
| Heads of rose-tinted white | | • | |
| flowers, odor of heliotrope. June-July. 3 ft | .35 | .30 | .25 |
| VERONICA—Speedwell ★gentianoides | | | |
| Spikes of pale blue flowers edged deep blue. June- | | | |
| July. 1 ft | .35 | .30 | .25 |
| ★incana Silvery gray foliage, violet | | | |
| blue flowers. July-Aug. 1 ft | .35 | .30 | .25 |
| longifolia subsessilis | | | |
| Spikes of dark blue flowers. July-Aug. 2 ft | .40 | .35 | .30 |
| *rupestris. Rock Speedwell | | | |
| Dense foliage, blue flowers. June. 6 in | .40 | .35 | .30 |
| ★rupestris nana | | | |
| Prostrate and creeping, forming a dark green car- pet of shiny foliage cov | | | |
| ered with deep gentian blue flowers. April-May | .40 | .35 | .30 |
| spikata Spikes of blue flowers. June- | | | |
| July. 2½ ft | .35 | .30 | .25 |
| *teucrium | | | |
| Dwarf, spreading, dense growth, blue. May-June. | | | |
| 6 to 12 in | .40 | .35 | .30 |

| | Each Rate | Tens Hui Rate I | idreds Rate |
|--|--------------|--------------------|----------------|
| ★VINCA MINOR—Common Periwin | kle | | |
| Trailing plant, evergreen fo- liage, lilac blue flowers. April-May | .35 | .30 | .25 |
| ★VIOLA —Violet | | | |
| Admiration dark blue | .35 | .30 | .25 |
| Apricot Rich apricot shade | .40 | .35 | .30 |
| Blue Perfection | | | |
| Light blue | .35 | .30 | .25 |
| Bowles Black Tiny flat circular flowers, glossy black, small golden | 25 | 20 | 0.5 |
| Floraire | .35 | .30 | .25 |
| Small flowers of true blue | .35 | .30 | .25 |
| Jersey Gem Dark compact habit, pure rich violet | .40 | .35 | .30 |
| Lutea Splendens Golden Yellow | .35 | .30 | .25 |
| Lord Nelson Glowing violet purple | .35 | .30 | .25 |
| G. Wermig Rich violet blue | .40 | .35 | .30 |
| G. Wermig Alba White form of above | .40 | .35 | .30 |
| W. H. Woodgate (New) Very large flowered of true Cornuta type, | | | |
| dark violet | .40 | .35 | .30 |
| Odorata Double Russian Double blue, sweet scented | .50 | .45 | .30 |
| YUCCA FILAMENTOSA—Spanish E | Bavonet | | |
| Evergreen sword-like foliage, | , | | |
| spikes of cream white flowers. July. 4 to 6 ft | .40 | .35 | .30 |
| Yucca Variegata | | | |
| Center of leaf is green, edge golden yellow | 1.00 | .90 | |

ANNUAL AND BEDDING PLANTS

The prices of items on this page do not include delivery except in Hartland.

| TrTransplants into flats | | | |
|----------------------------------|--------|----------|---------|
| A | Each | Per Doz. | Per 100 |
| Ageratum | | h 00 | + 4 = 0 |
| 21/4 in. pots | | \$.60 | \$ 4.50 |
| 3 in. pots | | 1.20 | 10.00 |
| Alyssum | | | |
| Tr | | .25 | 1.75 |
| Pots | .05 | .50 | 4.00 |
| | | | |
| Antirrihnum. Snapdragon | | | |
| New giant flowering varie- | | | |
| ties and dwarf sorts. | | | |
| Separate colors. Tr | | .40 | 3.00 |
| | | .35 | 2.50 |
| Mixed colors. Tr | | .66 | 4.50 |
| Aster | | | |
| The best double varieties | | | |
| Separate colors. Tr | | .30 | 2.25 |
| Mixed colors. Tr | | .25 | 1.75 |
| Cumphine Mixed colons The | | .25 | |
| Sunshine. Mixed colors. Tr. | | .40 | 1.75 |
| Begonia Gracilis | | | |
| | | 1.00 | 0.00 |
| Pots | | 1.20 | 9.00 |
| Begonia Tuberous Rooted | | | |
| | | | |
| Separate colors and mixed | | | |
| 4 in. pots | .75 | 8.00 | 60.00 |
| p ' m t p . 1 m '!! | | | |
| Begonia Tuberous Rooted Trailing | | | |
| 4 in. pots | . 1.25 | 14.00 | |
| Browallia | | | |
| | 10 | 4 00 | = 00 |
| Pots | .10 | 1.00 | 7.00 |
| Calendula | | | |
| | | | |
| Tr | | .25 | 1.75 |
| Caladium | | | |
| | 4.05 | | |
| 5 in. pots | 1.25 | | |
| Cannas | | | |
| King Humbert | | | |
| | 0~ | 0.00 | 00.00 |
| Scarlet. Pots | .25 | 3.00 | 20.00 |
| Mrs. Alfred Conard | | | |
| | | | |
| Salmon pink. Pots | .35 | 4.20 | 30.00 |
| The President | | | |
| | | | |
| Flaming scarlet. Pots | .25 | 3.00 | 20.00 |
| Cohoo coundano | | | |
| Cobea scandens | | | |
| Potted | .15 | 1.50 | |
| Coleus | | | |
| | | 60 | 4.50 |
| 2½ in. pots | | .60 | |
| 3 in. pots | | 1.20 | 9.00 |

| | Each | Per Doz. | Per 100 |
|--|------|--------------------|---------------------|
| Cosmos Single and double, early | , | | |
| flowering. Tr | | .25 | 1.75 |
| Cupheae | | | |
| Pots | | 1.80 | 13.00 |
| Dracena | 1.00 | | |
| Pots | 1.00 | | |
| Dusty Miller Pots | .10 | 1.00 | |
| Geranium | •== | 1.00 | |
| Pots 4 in. | | | |
| Beauty Poitevine, pink | .25 | 3.00 | 20.00 |
| Fiatt, intense dark salmon pink | | 3.00 | 20.00 |
| Irvington Beauty, rosy sal- | | 0.00 | |
| mon pink | .25 | 3.00 | 20.00 |
| Radio Red, intense scarlet | .25 | 3.00 | 20.00 |
| Ricard, bright vermillion scarlet | | 3.00 | 20.00 |
| Salmon Ideal | | 3.00 | 20.00 |
| Rose Leaf | .25 | 3.00 | 20.00 |
| Heliotrope | | | |
| Pots | .50 | | |
| Lantana | | | |
| Upright. Potted | .25 | 4.20 | |
| Weeping. Potted | .50 | 6.00 | |
| Lobelia Tr | | .50 | 5.00 |
| Potted | .10 | 1.00 | 7.00 |
| Larkspur | | | |
| Tr | | .25 | 1.75 |
| Marigold | | 0.5 | 1.55 |
| Lemon, orange. Tr | | .25 | 1.75 |
| Morning Glory (Ipomoea) | | | |
| Early flowering, large sky | | 7.00 | |
| blue. Pots | | 1.80 | |
| Nasturtium, dwarf | 05 | .50 | 4.00 |
| Pots | .05 | .50 | 4.00 |
| Rosy Morn | | | |
| Tr | | .35 | 2.50 |
| 21/4 in. pots | | 1.20 | 9.00 |
| 3 in. pots | | 1.80 | 13.00 |
| Rose of Heaven | | 25 | 0.50 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | | $\frac{.35}{1.20}$ | $\frac{2.50}{9.00}$ |
| 3 in. pots | | 1.80 | 13.00 |
| Ruffled Monster. Single | | | |
| Tr | | .35 | 2.50 |
| 2¼ in. pots | | 1.20 | 9.00 |
| 3 in. pots | | 1.80 | 13.00 |

| | | | D D | D 100 |
|----------|---|------|---------------------|---------------------|
| Ruffle | d Monsters. Double | Each | Per Doz. | Per 100 |
| Kajjie | 3 in. pots | | $\frac{2.40}{3.60}$ | |
| Phlox D | rummondi Mixed colors. Tr | | .25 | 1.75 |
| Ricinus. | Castor Bean Tall plants with ornamental foliage. Pots | .10 | 1.00 | |
| Salvia | Tr | .15 | .50 1.50 | 4.00 |
| Salpiglo | | **** | 2.00 | |
| Sarpigio | Mixed colors. Tr | | .50 | 4.00 |
| Scabiosa | | | .25 | 1.75 |
| Thumban | | | .20 | 1.70 |
| Thunber | Drooping plant for window | | | |
| | boxes. Pots | .10 | 1.00 | 7.00 |
| Verbena | | | | |
| | Separate colors and mixed . | | .35 | 2.50 |
| Vinca | Drooping varigated foliage for window boxes. Pots | | 3.00 | 20.00 |
| Wander | ing Jew | | | |
| | Pots | .10 | 1.00 | |
| Zinnia | Dahlia flowered. Separate colors. Tr | | .30 .25 | 2.25 1.75 |
| Zinnia, | dwarf (Lilliput) | | | |
| Í | Separate colors. Tr Mixed colors. Tr | | .30 .25 | $\frac{2.25}{1.75}$ |

| | Each Rate | Tens Hun Rate R | dreds |
|---|--------------|--------------------|-------|
| DAHLIAS | | | |
| A. D. Livoni | .35 | .30 | .25 |
| Show, soft pink | .50 | .50 | .23 |
| Amun Ra Decorative, very large, | | | |
| outer petals copper and | | | |
| orange shading to amber | | | |
| and gold, deepening to dark reddish brown in | | | |
| center | 1.00 | .90 | .80 |
| Countess of Lonsdale | 1.00 | | .00 |
| Cactus, apricot pink, early | | | |
| and free flowering | .35 | .30 | .25 |
| Delice | | | |
| Decorative, glowing rose pink, long stiff stems | .35 | .30 | .25 |
| 1 , 9 | .00 | .50 | .20 |
| Etenard DeLyon Cactus. Broad waxy petals, | | | |
| carmine rose or royal pur- | | | |
| ple color | .50 | .45 | .40 |
| F. W. Fellows | | | |
| Cactus, large orange scarlet | .50 | .45 | .40 |
| Frau G. Scheiff | | | |
| Decorative, bright chamois | | | |
| with faint orange suffu- | = 0 | .~ | 4.0 |
| sion | .50 | .45 | .40 |
| Jean Chazot (Gay Paree) | | | |
| Hybrid Cactus, golden bronze suffused nastur- | | | |
| tium red, vigorous, pro- | | | |
| fuse bloomer, long stems | .75 | .70 | .65 |
| Geo. Walters | | | |
| Hybrid cactus, large pinkish | | | |
| salmon, yellow at base, | | | |
| long stiff stems | .50 | .45 | .40 |
| Insulinde | | | |
| Decorative, golden ochre with | | | |
| salman red suffusion, large flower, long stiff | | | |
| stems, twisted petals | .75 | .70 | .65 |
| Jack Rose | | | |
| Decorative, rich velvety crim- | | | |
| son | .35 | .30 | .25 |
| Jersey's Beauty | | | |
| Decorative, clear pink, long | | | |
| stiff stems, profuse bloom- | | | |
| er | .75 | .70 | .65 |
| | | | |

| | Each Rate | Tens Hun Rate R | idreds Late |
|--|--------------|--------------------|----------------|
| J. H. Jackson Cactus, deep maroon | .35 | .30 | .25 |
| Kailif Hybrid cactus, large vigorous deep, scarlet | .35 | .30 | .25 |
| Kitty Dunlap Decorative, American beauty rose shade, early and continuous, large size | .75 | .70 | .65 |
| Mina Burgle Decorative, deep scarlet, very large | .35 | .30 | .25 |
| Mrs. Carl Salsbach Decorative, large, lavender pink, suffused white, good stem | .40 | .35 | .30 |
| Mrs. I. D. Ver Warner Decorative, large, rich orchid or deep mauve pink | .50 | .45 | .40 |
| Mt. Hood Decorative, pure white, medium size, free bloomer. | .50 | .45 | .40 |
| Patrick O'Mara Decorative, rich chrome yellow, suffused salmon red | .50 | .45 | .40 |
| Queen Wilhelmina Peony, white | .35 | .30 | .25 |
| DAHLIAS—Pompom Alewine Tinted lilac | .45 | .40 | .35 |
| Catherine Primrose yellow | .45 | .40 | .35 |
| Johnny Small scarlet | .45 | .40 | .35 |
| Glow Old Rose | .45 | .40 | .35 |
| Joe Fette Pure white | .45 | .40 | .35 |
| Kleine Domitea Orange bluff Little Jewel | .45 | .40 | .35 |
| Miniature decorative pom- pom, peach blossom pink | .45 | .40 | .35 |
| Nellie Frazer Beautiful pink | .45 | .40 | .35 |

| | Each Rate | Tens H Rate | undreds Rate |
|---|--------------|----------------|-----------------|
| GLADIOLUS | 20410 | 20010 | 10000 |
| Anna Eberius Dark plum rose | | .08 | .07 |
| America | | | |
| Soft lavender pink | • | .06 | .05 |
| Baron Hulot Rich velvety purple | | .12 | .10 |
| Byron L. Smith Lavender on white ground | | .12 | .10 |
| Capt. Boynton Lavender with darker spots | | .12. | 10 |
| on lower petals | | .12. | .10 |
| Dr. Norton Cream and pink | | .12 | .10 |
| Early Sunrise Large bright salmon scarlet | | | |
| cream stripe through cen- | | .12 | 10 |
| ter of each petal | • | .12 | .10 |
| E. J. Shaylor Deep rose pink, slightly | | .06 | 05 |
| ruffled | | .00 | .05 |
| Evelyn Kirtland Rose pink, scarlet blotches on lower petals | | # 0 | |
| on lower petals Flora | | .10 | .08 |
| Large golden yellow Giant Nymph | | .12 | .10 |
| Large deep rose pink, creamy yellow throat | | .10 | .08 |
| Louise | | | |
| Lavender | | .10 | .08 |
| L'Imaculee Pure White | | .10 | .08 |
| Large rose pink | | .08 | .07 |
| Los Angeles | | | |
| Shrimp pink, marked or- ange-carmine in the throat | | .12 | .10 |
| Mrs. Francis King Large bright scarlet | | .08 | .07 |
| Mrs. Frank Pendleton | | | |
| Salmon pink, red blotches on throat | | .08 | .07 |
| Mrs. Leon Douglass Begonia-rose striped with | | | |
| flame and brilliant scarlet. | | | |
| Lip is pale yellow speckled in ruby | | .15 | .12 |
| | | | |

| | | Each Rate | Tens Hur Rate F | dreds Late |
|----|---|--------------|--------------------|---------------|
| 19 | 910 Rose | | | |
| 0 | Deep rose pink | | .08 | .07 |
| | Orange salmon with dark blotch, early | | .10 | .09 |
| 0 | Prange Glory Bright orange, carmine | | | |
| D. | blotch | | .12 | .10 |
| P | Large clear pink | | .07 | .06 |
| P | rince of Wales | | | |
| | Delicate salmon-pink, early | | .08 | .07 |
| R | ed Canna | | | |
| D | Large, tall scarlet | | .12 | .10 |
| K | ose Ash Large, old rose | | .10 | .09 |
| S | chwaben | | | |
| | Canary yellow, large and vigorous | | .08 | .07 |
| S | carlet Princeps (Virginia) | | | |
| | Flaming scarlet | | .08 | .07 |
| W | Var Deep blood-red shaded crim- | | 40 | 40 |
| | son-black | | .12 | .10 |
| W | Vilbrink | | .08 | .07 |
| W | Early, light pink | | .08 | .07 |
| ~ | 7. H. Phipps Clear pink tinged rosy-sal- | | | |
| | mon, large flowers | | .20 | .18 |
| | ADIOLUS | | | |
| | rimulinus Varieties | | | |
| Α | lice Tiplady Rich orange saffron | | .08 | .07 |
| K. | Taiden Blush | | .00 | .07 |
| IV | Delicate salmon pink | | .07 | .06 |
| M | ling Toy | | | |
| | Deep bluff with yellow throat | | .12 | .10 |
| C | Prange Queen | | | |
| | Apricot orange | | .15 | .13 |
| R | ose Luisante Shell pink, cream throat | | .10 | .09 |
| S | ouvenir | | | |
| K. | Deep yellow | | .08 | .07 |
| 4 | Salmon | | .07 | .06 |

| FALL BULBS | T 1 | m ** | , , |
|--|--------------|--------------------|--------|
| | Each Rate | Tens Hur Rate F | lareas |
| CROCUS | | | |
| blue | | .06 | .05 |
| blue and purple | | .06 | .05 |
| purple | | .06 .06 | .05 |
| stripedyellow | | .06 | .05 |
| white | | .06 | .05 |
| mixed | | .05 | .04 |
| Daffodils (See Narcissus) | | | |
| GALANTHUS—Snowdrops | | | |
| | | .05 | .04 |
| HYACINTHS | | | |
| blue, pink, white | .30 | .25 | .22 |
| LILIUM—Lily | | | |
| Auratum. Gold-Banded Lily | | | |
| Large white flowers, dotted | | | |
| crimson, with clear gold | | | |
| band through center of each petal. Very fragrant. | | | |
| July-Sept. 3 to 4 ft. | | | |
| Plant in Fall or Spring. | | | |
| 10 in | .60 | .55 | .50 |
| Candidum. Madonna Lily | | | |
| White, fragrant. June-July. | | | |
| 3 ft. Plant AugSept. 3 | | | |
| ft | .50 | .45 | .40 |
| Canadense. Canada Lily | | | |
| Graceful, drooping bell | | | |
| shaped, red and yellow flowers. 3 to 4 ft. July. | | | |
| flowers. 3 to 4 ft. July. | | | |
| Plant in Sept. or Oct. 3 in. | 40 | 25 | 20 |
| deep | .40 | .35 | .30 |
| Elegans | | | |
| Orange red upright flowers. | | | |
| June-July. 2 to 3 ft. Plant Sept. or Oct. 6 in. | | | |
| deep | .40 | .35 | .30 |
| • | • 10 | 100 | .00 |
| Regal. Royal Lily | | | |
| White, fragrant, outside shaded pink. July-Aug. 3 | | | |
| to 4 ft. Plant Oct. 8 | | | |
| in | .60 | .55 | .50 |
| | | | |
| Rubrum | | | |
| Deep rose spotted crimson. Aug. 2 to 3 ft. Plant 10 | | | |
| in. Fall or Spring | .60 | .55 | .50 |
| in. ran or oping | .00 | .00 | .00 |

| | Each | Tens Hur | dreds |
|--|------|----------|-------|
| Superbum. Turk's Cap Lily | Rate | Rate R | late |
| Orange scarlet, shaded yel- | | | |
| low, spotted. Prefers moist locations, but not | | | |
| necessary. July-Aug. 4 | | | |
| to 5 ft. Plant in Oct. 8 | .40 | .35 | .30 |
| Tigrinum. Tiger Lily | | | |
| Orange, spotted purple, July-Aug. 3 to 5 ft. | | | |
| Plant in SeptOct. 8 to | | | |
| 10 in | .35 | .30 | .25 |
| Tennuifolium. Coral Lily | | | |
| Nodding, bright scarlet, waxy. June-July. 1½ to 2 ft. Plant 4 in | | | |
| 2 ft. Plant 4 in | .35 | .30 | .25 |
| Umbellatum. Western Orange Cup Li | ly | | |
| Orange scarlet. June-July. 2 ft. Plant in SeptOct. | | | |
| 5 in | .40 | .35 | .30 |
| MUSCARI—Grape Hyacinth | | | |
| Small compact spikes, dark blue | | .06 | .05 |
| NARCISSUS | | .00 | .00 |
| Emperor | | | |
| Large rich yellow | .20 | .18 | .16 |
| Empress | | | |
| Yellow trumpet, white perianth | .20 | .18 | .16 |
| Poeticus. Poets Narcissus (Pheasan | | | |
| White, orange scarlet cup, | | | |
| late flowering | .15 | .13 | .11 |
| Poeticus Ornatus White cup margined bright | | | |
| crimson, earlier flowering | | | |
| than the above | .15 | .13 | .11 |
| Paper White White, fragrant for forcing | | | |
| indoors only | .10 | .10 | .08 |
| Victoria | | | |
| Yellow trumpet, white perianth, fragrant | 90 | 10 | 16 |
| Von Sion | .20 | .18 | .16 |
| Double yellow | .20 | .18 | .16 |
| Campernelle (Jonquils) | | | |
| Small bright yellow flowers in clusters, fragrant | .15 | .13 | .11 |

| | Each Rate | Tens Hun Rate R | dreds |
|--|--------------|--------------------|-------|
| SCILLA Small bell-shaped blue flow- | | | |
| ers | | .06 | .05 |
| TULIPS—Early Single Artus | | | |
| Deep scarlet | | .07 | .06 |
| Chrysolora Large pure yellow, one of the best bedding varieties, long keeping qualities | | .10 | .09 |
| Keizerkroon | | | |
| Bright red, yellow border, very large | | .12 | .11 |
| LaReine | | 0.77 | 0.0 |
| White shaded rose Gris de Linn | | .07 | .06 |
| Delicate rose shaded to white at the base | | .07 | .06 |
| Rose La Reine Similar to LaReine, but very | | | |
| deep pink | | .07 | .06 |
| Yellow Prince Golden Yellow | | .10 | .09 |
| TULIPS—Early Double | | | |
| Imperator Rubrorum Large bright scarlet | | .15 | .12 |
| Mr. Van Der Hoeff Large golden yellow | | .15 | .12 |
| Peachblossom Dark pink | | .15 | .12 |
| Torreador | | | |
| Scarlet, edged buff-yellow . | | .15 | .12 |
| TULIPS—Breeder late Bacchus | | | |
| Dark plum color, immense | | 15 | 10 |
| flower Don Pedro | | .15 | .12 |
| Coffee brown | | .15 | .12 |
| Cardinal Manning Rosy violet flushed dull bronze, large and tall | | .10 | .09 |
| Louis XIV | | .10 | .00 |
| Rich purple with gold bronze margin | | .15 | .12 |
| Madras Dark bronzy yellow and old | | | |
| gold | | .15 | .12 |
| | | | |

| · · · · · · · · · · · · · · · · · · · | | | |
|---|--------------|--------|------------------|
| | Each Rate | Tens I | Hundreds Rate |
| Medea Rosy carmine tinged salmon | | .10 | .09 |
| Panorama | | | |
| Terra-cotta and bronze St. James | | .10 | .09 |
| Rose gold edged bronze | | .10 | .09 |
| Turrene Purplish brown, edged soft | | 1.5 | 10 |
| Yellow Perfection | | .15 | .12 |
| Olive yellow | | .10 | .09 |
| TULIPS—Cottage Bouton d'Or Pure yellow | | .08 | .07 |
| Gesneriana Spathulata | | | |
| Dazzling searlet with deep bluish base, large flower | | .08 | .07 |
| Inglescombe Pink Salmon pink, blue base | | .08 | .07 |
| Inglescombe Scarlet | | | |
| Scarlet with black base | | .08 | .07 |
| Inglescombe Yellow Large pure yellow | | .08 | .07 |
| John Ruskin Rich apricot orange, flushed pink and gold | | .10 | .09 |
| Mrs. Moon | | | |
| Immense golden yellow, tall, fragrant, best late yellow | | | |
| tulip | | .15 | .12 |
| White, margined pink | | .09 | .08 |
| TULIPS—Darwin Baronne de LaTonnage | | | |
| Bright rose | | .08 | .07 |
| Bartigon Fiery crimson | | .09 | .08 |
| Clara Butt Soft Salmon pink | | .07 | .06 |
| Dream | | | |
| Soft Lilac Farnscombe Sanders | | .09 | .08 |
| Rich brilliant scarlet | | .08 | .07 |
| Feu Brilliant Bright red | | .10 | .09 |
| Glow Vermillian scarlet, large | | .07 | .06 |
| Gretchen | | | |
| Soft blush | | .07 | .06 |

| | T7 - 1 | m *** | , , |
|---|--------------|-------|-----------------|
| | Each Rate | Rate | undreds Rate |
| King Harold Deep maroon scarlet | | .08 | .07 |
| LaTulip Noire | | ••• | |
| Black | | .10 | .09 |
| Madame Krelage Soft rose margined blush . | | .08 | 0.7 |
| Massachusetts | | .08 | .07 |
| Vivid pink, white center, | | | |
| large | | .09 | .08 |
| Mrs. Potter Palmer Flowing purple | | .10 | .09 |
| Pride of Harlem | | .10 | .00 |
| Carmine rose | | .08 | .07 |
| Princess Elizabeth | | 0.0 | 0.7 |
| Vivid rose pink Prof. Rauwenhoff | | .08 | .07 |
| Cherry rose, ivory white and | | | |
| blue star at base, large | | 00 | 0.5 |
| flower | | .08 | .07 |
| Rev. Ewbank Vivid heliotrope lilac with | | | |
| lighted tint at margin | | .08 | .07 |
| Roi d'Islande | | 10 | 00 |
| Rose large Sieraad Van Flora | | .10 | .09 |
| Violet rose with blue base | | .08 | .07 |
| U. S. A. | | | |
| Orange red with orange yellow border | | .09 | .08 |
| White Queen | | .00 | •00 |
| White passing into soft pink | | .08 | .07 |
| Wm. Copeland | | 00 | 0.0 |
| Bright violet | | .09 | .08 |
| Deep scarlet with purplish | | | |
| bloom in the outer petals Finest Darwins mixed | | .09 | .08 |
| TULIPS—Parrot | | .06 | .05 |
| Mixed, large blossoms, cut | | | |
| and fringed, long stems . | | .08 | .07 |
| TULIPS—Lily Flowered | | | |
| Sirene Long narrow reflex petals | | | |
| on strong stems, lovely | | | |
| satiny rose color | | .12 | .10 |
| Tulip—Species Clusiana Dainty minature tulip, | | | |
| outer petals cherry red, | | | |
| inner petals striped pink . | | .15 | .12 |
| | | | |

| Perennials | and | Rock | Plants | for | partial | shade |
|------------|------|--------|---------|-----|---------|-------|
| * Design | mate | s rock | plants. | | | |

Aconitum Lilium Auretum ★Ajuga Reptans Lilium Canadense ★Anemone Pulsatilla ★Anchusa Myosotidiflora Lilium Regal Lilium Rubrum Lilium Superbum **★**Aquilegia Lupine ★Arabus Alpina ★Lysimachia Nummularia Astilbe ★Arenaria Balearica Mertensia ★Arenaria Caespitosa Monarda Dydima Bellis Perenne **★**Montbretia **★**Myosotis ★Campanula Carpathica ★Campanula Rotundifolia Pachysandra Platicoden Cimicifuga Racemosa ★Phlox Divaricata Convallaria ★Dicentra Eximea ★Pimula Auricula ★Primula Polyantha ★Dicentra Spectabilis ★Saxifraga Cordifolia Ferns

★Heuchera Hemerocallus Hosta (All varieties)

★Iris Cristata Iris Pumilla Lobelia Cardinalis

Perennials for moist locations:

Ajuga Reptans
Anchusa Myosotidiflora
Doronicum
Erigeron
Ferns
Hosta
Hemerocallus
Hibiscus
Iris Cristata
Iris Siberian

Lilium Superbum
Lysimachia Nummularia
Mertensia
Myosotis
Primula Cashmeriana
Primula Cortusoides
Ranunculus Acris
Saxifraga Cordifolia
Thalictrum
Trollious

Sedum Spectabile

Trollious Violas

Sedum Spectabile Brilliant

Thalictrum (All varieties)

Ground Covers

Iris Pseudocorus

Ajuga Geneviensis
Ajuga Reptans ... } shade, also moist places
Lysimachia ... { wet places in sun, or
dry places in shade

Phlox Subulata Alba ... } hot dry places

Phlox Subulata Rosea ... }

Pachysandra Terminalis ... { evergreen foliage,
light shade

Sedum Acre ... } sunny dry places

Thyme (all varieties) ... }

Veronica Rupestrus ... shade or sun
Vinca ... sunny place

FRUIT

| FRUIT | | | |
|---|--------------|------------------|-----------------|
| A DDI EC | Each Rate | Tens H Rate | undreds Rate |
| APPLES 11/16 & up, 5-6 ft., No. 1\$ | 1.00 | ¢ 00 | ¢ 75 |
| Varieties starred (*) are | 1.00 | ψ .υυ | ψ .10 |
| especially recommended | | | |
| Ben Davies. Winter | | | |
| ★Delicious. Winter | | | |
| ★Early Harvest. Early | | | |
| Fameuse (Snow). Early winter | | | |
| Golden Russet. Winter | | | |
| Grimes Golden. Early Winter | | | |
| Jonathan. Winter | | | |
| ★McIntosh. Winter | | | |
| Northern Spy. Winter ★N. W. Greening. Winter | | | |
| *N. W. Greening. Winter | | | |
| ★Oldenburg (Duchess). Summer | | | |
| *Pewaukee. Winter | | | |
| Red Astrichan. Early Summer *Tolman Sweet. Winter | | | |
| ★Wealthy. Early Winter | | | |
| Winesap. Early Winter | | | |
| Yellow transparent. Early Summer | | | |
| - | | | |
| CRABS | 1.00 | .90 | .75 |
| Hyslop | 1.00 | .00 | .10 |
| Red Siberian | | | |
| Sweet Russett | | | |
| Whitney | | | |
| Yellow Siberian | | | |
| CHERRY | | | |
| 4 to 6 ft., No. 1 | 1.25 | 1.15 | 1.00 |
| Early Richmond | | | |
| Large Montmorency | | | |
| PEARS | | | |
| 5 to 6 ft., No. 1 | 1.25 | 1.15 | 1.00 |
| Bartlett. Large yellow, fine flavor | | | |
| Bartlett. Large yellow, fine flavor Kieffer. Hardy cooking pear Seckel. Small, sweet, excellent | | | |
| Seckel. Small, sweet, excellent | | | |
| flavor | | | |
| PLUM | | | |
| 5 to 6 ft., No. 1 | 1.00 | .90 | .80 |
| European varieties: | | | |
| Shopshire (Damson). Dark blue Native varieties: | | | |
| Desoto. Medium size, purplish red | I proli | fia | |
| Surprise. Large dark red, yellow | i, prom | oog anal | itv |
| Hanson Hybrids: The best class for | Wiscon | oou quai isin | 105 |
| Goldenrod. Large yellow | | | |
| Kahinta. Large oval shape, red, g | ood qu | ality | |
| Opata. Medium size, purplish re | ed, gre | en flesh | , early |
| Opata. Medium size, purplish re Tonka. Large red, good flavor | , 0 | | • |
| Underwood. Large red, early | | | |
| Waneta. Large red, very good | | | |
| | | | |

| | Each Rate | Tens F Rate | Iundreds Rate |
|---|--------------|----------------|------------------|
| CURRANTS | | | |
| 2 year, No. 1, except as noted Cherry. Large red | .30 | .25 | .20 |
| Wilder. Red | | | |
| White Grape. White Perfection. Red | | | |
| 2 year, No. 1 | .50 | .45 | .40 |
| GRAPE | | | |
| 2 year, No. 1 | | | |
| Agawan. Early brown | .30 | .25 | .20 |
| Beta. Wild | .30 | .25 | .20 |
| Brighton. Red | .35 | .30 | .25 |
| Clinton. Small, hardy | .30 | .25 | .20 |
| Concord. Standard black | .20 | .18 | .15 |
| Delaware. Small purple, sweet | .35 | .30 | .25 |
| Moore Early. Early black | .35 | .30 | .25 |
| Niagara. White | .35 | .30 | .25 |
| Worden. Large bluish black | .35 | .30 | .25 |
| GOOSEBERRY | | | |
| Carrie. Red | | | |
| 2 year, No. 1 | .40 | .35 | .30 |
| Downing. Large green | 4.0 | 0.5 | |
| 2 year, No. 1 | .40 | .35 | .30 |
| 2 year, No. 1 | .50 | .40 | .35 |
| | Per 12 | Per 25 | Per 100 |
| BLACKBERRY | | | |
| No. 1 | 1.50 | 2.75 | 10.00 |
| RASPBERRY | | | |
| Black: | 0.00 | 0 =0 | 70.00 |
| Cumberland, 2 yr. transplants | 2.00 | 3.50 | 12.00 |
| Gregg, 1 yr., No. 1 Purple: | 1.50 | 2.75 | 10.00 |
| Columbian, 2 yr. transplants | 2.00 | 3.50 | 12.00 |
| Red: | | | |
| Chief, the new large red rasp- berry, is ten to twelve days | | | |
| earlier to ripen than Latham | 0.05 | 4.00 | 14.00 |
| No. 1 | 2.25 | 4.00 | 14.00 |
| Latham, large red, one of the best grown. Ripens from ten to | | | |
| twelve days later than the Chief | 0.00 | 0 = 0 | 10.65 |
| No. 1 | 2.00 | 3.50 | 12.00 |

ANNUAL AND BEDDING PLANTS

| | Per 25 | Per 100 | Per 500 |
|--|--------------|---------|---------|
| STRAWBERRY | | | |
| | .75 | 2.00 | 7.50 |
| Aroma. Large dark red Dunlap. Good shipper, usually planted with Warfield Warfield. Imperfect, requires a fertilizing variety, usually Dunla | | | |
| Mastoden (everbearing) | | 4.00 | 15.00 |
| MISCELLANEOUS | | | |
| MISCELLITE | 03 | | |
| WIGGEEN | Rate | | Hundred |
| ASPARAGUS | | | |
| | Rate | Rate | Rate |
| ASPARAGUS | Rate Each | Rate | Rate |
| ASPARAGUS 1 year, No. 1 | Rate Each | Rate | Rate |







